

**3000 SERIES
SPECIFICATION SHEETS
1998-2003**

1998	Specification Sheets	CC
1999	Specification Sheets	CC
2000	Specification Sheets	CC
2001	Specification Sheets	CC
2002	Specification Sheets	CC
2003	Specification Sheets	CC

Material contained in this document is intended for use by Independent Retail dealer personnel.

Any other use without expressed written consent of MTD PRODUCTS INC is prohibited.

3165	16 H.P. Vanguard	Twin	Hydro	1998
3185	18 H.P. Vanguard	Twin	Hydro	1998
3205	20 H.P. Kawasaki	Twin	Hydro	1998
3225	22 H.P. Command	Twin	Hydro	1998

MODEL: 3165

YEAR: 1998

Factory Model Number: 14A-654-100
 Serial Numbers:(1998) B018G2-H318G2

16 H.P. Hydro Drive
 E-Vac P.T.O. / 48" Optional Deck
 Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	700 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 7.5-8
Rear Wheel Tire Size	23 x 10.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Briggs & Stratton
Model Series	Vanguard (Horizontal)
Model/Type/Spec	303447-1279
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	16 HP
Peak Torque	Not Availble
Displacement	29.3 cu in. (480cc)
Bore	2.68"
Stroke	2.60"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.005"
Valve Lash (Exhaust)	0.005"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	4.5 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 30	737-3029
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	BS-394018S
Pre Filter	BS-272490S
Oil Filter	BS-492932S
Fuel Filter	BS-691035
Spark Plug	759-3336
Armature	BS-492341
Points	Not Applicable
Carb Kit	BS-842877

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	BS-845907
Solenoid	925-1426A
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	BS-305447-3079
Short Block	BS-494054
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0498

Yellow Paint (11.5 oz. Aerosol)	759-3588
Yellow Paint (Quart)	759-3589
Yellow Paint (.6 oz. Bottle)	759-3692

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: 3165**YEAR: 1998**

Factory Model Number: 14A-654-100

16 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
48"	3	Stamped	(A)	M	190-289-100	265 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
48" & 54"	3	Stamped	(B)	No	190-345-100	107 lbs.	1 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(C)	No	190-217-100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
48"	3	Stamped	-	Yes	590-506-100	22 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D)	190-353-100	215 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
54"	Optional 171 or 288	190-343-100	(D)	190-352-100	110 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	1 Year
42" Lawn Sweeper	-	190-163-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	122 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,200 lb. Capacity	190-368-100	147 lbs.	1 Year
17 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,500 lb. Capacity	190-425-100	187 lbs.	1 Year
48" Poly Bed Liner	Fits All 10 Cu Ft. Trailers	190-161-100	16 lbs.	1 Year
60" Poly Bed Liner	Fits All 17 Cu Ft. Trailers	190-162-100	23 lbs.	1 Year
Hydraulic Front Hitch System	Required For 352 & 353	190-343-100	65 lbs.	1 Year
Ag Tires/Rims 23" x 10.5" x 12"	-	190-249-100	75 lbs.	1 Year
Hydraulic Front Angle Kit	Not Used With 353	190-288-100	30 lbs.	1 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	1 Year
Hydraulic 3 Pt. Hitch, Category "O"	-	190-365-100	90 lbs.	1 Year
"A" Frame Hitch Adapter	Converts Sleeve Hitch Attachments To Cat. "O"	190-924-000	26 lbs.	1 Year
12" Mold Board Plow	Requires 365	190-920-000	109 lbs.	1 Year
Tandem Disc	Requires 365	190-921-000	189 lbs.	1 Year
Spring Cultivator	Requires 365	190-922-000	60 lbs.	1 Year
38" Tiller, 8.0 H.P.	Requires 365 (E)	190-400-100	263 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen**NOTE: (B)** Fan Assist Bagger From Grass Pump**NOTE: (C)** Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity**NOTE: (D)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (E)** Requires Qty. (1) 759-3932 Tiller Adapter From Parts

MODEL: 3185

YEAR: 1998

Factory Model Number: 14A-665-100
 Serial Numbers:(1998) B018G2-H318G2

18 H.P. Hydro Drive
 E-Vac P.T.O. / 48" & 54" Optional Decks
 Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	700 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 7.5-8
Rear Wheel Tire Size	23 x 10.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Briggs & Stratton
Model Series	Vanguard (Horizontal)
Model/Type/Spec	350447-1206
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	18 HP
Peak Torque	Not Availble
Displacement	34.7 cu in. (480cc)
Bore	2.83"
Stroke	2.76"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.005"
Valve Lash (Exhaust)	0.005"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	4.5 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 30	737-3029
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	BS-394018S
Pre Filter	BS-272490S
Oil Filter	BS-492932S
Fuel Filter	BS-691035
Spark Plug	759-3336
Armature	BS-492341
Points	Not Applicable
Carb Kit	BS-842881

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	BS-845907
Solenoid	925-1426A
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	BS-305447-3079
Short Block	BS-494054
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0498

Yellow Paint (11.5 oz. Aerosol)	759-3588
Yellow Paint (Quart)	759-3589
Yellow Paint (.6 oz. Bottle)	759-3692

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: 3185**YEAR: 1998**

Factory Model Number: 14A-665-100

18 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
48"	3	Stamped	(A)	M	190-289-100	265 lbs.	1 Year
54"	3	Stamped	(A)	K	190-290-100	268 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
48" & 54"	3	Stamped	(B)	No	190-345-100	107 lbs.	1 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(C)	No	190-217-100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
48"	3	Stamped	-	Yes	590-506-100	22 lbs.	1 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D)	190-353-100	215 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
54"	Optional 171 or 288	190-343-100	(D)	190-352-100	110 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	1 Year
42" Lawn Sweeper	-	190-163-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	122 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,200 lb. Capacity	190-368-100	147 lbs.	1 Year
17 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,500 lb. Capacity	190-425-100	187 lbs.	1 Year
48" Poly Bed Liner	Fits All 10 Cu Ft. Trailers	190-161-100	16 lbs.	1 Year
60" Poly Bed Liner	Fits All 17 Cu Ft. Trailers	190-162-100	23 lbs.	1 Year
Hydraulic Front Hitch System	Required For 352 & 353	190-343-100	65 lbs.	1 Year
Ag Tires/Rims 23" x 10.5" x 12"	-	190-249-100	75 lbs.	1 Year
Hydraulic Front Angle Kit	Not Used With 353	190-288-100	30 lbs.	1 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	1 Year
Hydraulic 3 Pt. Hitch, Category "O"	-	190-365-100	90 lbs.	1 Year
"A" Frame Hitch Adapter	Converts Sleeve Hitch Attachments To Cat. "O"	190-924-000	26 lbs.	1 Year
12" Mold Board Plow	Requires 365	190-920-000	109 lbs.	1 Year
Tandem Disc	Requires 365	190-921-000	189 lbs.	1 Year
Spring Cultivator	Requires 365	190-922-000	60 lbs.	1 Year
38" Tiller, 8.0 H.P.	Requires 365 (E)	190-400-100	263 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen**NOTE: (B)** Fan Assist Bagger From Grass Pump**NOTE: (C)** Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity**NOTE: (D)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (E)** Requires Qty. (1) 759-3932 Tiller Adapter From Parts

MODEL: 3205

YEAR: 1998

Factory Model Number: 14A-685-100
 Serial Numbers:(1998) B018G2-H318G2

20 H.P. Hydro Drive
 E-Vac P.T.O. / 48" & 54" Optional Decks
 Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	720 lbs.
Engine Type	Gas (Liquid Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 7.5-8
Rear Wheel Tire Size	24 x 10.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kawasaki
Model Series	FD Series (Horizontal)
Model/Type/Spec	FD620D-AS21
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	20 HP (14.9 kW)
Peak Torque	32.9 ft. lbs. @ 2,200 RPM
Displacement	37.7 cu in. (617 cc)
Bore	2.99"
Stroke	2.68"

ENGINE SPECS:

Idle Speed	1450 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3450 R.P.M.
Valve Lash (Intake)	0.0098"
Valve Lash (Exhaust)	0.0098"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.012"-0.050"

CAPACITIES:

Engine Crankcase	1.6 qts. (A)
Coolant	2.8 qts. (F)
Transmission	4.5 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034
(F) 50/50 Water/Anti-Freeze	

ENGINE MAINTENANCE PARTS:

Air Filter	KM-11013-2139
Pre Filter	KM-11013-2114
Oil Filter	KM-49065-7010
Fuel Filter	KM-49019-1055
Spark Plug	KM-BMR4A
Armature	KM-21121-2083
Points	Not Applicable
Carb Kit	Not Available

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KM-21066-2070
Solenoid	KM-27010-7005
Muffler	651-3003
Battery	925-3255
Fan Belt	KM-59011-2056
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	
Short Block	Not Available
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0498

Yellow Paint (11.5 oz. Aerosol)	759-3588
Yellow Paint (Quart)	759-3589
Yellow Paint (.6 oz. Bottle)	759-3692

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: 3205**YEAR: 1998**

Factory Model Number: 14A-685-100

20 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
48"	3	Stamped	(A)	M	190-289-100	265 lbs.	1 Year
54"	3	Stamped	(A)	K	190-290-100	268 lbs.	1 Year
60"	3	Stamped	(A)	J	190-291-100	290 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
48" & 54"	3	Stamped	(B)	No	190-345-100	107 lbs.	1 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(C)	No	190-217-100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
48"	3	Stamped	-	Yes	590-506-100	22 lbs.	1 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D)	190-353-100	215 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
54"	Optional 171 or 288	190-343-100	(D)	190-352-100	110 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	1 Year
42" Lawn Sweeper	-	190-163-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	122 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,200 lb. Capacity	190-368-100	147 lbs.	1 Year
17 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,500 lb. Capacity	190-425-100	187 lbs.	1 Year
48" Poly Bed Liner	Fits All 10 Cu Ft. Trailers	190-161-100	16 lbs.	1 Year
60" Poly Bed Liner	Fits All 17 Cu Ft. Trailers	190-162-100	23 lbs.	1 Year
Hydraulic Front Hitch System	Required For 352 & 353	190-343-100	65 lbs.	1 Year
Ag Tires/Rims 23" x 10.5" x 12"	-	190-249-100	75 lbs.	1 Year
Turf Tires/Rims 24" x 10.5" x 12"	-	190-366-100	70 lbs.	1 Year
Hydraulic Front Angle Kit	Not Used With 353	190-288-100	30 lbs.	1 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	1 Year
Hydraulic 3 Pt. Hitch, Category "O"	-	190-365-100	90 lbs.	1 Year
"A" Frame Hitch Adapter	Converts Sleeve Hitch Attachments To Cat. "O"	190-924-000	26 lbs.	1 Year
12" Mold Board Plow	Requires 365	190-920-000	109 lbs.	1 Year
Tandem Disc	Requires 365	190-921-000	189 lbs.	1 Year
Spring Cultivator	Requires 365	190-922-000	60 lbs.	1 Year
38" Tiller, 8.0 H.P.	Requires 365 (E)	190-400-100	263 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen**NOTE: (B)** Fan Assist Bagger From Grass Pump**NOTE: (C)** Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity**NOTE: (D)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (E)** Requires Qty. (1) **759-3932** Tiller Adapter From Parts

MODEL: 3225

YEAR: 1998

Factory Model Number: 14A-688-100
 Serial Numbers:(1998) B018G2-H318G2

22 H.P. Hydro Drive
 E-Vac P.T.O. / 48", 54" & 60" Optional Decks
 Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	803 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 7.5-8
Rear Wheel Tire Size	24 x 10.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH22S-66549
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	22 HP (16.4 kW)
Peak Torque	36.2 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674 cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1450 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3450 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	4.5 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-36-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-52-435-02
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-66549 (N.L.A.)
Short Block	Not Available
Mini Block	KH-24-782-15

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0498

Yellow Paint (11.5 oz. Aerosol)	759-3588
Yellow Paint (Quart)	759-3589
Yellow Paint (.6 oz. Bottle)	759-3692

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: 3225**YEAR: 1998**

Factory Model Number: 14A-688-100

22 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
48"	3	Stamped	(A)	M	190-289-100	265 lbs.	1 Year
54"	3	Stamped	(A)	K	190-290-100	268 lbs.	1 Year
60"	3	Stamped	(A)	J	190-291-100	290 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
48" & 54"	3	Stamped	(B)	No	190-345-100	107 lbs.	1 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(C)	No	190-217-100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
48"	3	Stamped	-	Yes	590-506-100	22 lbs.	1 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D)	190-353-100	215 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
54"	Optional 171 or 288	190-343-100	(D)	190-352-100	110 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	1 Year
42" Lawn Sweeper	-	190-163-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	122 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,200 lb. Capacity	190-368-100	147 lbs.	1 Year
17 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,500 lb. Capacity	190-425-100	187 lbs.	1 Year
48" Poly Bed Liner	Fits All 10 Cu Ft. Trailers	190-161-100	16 lbs.	1 Year
60" Poly Bed Liner	Fits All 17 Cu Ft. Trailers	190-162-100	23 lbs.	1 Year
Hydraulic Front Hitch System	Required For 352 & 353	190-343-100	65 lbs.	1 Year
Ag Tires/Rims 23" x 10.5" x 12"	-	190-249-100	75 lbs.	1 Year
Turf Tires/Rims 24" x 10.5" x 12"	-	190-366-100	70 lbs.	1 Year
Hydraulic Front Angle Kit	Not Used With 353	190-288-100	30 lbs.	1 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	1 Year
Hydraulic 3 Pt. Hitch, Category "O"	-	190-365-100	90 lbs.	1 Year
"A" Frame Hitch Adapter	Converts Sleeve Hitch Attachments To Cat. "O"	190-924-000	26 lbs.	1 Year
12" Mold Board Plow	Requires 365	190-920-000	109 lbs.	1 Year
Tandem Disc	Requires 365	190-921-000	189 lbs.	1 Year
Spring Cultivator	Requires 365	190-922-000	60 lbs.	1 Year
38" Tiller, 8.0 H.P.	Requires 365 (E)	190-400-100	263 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen**NOTE: (B)** Fan Assist Bagger From Grass Pump**NOTE: (C)** Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity**NOTE: (D)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (E)** Requires Qty. (1) **759-3932** Tiller Adapter From Parts

3165	16 H.P. Vanguard	Twin	Hydro	1999
3186	18 H.P. Command	Twin	Hydro	1999
3205	20 H.P. Kawasaki	Twin	Hydro	1999
3225	22 H.P. Command	Twin	Hydro	1999

MODEL: 3165

YEAR: 1999

Factory Model Number: 14A-654-100
 Serial Numbers:(1999) J018G2-J319G2

16 H.P. Hydro Drive
 E-Vac P.T.O. / 48" Optional Deck
 Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	700 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 7.5-8
Rear Wheel Tire Size	23 x 10.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Briggs & Stratton
Model Series	Vanguard (Horizontal)
Model/Type/Spec	303447-1279
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	16 HP
Peak Torque	Not Availble
Displacement	29.3 cu in. (480cc)
Bore	2.68"
Stroke	2.60"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.005"
Valve Lash (Exhaust)	0.005"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	4.5 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 30	737-3029
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	BS-394018S
Pre Filter	BS-272490S
Oil Filter	BS-492932S
Fuel Filter	BS-691035
Spark Plug	759-3336
Armature	BS-492341
Points	Not Applicable
Carb Kit	BS-842877

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	BS-845907
Solenoid	925-1426A
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	BS-305447-3079
Short Block	BS-494054
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: 3165**YEAR: 1999**

Factory Model Number: 14A-654-100

16 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
48"	3	Stamped	(A)	M	190-289-100	265 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
48" & 54"	3	Stamped	(B)	No	190-345-100	107 lbs.	1 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(C)	No	190-217-100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
48"	3	Stamped	-	Yes	590-506-100	22 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D)	190-353-100	215 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
54"	Optional 171 or 288	190-343-100	(D)	190-352-100	110 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	1 Year
42" Lawn Sweeper	-	190-163-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	122 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,200 lb. Capacity	190-368-100	147 lbs.	1 Year
17 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,500 lb. Capacity	190-425-100	187 lbs.	1 Year
48" Poly Bed Liner	Fits All 10 Cu Ft. Trailers	190-161-100	16 lbs.	1 Year
60" Poly Bed Liner	Fits All 17 Cu Ft. Trailers	190-162-100	23 lbs.	1 Year
Hydraulic Front Hitch System	Required For 352 & 353	190-343-100	65 lbs.	1 Year
Ag Tires/Rims 23" x 10.5" x 12"	-	190-249-100	75 lbs.	1 Year
Hydraulic Front Angle Kit	Not Used With 353	190-288-100	30 lbs.	1 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	1 Year
Hydraulic 3 Pt. Hitch, Category "O"	-	190-365-100	90 lbs.	1 Year
"A" Frame Hitch Adapter	Converts Sleeve Hitch Attachments To Cat. "O"	190-924-000	26 lbs.	1 Year
12" Mold Board Plow	Requires 365	190-920-000	109 lbs.	1 Year
Tandem Disc	Requires 365	190-921-000	189 lbs.	1 Year
Spring Cultivator	Requires 365	190-922-000	60 lbs.	1 Year
38" Tiller, 8.0 H.P.	Requires 365 (E)	190-400-100	263 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen**NOTE: (B)** Fan Assist Bagger From Grass Pump**NOTE: (C)** Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity**NOTE: (D)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (E)** Requires Qty. (1) 759-3932 Tiller Adapter From Parts

MODEL: 3186

YEAR: 1999

Factory Model Number: 14A-668-100
 Serial Numbers:(1999) J018G2-J319G2

18 H.P. Hydro Drive
 E-Vac P.T.O. /48" & 54" Optional Decks
 Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	720 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 7.5-8
Rear Wheel Tire Size	24 x 10.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH18S-62599
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	18 HP (13.4 kW)
Peak Torque	32.2 ft. lbs. @ 2,200 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	4.5 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-52-435-02
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-PA-62599 (N.L.A.)
Short Block	KH-24-522-130
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: 3186**YEAR: 1999**

Factory Model Number: 14A-668-100

18 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
48"	3	Stamped	(A)	M	190-289-100	265 lbs.	1 Year
54"	3	Stamped	(A)	K	190-290-100	268 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
48" & 54"	3	Stamped	(B)	No	190-345-100	107 lbs.	1 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(C)	No	190-217-100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
48"	3	Stamped	-	Yes	590-506-100	22 lbs.	1 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D)	190-353-100	215 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
54"	Optional 171 or 288	190-343-100	(D)	190-352-100	110 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	1 Year
42" Lawn Sweeper	-	190-163-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	122 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,200 lb. Capacity	190-368-100	147 lbs.	1 Year
17 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,500 lb. Capacity	190-425-100	187 lbs.	1 Year
48" Poly Bed Liner	Fits All 10 Cu Ft. Trailers	190-161-100	16 lbs.	1 Year
60" Poly Bed Liner	Fits All 17 Cu Ft. Trailers	190-162-100	23 lbs.	1 Year
Hydraulic Front Hitch System	Required For 352 & 353	190-343-100	65 lbs.	1 Year
Ag Tires/Rims 23" x 10.5" x 12"	-	190-249-100	75 lbs.	1 Year
Hydraulic Front Angle Kit	Not Used With 353	190-288-100	30 lbs.	1 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	1 Year
Hydraulic 3 Pt. Hitch, Category "O"	-	190-365-100	90 lbs.	1 Year
"A" Frame Hitch Adapter	Converts Sleeve Hitch Attachments To Cat. "O"	190-924-000	26 lbs.	1 Year
12" Mold Board Plow	Requires 365	190-920-000	109 lbs.	1 Year
Tandem Disc	Requires 365	190-921-000	189 lbs.	1 Year
Spring Cultivator	Requires 365	190-922-000	60 lbs.	1 Year
38" Tiller, 8.0 H.P.	Requires 365 (E)	190-400-100	263 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen**NOTE: (B)** Fan Assist Bagger From Grass Pump**NOTE: (C)** Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity**NOTE: (D)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (E)** Requires Qty. (1) 759-3932 Tiller Adapter From Parts

MODEL: 3205

YEAR: 1999

Factory Model Number: 14A-685-100
 Serial Numbers:(1999) J018G2-J319G2

20 H.P. Hydro Drive
 E-Vac P.T.O. / 48", 54" & 60" Optional Decks
 Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	720 lbs.
Engine Type	Gas (Liquid Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 7.5-8
Rear Wheel Tire Size	24 x 10.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kawasaki
Model Series	FD Series (Horizontal)
Model/Type/Spec	FD620D-AS21
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	20 HP (14.9 kW)
Peak Torque	32.9 ft. lbs. @ 2,200 RPM
Displacement	37.7 cu in. (617 cc)
Bore	2.99"
Stroke	2.68"

ENGINE SPECS:

Idle Speed	1450 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3450 R.P.M.
Valve Lash (Intake)	0.0098"
Valve Lash (Exhaust)	0.0098"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.012"-0.050"

CAPACITIES:

Engine Crankcase	1.6 qts. (A)
Coolant	2.8 qts. (F)
Transmission	4.5 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034
(F) 50/50 Water/Anti-Freeze	

ENGINE MAINTENANCE PARTS:

Air Filter	KM-11013-2139
Pre Filter	KM-11013-2114
Oil Filter	KM-49065-7010
Fuel Filter	KM-49019-1055
Spark Plug	KM-BMR4A
Armature	KM-21121-2083
Points	Not Applicable
Carb Kit	Not Available

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KM-21066-2070
Solenoid	KM-27010-7005
Muffler	651-3003
Battery	925-3255
Fan Belt	KM-59011-2056
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	
Short Block	Not Available
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: 3205**YEAR: 1999**

Factory Model Number: 14A-685-100

20 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
48"	3	Stamped	(A)	M	190-289-100	265 lbs.	1 Year
54"	3	Stamped	(A)	K	190-290-100	268 lbs.	1 Year
60"	3	Stamped	(A)	J	190-291-100	290 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
48" & 54"	3	Stamped	(B)	No	190-345-100	107 lbs.	1 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(C)	No	190-217-100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
48"	3	Stamped	-	Yes	590-506-100	22 lbs.	1 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D)	190-353-100	215 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
54"	Optional 171 or 288	190-343-100	(D)	190-352-100	110 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	1 Year
42" Lawn Sweeper	-	190-163-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	122 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,200 lb. Capacity	190-368-100	147 lbs.	1 Year
17 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,500 lb. Capacity	190-425-100	187 lbs.	1 Year
48" Poly Bed Liner	Fits All 10 Cu Ft. Trailers	190-161-100	16 lbs.	1 Year
60" Poly Bed Liner	Fits All 17 Cu Ft. Trailers	190-162-100	23 lbs.	1 Year
Hydraulic Front Hitch System	Required For 352 & 353	190-343-100	65 lbs.	1 Year
Ag Tires/Rims 23" x 10.5" x 12"	-	190-249-100	75 lbs.	1 Year
Turf Tires/Rims 24" x 10.5" x 12"	-	190-366-100	70 lbs.	1 Year
Hydraulic Front Angle Kit	Not Used With 353	190-288-100	30 lbs.	1 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	1 Year
Hydraulic 3 Pt. Hitch, Category "O"	-	190-365-100	90 lbs.	1 Year
"A" Frame Hitch Adapter	Converts Sleeve Hitch Attachments To Cat. "O"	190-924-000	26 lbs.	1 Year
12" Mold Board Plow	Requires 365	190-920-000	109 lbs.	1 Year
Tandem Disc	Requires 365	190-921-000	189 lbs.	1 Year
Spring Cultivator	Requires 365	190-922-000	60 lbs.	1 Year
38" Tiller, 8.0 H.P.	Requires 365 (E)	190-400-100	263 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen**NOTE: (B)** Fan Assist Bagger From Grass Pump**NOTE: (C)** Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity**NOTE: (D)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (E)** Requires Qty. (1) **759-3932** Tiller Adapter From Parts

MODEL: 3225

YEAR: 1999

Factory Model Number: 14A-688-100
 Serial Numbers:(1999) J018G2-J319G2

22 H.P. Hydro Drive
 E-Vac P.T.O. / 48", 54", & 60" Optional Decks
 Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	803 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 7.5-8
Rear Wheel Tire Size	24 x 10.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH22S-76516
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	22 HP (16.4 kW)
Peak Torque	36.2 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674 cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1450 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3450 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	4.5 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-52-435-02
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-PA-76516 (N.L.A.)
Short Block	KH-24-522-249
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: 3225**YEAR: 1999**

Factory Model Number: 14A-688-100

22 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
48"	3	Stamped	(A)	M	190-289-100	265 lbs.	1 Year
54"	3	Stamped	(A)	K	190-290-100	268 lbs.	1 Year
60"	3	Stamped	(A)	J	190-291-100	290 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
48" & 54"	3	Stamped	(B)	No	190-345-100	107 lbs.	1 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(C)	No	190-217-100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
48"	3	Stamped	-	Yes	590-506-100	22 lbs.	1 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D)	190-353-100	215 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
54"	Optional 171 or 288	190-343-100	(D)	190-352-100	110 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	1 Year
42" Lawn Sweeper	-	190-163-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	122 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,200 lb. Capacity	190-368-100	147 lbs.	1 Year
17 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,500 lb. Capacity	190-425-100	187 lbs.	1 Year
48" Poly Bed Liner	Fits All 10 Cu Ft. Trailers	190-161-100	16 lbs.	1 Year
60" Poly Bed Liner	Fits All 17 Cu Ft. Trailers	190-162-100	23 lbs.	1 Year
Hydraulic Front Hitch System	Required For 352 & 353	190-343-100	65 lbs.	1 Year
Ag Tires/Rims 23" x 10.5" x 12"	-	190-249-100	75 lbs.	1 Year
Turf Tires/Rims 24" x 10.5" x 12"	-	190-366-100	70 lbs.	1 Year
Hydraulic Front Angle Kit	Not Used With 353	190-288-100	30 lbs.	1 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	1 Year
Hydraulic 3 Pt. Hitch, Category "O"	-	190-365-100	90 lbs.	1 Year
"A" Frame Hitch Adapter	Converts Sleeve Hitch Attachments To Cat. "O"	190-924-000	26 lbs.	1 Year
12" Mold Board Plow	Requires 365	190-920-000	109 lbs.	1 Year
Tandem Disc	Requires 365	190-921-000	189 lbs.	1 Year
Spring Cultivator	Requires 365	190-922-000	60 lbs.	1 Year
38" Tiller, 8.0 H.P.	Requires 365 (E)	190-400-100	263 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen**NOTE: (B)** Fan Assist Bagger From Grass Pump**NOTE: (C)** Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity**NOTE: (D)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (E)** Requires Qty. (1) **759-3932** Tiller Adapter From Parts

3184	18 H.P. Command	Twin	Hydro	2000
3206	20 H.P. Command	Twin	Hydro	2000
3208	20 H.P. Kawasaki	Twin	Hydro	2000
3235	23 H.P. Command	Twin	Hydro	2000

MODEL: 3184

YEAR: 2000

Factory Model Number: 14A-634L100
 Serial Numbers:(2000) K019G2-J310G2

18 H.P. Hydro Drive
 E-Vac P.T.O. / 44" Deck
 Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	750 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH18S-62599
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	18 HP (13.4 kW)
Peak Torque	32.2 ft. lbs. @ 2,200 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	4.5 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-52-435-02
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-PA-62599 (N.L.A.)
Short Block	KH-24-522-130
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: 3184**YEAR: 2000**

Factory Model Number: 14A-634L100

18 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(B)	No	-	-	-

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(C) (E)	190-353-100	215 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
54"	Optional 171 or 288	190-343-100	(C) (E)	190-352-100	110 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	1 Year
42" Lawn Sweeper	-	190-163-100	92 lbs.	1 Year
10 Cu. Ft. Dump Cart, 14" Whls.	-	190-223-100	85 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,200 lb. Capacity	190-368-100	114 lbs.	1 Year
17 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,500 lb. Capacity	190-425-100	172 lbs.	1 Year
Hydraulic Front Hitch System	Required For 352 & 353	190-343-100	65 lbs.	1 Year
Ag Tires/Rims 23" x 8.5" x 12"	-	190-299-100	55 lbs.	1 Year
Hydraulic Front Angle Kit	Not Used With 353 (E)	190-288-100	30 lbs.	1 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	1 Year
3 Pt. Hitch, Category "O"	-	190-207-100	90 lbs.	1 Year
12" Mold Board Plow	Requires 365	190-920-000	109 lbs.	1 Year
Tandem Disc	Requires 365	190-921-000	189 lbs.	1 Year
Spring Cultivator	Requires 365	190-922-000	60 lbs.	1 Year
42" Hydraulic Rotary Tiller	Requires 207 (D)	190-004-100	315 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 44" Mower Deck**NOTE: (B)** Mower Deck Comes With Mulch Plug **731-3316****NOTE: (C)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (D)** Includes Sleeve Hitch, Roller & Hydraulic Lift**NOTE: (E)** Auxiliary Valve **759-3971** Available Through Parts

MODEL: 3206

YEAR: 2000

Factory Model Number: 14A-646-100
 Serial Numbers:(2000) K019G2-J310G2

20 H.P. Hydro Drive
 E-Vac P.T.O. / 44", 48" & 54" Optional Decks
 Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	803 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 7.5-8
Rear Wheel Tire Size	24 x 10.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH20S-64631
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	20 HP (14.9 kW)
Peak Torque	32.7 ft. lbs. @ 2,400 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	4.5 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-04-S
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-PA-64631
Short Block	KH-24-522-180
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: 3206**YEAR: 2000**

Factory Model Number: 14A-646-100

20 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	1 Year
48"	3	Stamped	(A)	M	190-289-100	265 lbs.	1 Year
54"	3	Stamped	(A)	K	190-290-100	268 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	1 Year
48" & 54"	3	Stamped	(B)	No	190-345-100	107 lbs.	1 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(C)	No	190-217-100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(D)	No	-	-	-
48"	3	Stamped	-	Yes	590-506-100	22 lbs.	1 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(E) (G)	190-353-100	215 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
54"	Optional 171 or 288	190-343-100	(E) (G)	190-352-100	110 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	1 Year
42" Lawn Sweeper	-	190-163-100	92 lbs.	1 Year
10 Cu. Ft. Dump Cart, 14" Whls.	-	190-223-100	85 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,200 lb. Capacity	190-368-100	114 lbs.	1 Year
17 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,500 lb. Capacity	190-425-100	172 lbs.	1 Year
Hydraulic Front Hitch System	Required For 352 & 353	190-343-100	65 lbs.	1 Year
Ag Tires/Rims 23" x 10.5" x 12"	-	190-249-100	75 lbs.	1 Year
Hydraulic Front Angle Kit	Not Used With 353 (G)	190-288-100	30 lbs.	1 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	1 Year
3 Pt. Hitch, Category "O"	-	190-207-100	90 lbs.	1 Year
12" Mold Board Plow	Requires 365	190-920-000	109 lbs.	1 Year
Tandem Disc	Requires 365	190-921-000	189 lbs.	1 Year
Spring Cultivator	Requires 365	190-922-000	60 lbs.	1 Year
42" Hydraulic Rotary Tiller	Requires 207 (F)	190-004-100	315 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen**NOTE: (B)** Fan Assist Bagger From Grass Pump**NOTE: (C)** Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity**NOTE: (D)** Mower Deck Comes With Mulch Plug **731-3316****NOTE: (E)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (F)** Includes Sleeve Hitch, Roller & Hydraulic Lift**NOTE: (G)** Auxiliary Valve **759-3971** Available Through Parts

MODEL: 3208

YEAR: 2000

Factory Model Number: 14A-686-100
 Serial Numbers:(2000) K019G2-J310G2

20 H.P. Hydro Drive
 E-Vac P.T.O. / 44", 48", 54" & 60" Optional Decks
 Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	813 lbs.
Engine Type	Gas (Liquid Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 7.5-8
Rear Wheel Tire Size	24 x 10.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kawasaki
Model Series	FD Series (Horizontal)
Model/Type/Spec	FD620D-AS21
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	20 HP (14.9 kW)
Peak Torque	32.9 ft. lbs. @ 2,200 RPM
Displacement	37.7 cu in. (617 cc)
Bore	2.99"
Stroke	2.68"

ENGINE SPECS:

Idle Speed	1450 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3450 R.P.M.
Valve Lash (Intake)	0.0098"
Valve Lash (Exhaust)	0.0098"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.012"-0.050"

CAPACITIES:

Engine Crankcase	1.6 qts. (A)
Coolant	2.8 qts. (F)
Transmission	4.5 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034
(F) 50/50 Water/Anti-Freeze	

ENGINE MAINTENANCE PARTS:

Air Filter	KM-11013-2139
Pre Filter	KM-11013-2114
Oil Filter	KM-49065-7010
Fuel Filter	KM-49019-1055
Spark Plug	KM-BMR4A
Armature	KM-21121-2083
Points	Not Applicable
Carb Kit	Not Available

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KM-21066-2070
Solenoid	KM-27010-7005
Muffler	651-3003
Battery	925-3255
Fan Belt	KM-59011-2056
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	
Short Block	Not Available
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: 3208**YEAR: 2000**

Factory Model Number: 14A-686-100

20 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	1 Year
48"	3	Stamped	(A)	M	190-289-100	265 lbs.	1 Year
54"	3	Stamped	(A)	K	190-290-100	268 lbs.	1 Year
60"	3	Stamped	(A)	J	190-291-100	290 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	1 Year
48" & 54"	3	Stamped	(B)	No	190-345-100	107 lbs.	1 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(C)	No	190-217-100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(D)	No	-	-	-
48"	3	Stamped	-	Yes	590-506-100	22 lbs.	1 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(E) (G)	190-353-100	215 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
54"	Optional 171 or 288	190-343-100	(E) (G)	190-352-100	110 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	1 Year
42" Lawn Sweeper	-	190-163-100	92 lbs.	1 Year
10 Cu. Ft. Dump Cart, 14" Whls.	-	190-223-100	85 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,200 lb. Capacity	190-368-100	114 lbs.	1 Year
17 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,500 lb. Capacity	190-425-100	172 lbs.	1 Year
Hydraulic Front Hitch System	Required For 352 & 353	190-343-100	65 lbs.	1 Year
Ag Tires/Rims 23" x 10.5" x 12"	-	190-249-100	75 lbs.	1 Year
Hydraulic Front Angle Kit	Not Used With 353 (G)	190-288-100	30 lbs.	1 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	1 Year
3 Pt. Hitch, Category "O"	-	190-207-100	90 lbs.	1 Year
12" Mold Board Plow	Requires 365	190-920-000	109 lbs.	1 Year
Tandem Disc	Requires 365	190-921-000	189 lbs.	1 Year
Spring Cultivator	Requires 365	190-922-000	60 lbs.	1 Year
42" Hydraulic Rotary Tiller	Requires 207 (F)	190-004-100	315 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen**NOTE: (B)** Fan Assist Bagger From Grass Pump**NOTE: (C)** Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity**NOTE: (D)** Mower Deck Comes With Mulch Plug **731-3316****NOTE: (E)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (F)** Includes Sleeve Hitch, Roller & Hydraulic Lift**NOTE: (G)** Auxiliary Valve **759-3971** Available Through Parts

MODEL: 3235

YEAR: 2000

Factory Model Number: 14A-676-100
 Serial Numbers:(2000) K019G2-J310G2

23 H.P. Hydro Drive
 E-Vac P.T.O. / 44", 48", 54" & 60" Optional Decks
 Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	803 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 7.5-8
Rear Wheel Tire Size	24 x 10.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH23S-76524
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674 cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1450 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3450 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	4.5 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-52-435-02
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-PA-76524 (N.L.A.)
Short Block	KH-24-522-249
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: 3235**YEAR: 2000**

Factory Model Number: 14A-676-100

23 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	1 Year
48"	3	Stamped	(A)	M	190-289-100	265 lbs.	1 Year
54"	3	Stamped	(A)	K	190-290-100	268 lbs.	1 Year
60"	3	Stamped	(A)	J	190-291-100	290 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	1 Year
48" & 54"	3	Stamped	(B)	No	190-345-100	107 lbs.	1 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(C)	No	190-217-100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(D)	No	-	-	-
48"	3	Stamped	-	Yes	590-506-100	22 lbs.	1 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(E) (G)	190-353-100	215 lbs.	1 Year
Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty	
54"	Optional 171 or 288	190-343-100	(E) (G)	190-352-100	110 lbs.	1 Year	

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	1 Year
42" Lawn Sweeper	-	190-163-100	92 lbs.	1 Year
10 Cu. Ft. Dump Cart, 14" Whls.	-	190-223-100	85 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,200 lb. Capacity	190-368-100	114 lbs.	1 Year
17 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,500 lb. Capacity	190-425-100	172 lbs.	1 Year
Hydraulic Front Hitch System	Required For 352 & 353	190-343-100	65 lbs.	1 Year
Ag Tires/Rims 23" x 10.5" x 12"	-	190-249-100	75 lbs.	1 Year
Hydraulic Front Angle Kit	Not Used With 353 (G)	190-288-100	30 lbs.	1 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	1 Year
3 Pt. Hitch, Category "O"	-	190-207-100	90 lbs.	1 Year
12" Mold Board Plow	Requires 365	190-920-000	109 lbs.	1 Year
Tandem Disc	Requires 365	190-921-000	189 lbs.	1 Year
Spring Cultivator	Requires 365	190-922-000	60 lbs.	1 Year
42" Hydraulic Rotary Tiller	Requires 207 (F)	190-004-100	315 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen**NOTE: (B)** Fan Assist Bagger From Grass Pump**NOTE: (C)** Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity**NOTE: (D)** Mower Deck Comes With Mulch Plug **731-3316****NOTE: (E)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (F)** Includes Sleeve Hitch, Roller & Hydraulic Lift**NOTE: (G)** Auxiliary Valve **759-3971** Available Through Parts

3184	20 H.P. Command	Twin	Hydro	2001
3206	20 H.P. Command	Twin	Hydro	2001
3208	20 H.P. Command	Twin	Hydro	2001
3235	23 H.P. Command	Twin	Hydro	2001
3240	20 H.P. Command	Twin	Hydro	2001

MODEL: 3184

YEAR: 2001

Factory Model Number: 14B-634L100
 Serial Numbers:(2001) K010G2-Above

20 H.P. Hydro Drive
 E-Vac P.T.O. / 44" Deck
 Metal hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	750 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Cast Iron
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH20S-64631
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	20 HP (14.9 kW)
Peak Torque	32.7 ft. lbs. @ 2,400 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-04-S
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-PA-64631
Short Block	KH-24-522-180
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: 3184**YEAR: 2001**

Factory Model Number: 14B-634L100

18 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(B)	No	-	-	-

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(C) (E)	190-353-100	215 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
54"	Optional 171 or 288	190-343-100	(C) (E)	190-352-100	110 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	1 Year
42" Lawn Sweeper	-	190-163-100	92 lbs.	1 Year
10 Cu. Ft. Dump Cart, 14" Whls.	-	190-223-100	85 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,200 lb. Capacity	190-368-100	114 lbs.	1 Year
17 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,500 lb. Capacity	190-425-100	172 lbs.	1 Year
Hydraulic Front Hitch System	Required For 352 & 353	190-343-100	65 lbs.	1 Year
Ag Tire 23" x 8.5" x 12"	-	(F)	-	-
Hydraulic Front Angle Kit	Not Used With 353 (E)	190-288-100	30 lbs.	1 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	1 Year
3 Pt. Hitch, Category "O"	-	190-207-100	90 lbs.	1 Year
12" Mold Board Plow	Requires 365	190-920-000	109 lbs.	1 Year
Tandem Disc	Requires 365	190-921-000	189 lbs.	1 Year
Spring Cultivator	Requires 365	190-922-000	60 lbs.	1 Year
42" Hydraulic Rotary Tiller	Requires 207 (D)	190-004-100	315 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 44" Mower Deck, Optional Mower Deck Available**NOTE: (B)** Mower Deck Comes With Mulch Plug **731-3316****NOTE: (C)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (D)** Includes Sleeve Hitch, Roller & Hydraulic Lift**NOTE: (E)** Auxiliary Valve **759-3971** Available Through Parts**NOTE: (F)** One (1) Ag Tire Without Rim **734-3112** Available Through Parts

MODEL: 3206

YEAR: 2001

Factory Model Number: 14B-646-100
 Serial Numbers:(2001) K010G2-Above

20 H.P. Hydro Drive
 E-Vac P.T.O. /44", 48" & 54" Optional Decks
 Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	803 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 7.5-8
Rear Wheel Tire Size	24 x 10.5-12
Trans/Differential Type	Cast Iron
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH22S-76516
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	22 HP (16.4 kW)
Peak Torque	36.2 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674 cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1450 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3450 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-52-435-02
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-PA-76516 (N.L.A.)
Short Block	KH-24-522-249
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: 3206**YEAR: 2001**

Factory Model Number: 14B-646-100

20 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	1 Year
48"	3	Stamped	(A)	M	190-289-100	265 lbs.	1 Year
54"	3	Stamped	(A)	K	190-290-100	268 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	1 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(B)	No	190-217A100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(C)	No	-	-	-
48"	3	Stamped	-	Yes	590-506-100	22 lbs.	1 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D) (F)	190-353-100	215 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
54"	Optional 171 or 288	190-343-100	(D) (F)	190-352-100	110 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	1 Year
42" Lawn Sweeper	-	190-163-100	92 lbs.	1 Year
10 Cu. Ft. Dump Cart, 14" Whls.	-	190-223-100	85 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,200 lb. Capacity	190-368-100	114 lbs.	1 Year
17 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,500 lb. Capacity	190-425-100	172 lbs.	1 Year
Hydraulic Front Hitch System	Required For 352 & 353	190-343-100	65 lbs.	1 Year
Ag Tire 23" x 10.5" x 12"	-	(G)	-	-
Hydraulic Front Angle Kit	Not Used With 353 (F)	190-288-100	30 lbs.	1 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	1 Year
3 Pt. Hitch, Category "O"	-	190-207-100	90 lbs.	1 Year
12" Mold Board Plow	Requires 365	190-920-000	109 lbs.	1 Year
Tandem Disc	Requires 365	190-921-000	189 lbs.	1 Year
Spring Cultivator	Requires 365	190-922-000	60 lbs.	1 Year
42" Hydraulic Rotary Tiller	Requires 207 (E)	190-004-100	315 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen**NOTE: (B)** Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity**NOTE: (C)** Mower Deck Comes With Mulch Plug **731-3316****NOTE: (D)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (E)** Includes Sleeve Hitch, Roller & Hydraulic Lift**NOTE: (F)** Auxiliary Valve **759-3971** Available Through Parts**NOTE: (G)** One (1) Ag Tire Without Rim **734-3028** Available Through Parts

MODEL: 3208

YEAR: 2001

Factory Model Number: 14B-686-100
 Serial Numbers:(2001) K010G2-Above

20 H.P. Hydro Drive
 E-Vac P.T.O. / 44" 48", 54" & 60" Optional Decks
 Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	813 lbs.
Engine Type	Gas (Liquid Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 7.5-8
Rear Wheel Tire Size	24 x 10.5-12
Trans/Differential Type	Cast Iron
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kawasaki
Model Series	FD Series (Horizontal)
Model/Type/Spec	FD620D-AS21
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	20 HP (14.9 kW)
Peak Torque	32.9 ft. lbs. @ 2,200 RPM
Displacement	37.7 cu in. (617 cc)
Bore	2.99"
Stroke	2.68"

ENGINE SPECS:

Idle Speed	1450 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3450 R.P.M.
Valve Lash (Intake)	0.0098"
Valve Lash (Exhaust)	0.0098"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.012"-0.050"

CAPACITIES:

Engine Crankcase	1.6 qts. (A)
Coolant	2.8 qts. (F)
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034
(F) 50/50 Water/Anti-Freeze	

ENGINE MAINTENANCE PARTS:

Air Filter	KM-11013-2139
Pre Filter	KM-11013-2114
Oil Filter	KM-49065-7010
Fuel Filter	KM-49019-1055
Spark Plug	KM-BMR4A
Armature	KM-21121-2083
Points	Not Applicable
Carb Kit	Not Available

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KM-21066-2070
Solenoid	KM-27010-7005
Muffler	651-3003
Battery	925-3255
Fan Belt	KM-59011-2056
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	
Short Block	Not Available
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: 3208**YEAR: 2001**

Factory Model Number: 14B-686-100

20 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	1 Year
48"	3	Stamped	(A)	M	190-289-100	265 lbs.	1 Year
54"	3	Stamped	(A)	K	190-290-100	268 lbs.	1 Year
60"	3	Stamped	(A)	J	190-291-100	290 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	1 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(B)	No	190-217A100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(C)	No	-	-	-
48"	3	Stamped	-	Yes	590-506-100	22 lbs.	1 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D) (F)	190-353-100	215 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
54"	Optional 171 or 288	190-343-100	(D) (F)	190-352-100	110 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	1 Year
42" Lawn Sweeper	-	190-163-100	92 lbs.	1 Year
10 Cu. Ft. Dump Cart, 14" Whls.	-	190-223-100	85 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,200 lb. Capacity	190-368-100	114 lbs.	1 Year
17 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,500 lb. Capacity	190-425-100	172 lbs.	1 Year
Hydraulic Front Hitch System	Required For 352 & 353	190-343-100	65 lbs.	1 Year
Ag Tire 23" x 10.5" x 12"	-	(G)	-	-
Hydraulic Front Angle Kit	Not Used With 353 (F)	190-288-100	30 lbs.	1 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	1 Year
3 Pt. Hitch, Category "O"	-	190-207-100	90 lbs.	1 Year
12" Mold Board Plow	Requires 365	190-920-000	109 lbs.	1 Year
Tandem Disc	Requires 365	190-921-000	189 lbs.	1 Year
Spring Cultivator	Requires 365	190-922-000	60 lbs.	1 Year
42" Hydraulic Rotary Tiller	Requires 207 (E)	190-004-100	315 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen**NOTE: (B)** Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity**NOTE: (C)** Mower Deck Comes With Mulch Plug **731-3316****NOTE: (D)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (E)** Includes Sleeve Hitch, Roller & Hydraulic Lift**NOTE: (F)** Auxiliary Valve **759-3971** Available Through Parts**NOTE: (G)** One (1) Ag Tire Without Rim **734-3028** Available Through Parts

MODEL: 3235

YEAR: 2001

Factory Model Number: 14B-676-100
 Serial Numbers:(2001) K010G2-Above

23 H.P. Hydro Drive
 E-Vac P.T.O. / 44", 48", 54" & 60" Optional Decks
 Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	803 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 7.5-8
Rear Wheel Tire Size	24 x 10.5-12
Trans/Differential Type	Cast Iron
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH23S-76524
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674 cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1450 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3450 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-52-435-02
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-PA-76524 (N.L.A.)
Short Block	KH-24-522-249
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: 3235**YEAR: 2001**

Factory Model Number: 14B-676-100

23 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	1 Year
48"	3	Stamped	(A)	M	190-289-100	265 lbs.	1 Year
54"	3	Stamped	(A)	K	190-290-100	268 lbs.	1 Year
60"	3	Stamped	(A)	J	190-291-100	290 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	1 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(B)	No	190-217A100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(C)	No	-	-	-
48"	3	Stamped	-	Yes	590-506-100	22 lbs.	1 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D) (F)	190-353-100	215 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
54"	Optional 171 or 288	190-343-100	(D) (F)	190-352-100	110 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	1 Year
42" Lawn Sweeper	-	190-163-100	92 lbs.	1 Year
10 Cu. Ft. Dump Cart, 14" Whls.	-	190-223-100	85 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,200 lb. Capacity	190-368-100	114 lbs.	1 Year
17 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,500 lb. Capacity	190-425-100	172 lbs.	1 Year
Hydraulic Front Hitch System	Required For 352 & 353	190-343-100	65 lbs.	1 Year
Ag Tire 23" x 10.5" x 12"	-	(G)	-	-
Hydraulic Front Angle Kit	Not Used With 353 (F)	190-288-100	30 lbs.	1 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	1 Year
3 Pt. Hitch, Category "O"	-	190-207-100	90 lbs.	1 Year
12" Mold Board Plow	Requires 365	190-920-000	109 lbs.	1 Year
Tandem Disc	Requires 365	190-921-000	189 lbs.	1 Year
Spring Cultivator	Requires 365	190-922-000	60 lbs.	1 Year
42" Hydraulic Rotary Tiller	Requires 207 (E)	190-004-100	315 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen**NOTE: (B)** Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity**NOTE: (C)** Mower Deck Comes With Mulch Plug **731-3316****NOTE: (D)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (E)** Includes Sleeve Hitch, Roller & Hydraulic Lift**NOTE: (F)** Auxiliary Valve **759-3971** Available Through Parts**NOTE: (G)** One (1) Ag Tire Without Rim **734-3028** Available Through Parts

MODEL: 3240 40th Anniversary**YEAR: 2001**

Factory Model Number: 14A-656-100
Serial Numbers:(2001) K010G2-Above

20 H.P. Hydro Drive
E-Vac P.T.O. / 44", 48" & 54" Optional Decks
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	803 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 7.5-8
Rear Wheel Tire Size	24 x 10.5-12
Trans/Differential Type	Cast Iron
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH22S-76516
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	22 HP (16.4 kW)
Peak Torque	36.2 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674 cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1450 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3450 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-52-435-02
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-PA-76516 (N.L.A.)
Short Block	KH-24-522-249
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: 3240**40th Anniversary****YEAR: 2001**

Factory Model Number: 14A-656-100

20 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	1 Year
48"	3	Stamped	(A)	M	190-289-100	265 lbs.	1 Year
54"	3	Stamped	(A)	K	190-290-100	268 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	1 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(B)	No	190-217A100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(C)	No	-	-	-
48"	3	Stamped	-	Yes	590-506-100	22 lbs.	1 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D) (F)	190-353-100	215 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
54"	Optional 171 or 288	190-343-100	(D) (F)	190-352-100	110 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	1 Year
42" Lawn Sweeper	-	190-163-100	92 lbs.	1 Year
10 Cu. Ft. Dump Cart, 14" Whls.	-	190-223-100	85 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,200 lb. Capacity	190-368-100	114 lbs.	1 Year
17 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,500 lb. Capacity	190-425-100	172 lbs.	1 Year
Hydraulic Front Hitch System	Required For 352 & 353	190-343-100	65 lbs.	1 Year
Ag Tire 23" x 10.5" x 12"	-	(G)	-	-
Hydraulic Front Angle Kit	Not Used With 353 (F)	190-288-100	30 lbs.	1 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	1 Year
3 Pt. Hitch, Category "O"	-	190-207-100	90 lbs.	1 Year
12" Mold Board Plow	Requires 365	190-920-000	109 lbs.	1 Year
Tandem Disc	Requires 365	190-921-000	189 lbs.	1 Year
Spring Cultivator	Requires 365	190-922-000	60 lbs.	1 Year
42" Hydraulic Rotary Tiller	Requires 207 (E)	190-004-100	315 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen**NOTE: (B)** Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity**NOTE: (C)** Mower Deck Comes With Mulch Plug **731-3316****NOTE: (D)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (E)** Includes Sleeve Hitch, Roller & Hydraulic Lift**NOTE: (F)** Auxiliary Valve **759-3971** Available Through Parts**NOTE: (G)** One (1) Ag Tire Without Rim **734-3028** Available Through Parts

3204	20 H.P. Command	Twin	Hydro	2002
3206	22 H.P. Command	Twin	Hydro	2002
3235	23 H.P. Command	Twin	Hydro	2002

MODEL: 3204**YEAR: 2002-2003**Factory Model Number: **14A-641-100**20 H.P. Hydro Drive
E-Vac P.T.O. / 44" & 48" Optional Decks
Metal Hood & Side Panels**GENERAL INFO:**

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	803 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Cast Iron
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH20S-64631
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	20 HP (14.9 kW)
Peak Torque	32.7 ft. lbs. @ 2,400 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-04-S
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-PA-64631
Short Block	KH-24-522-180
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: 3204**YEAR: 2002-2003**

Factory Model Number: 14A-641-100

20 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	1 Year
48"	3	Stamped	(A)	M	190-289-100	265 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	1 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(B)	No	190-217A100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(C)	No	-	-	-
48"	3	Stamped	-	Yes	590-506-100	22 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D) (F)	190-353-100	215 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
54"	Optional 171 or 288	190-343-100	(D) (F)	190-352-100	110 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	1 Year
42" Lawn Sweeper	-	190-163-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,200 lb. Capacity	190-368-100	114 lbs.	1 Year
15 Cu. Ft. Easy Dump Trailer, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	1 Year
17 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,500 lb. Capacity	190-425-100	172 lbs.	1 Year
Hydraulic Front Hitch System	Required For 352 & 353	190-343-100	65 lbs.	1 Year
Ag Tire 23" x 10.5" x 12"	-	(G)	-	-
Hydraulic Front Angle Kit	Not Used With 353 (F)	190-288-100	30 lbs.	1 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	1 Year
3 Pt. Hitch, Category "O"	-	190-207-100	90 lbs.	1 Year
42" Hydraulic Rotary Tiller	Requires 207 (E)	190-004-100	315 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen**NOTE: (B)** Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity**NOTE: (C)** Mower Deck Comes With Mulch Plug **731-3316****NOTE: (D)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (E)** Includes Sleeve Hitch, Roller & Hydraulic Lift**NOTE: (F)** Auxiliary Valve **759-3971** Available Through Parts**NOTE: (G)** One (1) Ag Tire Without Rim **734-3028** Available Through Parts

MODEL: 3206

YEAR: 2002

Factory Model Number: 14A-652-100
 Serial Numbers:(2001) K010G2-Above

22 H.P. Hydro Drive
 E-Vac P.T.O. /44", 48" & 54" Optional Decks
 Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	803 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 7.5-8
Rear Wheel Tire Size	24 x 10.5-12
Trans/Differential Type	Cast Iron
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH22S-76516
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	22 HP (16.4 kW)
Peak Torque	36.2 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674 cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1450 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3450 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-52-435-02
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-PA-76516 (N.L.A.)
Short Block	KH-24-522-249
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: 3206**YEAR: 2002**

Factory Model Number: 14A-652-100

22 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	1 Year
48"	3	Stamped	(A)	M	190-289-100	265 lbs.	1 Year
54"	3	Stamped	(A)	K	190-295-100	268 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	1 Year
54"	3	Stamped	-	Yes (3)	190-367-100	100 lbs.	1 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(B)	No	190-217A100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(C)	No	-	-	-
48"	3	Stamped	-	Yes	590-506-100	22 lbs.	1 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D) (F)	190-353-100	215 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
54"	Optional 171 or 288	190-343-100	(D) (F)	190-352-100	110 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	1 Year
42" Lawn Sweeper	-	190-163-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,200 lb. Capacity	190-368-100	114 lbs.	1 Year
15 Cu. Ft. Easy Dump Trailer, 15.0" x 6.0" Whls.	1,200 lb. Capacity	190-458-100	105 lbs.	1 Year
17 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,500 lb. Capacity	190-425-100	172 lbs.	1 Year
Hydraulic Front Hitch System	Required For 352 & 353	190-343-100	65 lbs.	1 Year
Ag Tire 23" x 10.5" x 12"	-	(G)	-	-
Hydraulic Front Angle Kit	Not Used With 353 (F)	190-288-100	30 lbs.	1 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	1 Year
3 Pt. Hitch, Category "O"	-	190-207-100	90 lbs.	1 Year
42" Hydraulic Rotary Tiller	Requires 207 (E)	190-004-100	315 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen**NOTE: (B)** Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity**NOTE: (C)** Mower Deck Comes With Mulch Plug **731-3316****NOTE: (D)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (E)** Includes Sleeve Hitch, Roller & Hydraulic Lift**NOTE: (F)** Auxiliary Valve **759-3971** Available Through Parts**NOTE: (G)** One (1) Ag Tire Without Rim **734-3028** Available Through Parts

MODEL: 3235

YEAR: 2002

Factory Model Number: 14A-672-100

23 H.P. Hydro Drive
E-Vac P.T.O. / 44", 48", 54" & 60" Optional Decks
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	803 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 7.5-8
Rear Wheel Tire Size	24 x 10.5-12
Trans/Differential Type	Cast Iron
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH23S-76524
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674 cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1450 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3450 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-52-435-02
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-PA-76524 (N.L.A.)
Short Block	KH-24-522-249
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: 3235**YEAR: 2002**

Factory Model Number: 14A-672-100

23 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	1 Year
48"	3	Stamped	(A)	M	190-289-100	265 lbs.	1 Year
54"	3	Stamped	(A)	K	190-295-100	268 lbs.	1 Year
60"	3	Stamped	(A)	J	190-291-100	290 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	1 Year
54"	3	Stamped	-	Yes (3)	190-367-100	100 lbs.	1 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(B)	No	190-217A100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(C)	No	-	-	-
48"	3	Stamped	-	Yes	590-506-100	22 lbs.	1 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D) (F)	190-353-100	215 lbs.	1 Year
Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty	
54"	Optional 171 or 288	190-343-100	(D) (F)	190-352-100	110 lbs.	1 Year	

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	1 Year
42" Lawn Sweeper	-	190-163-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,200 lb. Capacity	190-368-100	114 lbs.	1 Year
15 Cu. Ft. Easy Dump Trailer, 15.0" x 6.0" Whls.	1,200 lb. Capacity	190-458-100	105 lbs.	1 Year
17 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,500 lb. Capacity	190-425-100	172 lbs.	1 Year
Hydraulic Front Hitch System	Required For 352 & 353	190-343-100	65 lbs.	1 Year
Ag Tire 23" x 10.5" x 12"	-	(G)	-	-
Hydraulic Front Angle Kit	Not Used With 353 (F)	190-288-100	30 lbs.	1 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	1 Year
3 Pt. Hitch, Category "O"	-	190-207-100	90 lbs.	1 Year
42" Hydraulic Rotary Tiller	Requires 207 (E)	190-004-100	315 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen**NOTE: (B)** Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity**NOTE: (C)** Mower Deck Comes With Mulch Plug **731-3316****NOTE: (D)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (E)** Includes Sleeve Hitch, Roller & Hydraulic Lift**NOTE: (F)** Auxiliary Valve **759-3971** Available Through Parts**NOTE: (G)** One (1) Ag Tire Without Rim **734-3028** Available Through Parts

3204	20 H.P. Command	Twin	Hydro	2003
3235	25 H.P. Command	Twin	Hydro	2003

MODEL: 3204**YEAR: 2002-2003**Factory Model Number: **14A-641-100**20 H.P. Hydro Drive
E-Vac P.T.O. / 44" & 48" Optional Decks
Metal Hood & Side Panels**GENERAL INFO:**

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	803 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Cast Iron
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH20S-64631
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	20 HP (14.9 kW)
Peak Torque	32.7 ft. lbs. @ 2,400 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-04-S
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-PA-64631
Short Block	KH-24-522-180
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: 3204**YEAR: 2002-2003**

Factory Model Number: 14A-641-100

20 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	1 Year
48"	3	Stamped	(A)	M	190-289-100	265 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	1 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(B)	No	190-217A100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(C)	No	-	-	-
48"	3	Stamped	-	Yes	590-506-100	22 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D) (F)	190-353-100	215 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
54"	Optional 171 or 288	190-343-100	(D) (F)	190-352-100	110 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	1 Year
42" Lawn Sweeper	-	190-163-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,200 lb. Capacity	190-368-100	114 lbs.	1 Year
15 Cu. Ft. Easy Dump Trailer, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	1 Year
17 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,500 lb. Capacity	190-425-100	172 lbs.	1 Year
Hydraulic Front Hitch System	Required For 352 & 353	190-343-100	65 lbs.	1 Year
Ag Tire 23" x 10.5" x 12"	-	(G)	-	-
Hydraulic Front Angle Kit	Not Used With 353 (F)	190-288-100	30 lbs.	1 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	1 Year
3 Pt. Hitch, Category "O"	-	190-207-100	90 lbs.	1 Year
42" Hydraulic Rotary Tiller	Requires 207 (E)	190-004-100	315 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen**NOTE: (B)** Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity**NOTE: (C)** Mower Deck Comes With Mulch Plug **731-3316****NOTE: (D)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (E)** Includes Sleeve Hitch, Roller & Hydraulic Lift**NOTE: (F)** Auxiliary Valve **759-3971** Available Through Parts**NOTE: (G)** One (1) Ag Tire Without Rim **734-3028** Available Through Parts

MODEL: 3235

YEAR: 2003

Factory Model Number: 14A-692-100

25 H.P. Hydro Drive
E-Vac P.T.O. / 44", 48", 54" & 60" Optional Decks
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	803 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 7.5-8
Rear Wheel Tire Size	24 x 10.5-12
Trans/Differential Type	Cast Iron
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH730S-0104
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	25 HP (18.6 kW)
Peak Torque	40.9 ft. lbs. @ 2,400 RPM
Displacement	44.0 cu in. (725 cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1450 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3450 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-730104
Short Block	KH-24-522-340
Mini Block	KH-24-782-32

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: 3235**YEAR: 2003**

Factory Model Number: 14A-692-100

25 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	1 Year
48"	3	Stamped	(A)	M	190-289-100	265 lbs.	1 Year
54"	3	Stamped	(A)	K	190-295-100	268 lbs.	1 Year
60"	3	Stamped	(A)	J	190-291-100	290 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	1 Year
54"	3	Stamped	-	Yes (3)	190-367-100	100 lbs.	1 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(B)	No	190-217A100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(C)	No	-	-	-
48"	3	Stamped	-	Yes	590-506-100	22 lbs.	1 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D) (F)	190-353-100	215 lbs.	1 Year
Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty	
54"	Optional 171 or 288	190-343-100	(D) (F)	190-352-100	110 lbs.	1 Year	

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	1 Year
42" Lawn Sweeper	-	190-163-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,200 lb. Capacity	190-368-100	114 lbs.	1 Year
15 Cu. Ft. Easy Dump Trailer, 15.0" x 6.0" Whls.	1,200 lb. Capacity	190-458-100	105 lbs.	1 Year
17 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,500 lb. Capacity	190-425-100	172 lbs.	1 Year
Hydraulic Front Hitch System	Required For 352 & 353	190-343-100	65 lbs.	1 Year
Ag Tire 23" x 10.5" x 12"	-	(G)	-	-
Hydraulic Front Angle Kit	Not Used With 353 (F)	190-288-100	30 lbs.	1 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	1 Year
3 Pt. Hitch, Category "O"	-	190-207-100	90 lbs.	1 Year
42" Hydraulic Rotary Tiller	Requires 207 (E)	190-004-100	315 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen**NOTE: (B)** Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity**NOTE: (C)** Mower Deck Comes With Mulch Plug **731-3316****NOTE: (D)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (E)** Includes Sleeve Hitch, Roller & Hydraulic Lift**NOTE: (F)** Auxiliary Valve **759-3971** Available Through Parts**NOTE: (G)** One (1) Ag Tire Without Rim **734-3028** Available Through Parts