

**GTX 1000
SPECIFICATION SHEETS
2010-2013**

2010	Specification Sheets	CC
2011	Specification Sheets	CC
2012	Specification Sheets	CC
2013	Specification Sheets	CC

Material contained in this document is intended for use by Independent Retail dealer personnel.

Any other use without expressed written consent of MTD PRODUCTS INC is prohibited.

GTX 1054

27 H.P. Courage

Twin

Hydro

2010

MODEL: GTX 1054

YEAR: 2010

Factory Model Number: 14WK94AK010

Serial Numbers:

27 H.P. Hydro Drive
Electric P.T.O. / 54" Deck
One Piece Plastic hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	587 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	16" x 7.5"
Rear Wheel Tire Size	23" x 10.5"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV740-0002
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	27 HP (20.1 kW)
Peak Torque	Not Available
Displacement	44.0 cu in. (725cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1600 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.005" (0.127 mm)
Valve Lash (Exhaust)	0.005" (0.127 mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	2.9 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.3 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-32-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-25-050-22-S1
Spark Plug	759-3336
Armature	KH-24-584-52-S
Points	Not Applicable
Carb Kit	KH-24-757-46-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Solenoid	725-04439
Muffler	751-10528A
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV740-0004
Short Block	KH-32-522-03
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year / 120 Hrs.
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GTX 1054

YEAR: 2010

Factory Model Number: 14WK94AK010

27 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	Yes	19A40002100	98 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	-	Yes	190-841-190	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Electric Sleeve Hitch	-	190-824-101	57 lbs.	2 Year
30" Hydraulic Tiller	Requires 824	190-825-101	260 lbs.	2 Year
Tire Chains 23" x 10.5" x 12"	1 Pair	OEM-190-964	10 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	65 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Armrest Kit	-	757-04073	-	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck

NOTE: (B) Mower Deck Not Available As A Wholegood

GTX 1054

27 H.P. Courage

Twin

Hydro

2011

MODEL: GTX 1054

YEAR: 2011

Factory Model Number: 14AK94AK010, 14WK94AK010

Serial Numbers:

27 H.P. Hydro Drive
Electric P.T.O. / 54" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	587 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	16" x 7.5"
Rear Wheel Tire Size	23" x 10.5"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV740-3002
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	27 HP (20.1 kW)
Peak Torque	Not Available
Displacement	44.0 cu in. (725cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1600 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.005" (0.127 mm)
Valve Lash (Exhaust)	0.005" (0.127 mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	2.9 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.3 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-32-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-25-050-22-S1
Spark Plug	759-3336
Armature	KH-24-584-63-S
Points	Not Applicable
Carb Kit	KH-24-757-46-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Solenoid	725-04439
Muffler	751-10528A
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV740-3002
Short Block	KH-32-522-07
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year / 120 Hrs.
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GTX 1054

YEAR: 2011

Factory Model Number: 14AK94AK010, 14WK94AK010

27 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	Yes	19A40002100	98 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	-	Yes	190-841-190	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Electric Sleeve Hitch	-	190-824-101	57 lbs.	2 Year
30" Hydraulic Tiller	Requires 824	190-825-101	260 lbs.	2 Year
Tire Chains 23" x 10.5" x 12"	1 Pair	OEM-190-964	10 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	65 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Armrest Kit	-	757-04073	-	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck

NOTE: (B) Mower Deck Not Available As A Wholegood

GTX 1054

27 H.P. Courage

Twin

Hydro

2012

MODEL: GTX 1054

YEAR: 2012-2013

Factory Model Number: 14WZ94AK010

Serial Numbers:

27 H.P. Hydro Drive
EPS / Electric P.T.O. / 54" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	587 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	16" x 7.5"
Rear Wheel Tire Size	23" x 10.5"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV740-3024
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	27 HP (20.1 kW)
Peak Torque	Not Available
Displacement	44.0 cu in. (725cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1600 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.005" (0.127 mm)
Valve Lash (Exhaust)	0.005" (0.127 mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	2.3 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.3 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-32-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-25-050-22-S1
Spark Plug	759-3336
Armature	KH-24-584-89-S
Points	Not Applicable
Carb Kit	KH-24-757-46-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-25-403-21-S
Solenoid	725-04439
Muffler	751-10528A
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV740-3024
Short Block	KH-32-522-07
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year / 120 Hrs.
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

EPS (Electronic Power Steering)

MODEL: GTX 1054

YEAR: 2012-2013

Factory Model Number: 14WZ94AK010, 14WK94AK010

27 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	Yes	19A40002100	98 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	-	Yes	190-841-190	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Electric Sleeve Hitch	-	190-824-101	57 lbs.	2 Year
30" Hydraulic Tiller	Requires 824	190-825-101	260 lbs.	2 Year
Tire Chains 23" x 10.5" x 12"	1 Pair	OEM-190-964	10 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	65 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Armrest Kit	-	757-04073	-	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck

NOTE: (B) Mower Deck Not Available As A Wholegood

GTX 1054

27 H.P. Courage

Twin

Hydro

2013

MODEL: GTX 1054**YEAR: 2012-2013**Factory Model Number: **14WZ94AK010**

Serial Numbers:

27 H.P. Hydro Drive
EPS / Electric P.T.O. / 54" Deck
One Piece Plastic Hood**GENERAL INFO:**

Length (Over-All)	68.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	587 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	16" x 7.5"
Rear Wheel Tire Size	23" x 10.5"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV740-3024
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	27 HP (20.1 kW)
Peak Torque	Not Available
Displacement	44.0 cu in. (725cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1600 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.005" (0.127 mm)
Valve Lash (Exhaust)	0.005" (0.127 mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	2.3 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.3 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-32-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-25-050-22-S1
Spark Plug	759-3336
Armature	KH-24-584-89-S
Points	Not Applicable
Carb Kit	KH-24-757-46-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-25-403-21-S
Solenoid	725-04439
Muffler	751-10528A
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV740-3024
Short Block	KH-32-522-07
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year / 120 Hrs.
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

EPS (Electronic Power Steering)

MODEL: GTX 1054

YEAR: 2012-2013

Factory Model Number: 14WZ94AK010, 14WK94AK010

27 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	Yes	19A40002100	98 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	-	Yes	190-841-190	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Electric Sleeve Hitch	-	190-824-101	57 lbs.	2 Year
30" Hydraulic Tiller	Requires 824	190-825-101	260 lbs.	2 Year
Tire Chains 23" x 10.5" x 12"	1 Pair	OEM-190-964	10 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	65 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Armrest Kit	-	757-04073	-	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck

NOTE: (B) Mower Deck Not Available As A Wholegood