

**LT 1000
SPECIFICATION SHEETS
2004-2008**

2004	Specification Sheet	CC
2005	Specification Sheets	CC
2006	Specification Sheets	CC
2007	Specification Sheets	CC
2008	Specification Sheets	CC

Material contained in this document is intended for use by Independent Retail dealer personnel.

Any other use without expressed written consent of MTD PRODUCTS INC is prohibited.

LT 1018	18.5 H.P. Intek	Single	Hydro	2004
LT 1018	22 H.P. Intek	Twin	Hydro	2004
LT 1018LE	18 H.P. Command	Single	Hydro	2004
LT 1022	22 H.P. Intek	Twin	Hydro	2004
LT 1024	24 H.P. Intek	Twin	Hydro	2004

LT 1018	18.5 H.P. Intek	Single	Hydro	2004
LT 1018	22 H.P. Intek	Twin	Hydro	2004
LT 1018LE	18 H.P. Command	Single	Hydro	2004
LT 1022	22 H.P. Intek	Twin	Hydro	2004
LT 1024	24 H.P. Intek	Twin	Hydro	2004

MODEL: LT 1018

YEAR: 2004

Factory Model Number: 13AL11CG710

Serial Numbers:

18.5 H.P. Hydro Drive
Electric P.T.O. / 42" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	45.0"
Height (Over-All)	43.0"
Ground Clearance	4.5"
Weight (Approximate)	560 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6" x 6"
Rear Wheel Tire Size	20" x 9" x 9"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Briggs & Stratton
Model Series	Intek (Vertical)
Model/Type/Spec	31Q777-0305
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	18.5 HP
Peak Torque	25.9 ft. lbs. @ 2400
Displacement	30.59 cu. In. (501 cc)
Bore	3.56"
Stroke	3.06"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.004"
Valve Lash (Exhaust)	0.006"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.010"-0.014"

CAPACITIES:

Engine Crankcase	48 oz. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.0 gal.

FLUIDS:

(A) SAE 30	737-3029
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	BS-795115
Pre Filter	BS-697015
Oil Filter	BS-696854
Fuel Filter	BS-695666
Spark Plug	759-3336
Armature	BS-492341
Points	Not Applicable
Carb Kit	BS-697241

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	BS-797375
Muffler	751-0617A
Battery	925-1707D

ENGINE:

Complete Engine	BS-31Q777-0036
Short Block	BS-697762
Mini Block	Not Applicable

WARRANTY:

Limited Residential / Commercial	2 Year / 1 Year
Engine	2 Year
P.T.O. Clutch	3 Year
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 1018

YEAR: 2004

Factory Model Number: 13AL11CG710

18.5 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped	(A)	G	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	190-670-100	65 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
42"	0	Stamped		No	190-116-000	5 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	190-673-100	280 lbs.	1 Year
42"	2	2	Manual	-	OEM-190-032	277 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	190-674-100	70 lbs.	1 Year
46"	Manual	Manual	-	OEM-190-833	82 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 9"	1 Pair	190-671-100	15 lbs.	-
Bumper	-	190-672-100	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-675-100	65 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tractor Mate Tool Box		190-604-101	30 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	1 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 42" Stamped Mower Deck

NOTE: (B) Mower Deck Not Available As A Wholegood

NOTE: (C) Agri-Fab

MODEL: LT 1018

YEAR: 2004

Factory Model Number: 13AB11CG710

Serial Numbers:

22 H.P. Hydro Drive
Electric P.T.O. / 42" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	45.0"
Height (Over-All)	43.0"
Ground Clearance	4.5"
Weight (Approximate)	560 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6" x 6"
Rear Wheel Tire Size	20" x 9" x 8"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Briggs & Stratton
Model Series	Intek (Vertical)
Model/Type/Spec	40H777-0171
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	22 HP
Peak Torque	31.6 ft. lbs. @ 2400
Displacement	40.0 cu. In. (656 cc)
Bore	2.97"
Stroke	2.89"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.005"
Valve Lash (Exhaust)	0.005"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	64 oz. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.0 gal.

FLUIDS:

(A) SAE 30	737-3029
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	BS-499486S
Pre Filter	BS-273638S
Oil Filter	BS-696854
Fuel Filter	BS-691035
Spark Plug	759-3336
Armature	BS-691060
Points	Not Applicable
Carb Kit	BS-797890

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	BS-797375
Muffler	751-0616A
Battery	925-1707D

ENGINE:

Complete Engine	BS-40H777-0027
Short Block	BS-698177
Mini Block	Not Applicable

WARRANTY:

Limited Residential / Commercial	2 Year / 1 Year
Engine	2 Year
P.T.O. Clutch	3 Year
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 1018

YEAR: 2004

Factory Model Number: 13AB11CG710

22 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped	(A)	G	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	190-670-100	65 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
42"	0	Stamped		No	190-116-000	5 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	190-673-100	280 lbs.	1 Year
42"	2	2	Manual	-	OEM-190-032	277 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	190-674-100	70 lbs.	1 Year
46"	Manual	Manual	-	OEM-190-833	82 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 9"	1 Pair	190-671-100	15 lbs.	-
Bumper	-	190-672-100	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-675-100	65 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tractor Mate Tool Box		190-604-101	30 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	1 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

- NOTE: (A)** Tractor Comes With 42" Stamped Mower Deck
- NOTE: (B)** Mower Deck Not Available As A Wholegood
- NOTE: (C)** Agri-Fab

MODEL: LT 1018LE

YEAR: 2004

Factory Model Number: 13AX11CG710

Serial Numbers:

18 H.P. Hydro Drive
Electric P.T.O. / 42" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	45.0"
Height (Over-All)	43.0"
Ground Clearance	4.5"
Weight (Approximate)	560 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6" x 6"
Rear Wheel Tire Size	20" x 9" x 8"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Vertical)
Model/Type/Spec	CV492S-27536
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	18 HP
Peak Torque	27.9 ft. lbs. @ 2400
Displacement	29.9 cu. In. (490 cc)
Bore	3.60"
Stroke	3.03"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.040"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.0 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-12-883-10-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-25-050-07-S
Spark Plug	759-3336
Armature	KH-12-584-04
Points	Not Applicable
Carb Kit	KH-12-757-03

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-0617A
Battery	925-1707D

ENGINE:

Complete Engine	KH-PA-27536
Short Block	KH-12-522-69
Mini Block	Not Applicable

WARRANTY:

Limited Residential / Commercial	2 Year / 1 Year
Engine	2 Year
P.T.O. Clutch	3 Year
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 1018LE

YEAR: 2004

Factory Model Number: 13AX11CG710

18 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped	(A)	G	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	190-670-100	65 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
42"	0	Stamped		No	190-116-000	5 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	190-673-100	280 lbs.	1 Year
42"	2	2	Manual	-	OEM-190-032	277 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	190-674-100	70 lbs.	1 Year
46"	Manual	Manual	-	OEM-190-833	82 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 9"	1 Pair	190-671-100	15 lbs.	-
Bumper	-	190-672-100	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-675-100	65 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tractor Mate Tool Box		190-604-101	30 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	1 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 42" Stamped Mower Deck

NOTE: (B) Mower Deck Not Available As A Wholegood

NOTE: (C) Agri-Fab

MODEL: LT 1022

YEAR: 2004

Factory Model Number: 13AB11CH710

Serial Numbers:

22 H.P. Hydro Drive
Electric P.T.O. / 46" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	49.0"
Height (Over-All)	43.0"
Ground Clearance	4.5"
Weight (Approximate)	620 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6" x 6"
Rear Wheel Tire Size	20" x 9" x 8"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Briggs & Stratton
Model Series	Intek (Vertical)
Model/Type/Spec	40H777-0171
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	22 HP
Peak Torque	31.6 ft. lbs. @ 2400
Displacement	40.0 cu. In. (656 cc)
Bore	2.97"
Stroke	2.89"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.005"
Valve Lash (Exhaust)	0.005"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	64 oz. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.0 gal.

FLUIDS:

(A) SAE 30	737-3029
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	BS-499486S
Pre Filter	BS-273638S
Oil Filter	BS-696854
Fuel Filter	BS-691035
Spark Plug	759-3336
Armature	BS-691060
Points	Not Applicable
Carb Kit	BS-797890

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	BS-797375
Muffler	751-0616A
Battery	925-1707D

ENGINE:

Complete Engine	BS-40H777-0027
Short Block	BS-698177
Mini Block	Not Applicable

WARRANTY:

Limited Residential / Commercial	2 Year / 1 Year
Engine	2 Year
P.T.O. Clutch	3 Year
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 1022

YEAR: 2004

Factory Model Number: 13AB11CH710

22 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
46"	3	Stamped	(A)	H	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
46"	2	Stamped	4 bu. Bagger Kit	No	190-678-100	65 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	190-673-100	280 lbs.	1 Year
42"	2	2	Manual	-	OEM-190-032	277 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	190-674-100	70 lbs.	1 Year
46"	Manual	Manual	-	OEM-190-833	82 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 9"	1 Pair	190-671-100	15 lbs.	-
Bumper	-	190-672-100	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-675-100	65 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tractor Mate Tool Box		190-604-101	30 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	1 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 46" Stamped Mower Deck

NOTE: (B) Mower Deck Not Available As A Wholegood

NOTE: (C) Agri-Fab

MODEL: LT 1024

YEAR: 2004

Factory Model Number: 13AR11CP710

Serial Numbers:

24 H.P. Hydro Drive
Electric P.T.O. / 50" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	54.0"
Height (Over-All)	43.0"
Ground Clearance	4.5"
Weight (Approximate)	626 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6" x 6"
Rear Wheel Tire Size	20" x 9" x 8"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Briggs & Stratton
Model Series	Intek (Vertical)
Model/Type/Spec	446777-0302
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	24 HP
Peak Torque	32.5 ft. lbs. @ 2400
Displacement	44.2 cu. In. (725 cc)
Bore	3.12"
Stroke	2.89"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.005"
Valve Lash (Exhaust)	0.005"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	64 oz. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.0 gal.

FLUIDS:

(A) SAE 30	737-3029
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	BS-499486S
Pre Filter	BS-273638S
Oil Filter	BS-696854
Fuel Filter	BS-691035
Spark Plug	759-3336
Armature	BS-691060
Points	Not Applicable
Carb Kit	BS-797890

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	BS-797375
Muffler	751-0616A
Battery	925-1707D

ENGINE:

Complete Engine	BS-446777-0025
Short Block	Not Applicable
Mini Block	Not Applicable

WARRANTY:

Limited Residential / Commercial	2 Year / 1 Year
Engine	2 Year
P.T.O. Clutch	3 Year
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 1024

YEAR: 2004

Factory Model Number: 13AR11CP710

24 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
50"	3	Stamped	(A)	P	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
50"	3	Stamped	6 bu. Bagger Kit	Yes	190-190-100	90 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
50"	0	Stamped	-	No	190-193-000	2 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	190-673-100	280 lbs.	1 Year
42"	2	2	Manual	-	OEM-190-032	277 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	190-674-100	70 lbs.	1 Year
46"	Manual	Manual	-	OEM-190-833	82 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 9"	1 Pair	190-671-100	15 lbs.	-
Bumper	-	190-672-100	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-675-100	65 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tractor Mate Tool Box		190-604-101	30 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	1 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

- NOTE: (A)** Tractor Comes With 50" Stamped Mower Deck
- NOTE: (B)** Mower Deck Not Available As A Wholegood
- NOTE: (C)** Agri-Fab

LT 1042	19 H.P. Courage	Single	Hydro	2005
LT 1045	20 H.P. Courage	Single	Hydro	2005
LT 1046	23 H.P. Command	Twin	Hydro	2005
LT 1050	26 H.P. Command	Twin	Hydro	2005

MODEL: LT 1042

YEAR: 2005

Factory Model Number: 13BX11CG710

Serial Numbers:

19 H.P. Hydro Drive
Electric P.T.O. / 42" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	545 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	46.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6"
Rear Wheel Tire Size	20" x 10"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV590-0003
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	19 HP (14.1 kW)
Peak Torque	Not Available
Displacement	36.4 cu in. (597cc)
Bore	3.70"
Stroke	3.38"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.005" (0.127 mm)
Valve Lash (Exhaust)	0.007" (0.178 mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	1.6 qts. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-20-083-02-S
Pre Filter	KH-20-083-03-S
Oil Filter	KH-52-050-02-S
Fuel Filter	KH-25-050-22-S
Spark Plug	759-3336
Armature	KH-20-584-45-S
Points	Not Applicable
Carb Kit	KH-12-757-03

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-0617A
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV590-0003
Short Block	KH-20-522-01
Mini Block	Not Applicable

WARRANTY:

Limited Residential / Commercial	2 Year / 1 Year
Engine	2 Year
P.T.O. Clutch	3 Year
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 1042

YEAR: 2005

Factory Model Number: 13BX11CG710

19 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped	(A)	G	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	190-670-100	70 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
42"	0	Stamped	(D)	No	190-116-000	4 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	1 Year
42"	2	2	Manual	-	190-673-100	280 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	1 Year
46"	Manual	Manual	-	190-674-100	70 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 10"	1 Pair	190-916-100	16 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tractor Trunk Tool Box		190-604-101	30 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	1 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 42" Stamped Mower Deck

NOTE: (B) Mower Deck Not Available As A Wholegood

NOTE: (C) Agri-Fab

NOTE: (D) Tractor Comes With Mulch Plug

MODEL: LT 1045

YEAR: 2005

Factory Model Number: 13AX11CH710

Serial Numbers:

20 H.P. Hydro Drive
Electric P.T.O. / 46" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	550 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	46.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6"
Rear Wheel Tire Size	20" x 10"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV600-0009
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	20 HP (14.9 kW)
Peak Torque	Not Available
Displacement	36.4 cu in. (597cc)
Bore	3.70"
Stroke	3.38"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.005" (0.127 mm)
Valve Lash (Exhaust)	0.007" (0.178 mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	1.6 qts. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-20-083-02-S
Pre Filter	KH-20-083-03-S
Oil Filter	KH-52-050-02-S
Fuel Filter	KH-25-050-22-S
Spark Plug	759-3336
Armature	KH-20-584-03-S
Points	Not Applicable
Carb Kit	KH-12-757-03

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-0617A
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV600-0009
Short Block	KH-20-522-01
Mini Block	Not Applicable

WARRANTY:

Limited Residential / Commercial	2 Year / 1 Year
Engine	2 Year
P.T.O. Clutch	3 Year
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 1045**YEAR: 2005**

Factory Model Number: 13AX11CH710

20 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
46"	3	Stamped	(A)	H	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
46"	2	Stamped	4 bu. Bagger Kit	No	190-678-100	65 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(D)							

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	1 Year
42"	2	2	Manual	-	190-823-100	280 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	1 Year
46"	Manual	Manual	-	190-674-100	70 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 10"	1 Pair	190-916-100	16 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tractor Trunk Tool Box		190-604-101	30 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	1 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 46" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Agri-Fab**NOTE: (D)** Tractor Comes With Mulch Plug

MODEL: LT 1046

YEAR: 2005

Factory Model Number: 13AP11CH710

Serial Numbers:

23 H.P. Hydro Drive
Electric P.T.O. / 46" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	560 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	46.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6"
Rear Wheel Tire Size	20" x 10"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Vertical)
Model/Type/Spec	CV23S-75593
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	40.2 ft. lbs. @ 2400
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-46-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-0805
Battery	925-1707D

ENGINE:

Complete Engine	KH-PA-75593
Short Block	KH-24-522-126
Mini Block	KH-24-782-14

WARRANTY:

Limited Residential / Commercial	2 Year / 1 Year
Engine	2 Year
P.T.O. Clutch	3 Year
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 1046

YEAR: 2005

Factory Model Number: 13AP11CH710

23 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
46"	3	Stamped	(A)	H	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
46"	2	Stamped	4 bu. Bagger Kit	No	190-678-100	65 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(D)							

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	1 Year
42"	2	2	Manual	-	190-823-100	280 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	1 Year
46"	Manual	Manual	-	190-674-100	70 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 10"	1 Pair	190-916-100	16 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tractor Trunk Tool Box		190-604-101	30 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	1 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 46" Stamped Mower Deck

NOTE: (B) Mower Deck Not Available As A Wholegood

NOTE: (C) Agri-Fab

NOTE: (D) Tractor Comes With Mulch Plug

MODEL: LT 1050

YEAR: 2005

Factory Model Number: 13AQ11CP710

Serial Numbers:

26 H.P. Hydro Drive
Electric P.T.O. / 50" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	585 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	46.0"
Tread Front/Rear	N/A
Turning Radius	18"
Front Wheel Tire Size	15" x 6"
Rear Wheel Tire Size	20" x 10"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Vertical)
Model/Type/Spec	CV730-0040
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	25 HP (18.6 kW)
Peak Torque	41.0 ft. lbs @ 2800
Displacement	44.0 cu in. (725cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-24-083-03-S
Pre Filter	KH-24-083-05-S
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-18-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-0805
Battery	925-1707D

ENGINE:

Complete Engine	KH-CV730-0040
Short Block	KH-24-522-378
Mini Block	KH-24-782-23

WARRANTY:

Limited Residential / Commercial	2 Year / 1 Year
Engine	2 Year
P.T.O. Clutch	3 Year
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 1050

YEAR: 2005

Factory Model Number: 13AQ11CP710

26 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
50"	3	Stamped	(A)	P	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
50"	3	Stamped	6 bu. Bagger Kit	Yes	190-190-100	98 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
50"	0	Stamped	(D)	No	190-193-000	2 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	1 Year
42"	2	2	Manual	-	190-823-100	280 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	1 Year
46"	Manual	Manual	-	190-674-100	70 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 10"	1 Pair	190-916-100	16 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tractor Trunk Tool Box		190-604-101	30 lbs.	-
Armrest Kit		757-04040	-	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	1 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 50" Stamped Mower Deck

NOTE: (B) Mower Deck Not Available As A Wholegood

NOTE: (C) Agri-Fab

NOTE: (D) Tractor Comes With Mulch Plug

LT 1040	18 H.P. Courage	Single	Gear	2006
LT 1040	18 H.P. Command	Single	Gear	2006
LT 1042	19 H.P. Courage	Single	Hydro	2006
LT 1045	20 H.P. Courage	Single	Hydro	2006
LT 1045	20 H.P. Courage	Twin	Hydro	2006
LT 1046	23 H.P. Courage	Twin	Hydro	2006
LT 1050	23 H.P. Courage	Twin	Hydro	2006

MODEL: LT 1040

YEAR: 2006

Factory Model Number: 13AX10CG710

Serial Numbers:

18 H.P. Auto CVT Drive
Electric P.T.O. / 42" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	550 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	46.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6"
Rear Wheel Tire Size	20" x 10"
Trans/Differential Type	Variable Belt Drive
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV540-0020
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	18 HP (13.4 kW)
Peak Torque	Not Available
Displacement	32.6 cu in. (535cc)
Bore	3.50"
Stroke	3.38"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.005" (0.127 mm)
Valve Lash (Exhaust)	0.007" (0.178 mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	1.6 qts. (A)
Coolant	Not Applicable
Transmission	20 oz. (E)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.0 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034
(E) Benalene #920 Grease	737-0300A

ENGINE MAINTENANCE PARTS:

Air Filter	KH-20-083-02-S
Pre Filter	KH-20-083-03-S
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-20-050-22-S
Spark Plug	759-3336
Armature	KH-20-584-01-S
Points	Not Applicable
Carb Kit	KH-12-757-03

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Noty Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-0617A
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV540-0020
Short Block	KH-20-522-02
Mini Block	Not Applicable

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year
P.T.O. Clutch	3 Year
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 1040**YEAR: 2006**

Factory Model Number: 13AX10CG710

18 H.P. Auto CVT Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped	(A)	G	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	190-670-100	70 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
42"	0	Stamped	(E)	No	190-116-000	4 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year
42"	2	2	Manual	-	190-673-100	280 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year
46"	Manual	Manual	-	190-674-100	70 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 10"	1 Pair	190-916-100	16 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tractor Trunk Tool Box		190-604-101	30 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	2 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	2 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Dump Cart	(D)	190-120-100	-	90 Days
17 Cu. Ft. Dump Cart	(D)	190-121-100	-	90 Days
12 Cu. Ft. Poly Convertible Dump Cart	(D)	190-123-100	-	90 Days
130 Lb. Capacity Broadcast Spreader	(D)	190-125-100	-	90 Days
42" Lawn Dethatcher	(D)	190-126-100	-	90 Days
42" Lawn Spike Aerator	(D)	190-127-100	-	90 Days
42" Lawn Plug Aerator	(D)	190-128-100	-	90 Days
45" Lawn Sweeper	(D)	190-129-100	-	90 Days

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 42" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Agri-Fab**NOTE: (D)** Contact Precision 1-800-225-5891 Extension 204**NOTE: (E)** Tractor Comes With Mulch Plug

MODEL: LT 1040

YEAR: 2006

Factory Model Number: 13BX10CG710

18 H.P. Auto CVT Drive

Serial Numbers:

Electric P.T.O. / 42" Deck

One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	550 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	46.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6"
Rear Wheel Tire Size	20" x 10"
Trans/Differential Type	Variable Belt Drive
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Vertical)
Model/Type/Spec	CV492S-27536
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	18 HP (13.4 kW)
Peak Torque	28.1 ft. lbs @ 2400
Displacement	29.9 cu in. (490cc)
Bore	3.60"
Stroke	3.03"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	20 oz. (E)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.0 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034
(E) Benalene #920 Grease	737-0300A

ENGINE MAINTENANCE PARTS:

Air Filter	KH-12-883-10-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-25-057-07-S
Spark Plug	759-3336
Armature	KH-12-584-04
Points	Not Applicable
Carb Kit	KH-12-757-03

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-0617A
Battery	925-1707D

ENGINE:

Complete Engine	KH-PA-27536
Short Block	KH-12-522-69
Mini Block	Not Applicable

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year
P.T.O. Clutch	3 Year
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 1040**YEAR: 2006**

Factory Model Number: 13BX10CG710

18 H.P. Auto CVT Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped	(A)	G	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	190-670-100	70 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
42"	0	Stamped	(E)	No	190-116-000	4 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year
42"	2	2	Manual	-	190-673-100	280 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year
46"	Manual	Manual	-	190-674-100	70 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 10"	1 Pair	190-916-100	16 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tractor Trunk Tool Box		190-604-101	30 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	2 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	2 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Dump Cart	(D)	190-120-100	-	90 Days
17 Cu. Ft. Dump Cart	(D)	190-121-100	-	90 Days
12 Cu. Ft. Poly Convertible Dump Cart	(D)	190-123-100	-	90 Days
130 Lb. Capacity Broadcast Spreader	(D)	190-125-100	-	90 Days
42" Lawn Dethatcher	(D)	190-126-100	-	90 Days
42" Lawn Spike Aerator	(D)	190-127-100	-	90 Days
42" Lawn Plug Aerator	(D)	190-128-100	-	90 Days
45" Lawn Sweeper	(D)	190-129-100	-	90 Days

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 42" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Agri-Fab**NOTE: (D)** Contact Precision 1-800-225-5891 Extension 204**NOTE: (E)** Tractor Comes With Mulch Plug

MODEL: LT 1042

YEAR: 2006

Factory Model Number: 13AX11CG710

Serial Numbers:

19 H.P. Hydro Drive
Electric P.T.O. / 42" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	580 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	46.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6"
Rear Wheel Tire Size	20" x 10"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV590-0003
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	19 HP (14.1 kW)
Peak Torque	Not Available
Displacement	36.4 cu in. (597cc)
Bore	3.70"
Stroke	3.38"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.005" (0.127 mm)
Valve Lash (Exhaust)	0.007" (0.178 mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	1.6 qts. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-20-083-02-S
Pre Filter	KH-20-083-032-S
Oil Filter	KH-52-050-02-S
Fuel Filter	KH-25-050-22-S
Spark Plug	759-3336
Armature	KH-20-584-01-S
Points	Not Applicable
Carb Kit	KH-12-757-03

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-0617A
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV590-0003
Short Block	KH-20-522-01
Mini Block	Not Applicable

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year
P.T.O. Clutch	3 Year
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 1042**YEAR: 2006**

Factory Model Number: 13AX11CG710

19 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped	(A)	G	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	190-670-100	70 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
42"	0	Stamped	(E)	No	190-116-000	4 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year
42"	2	2	Manual	-	190-673-100	280 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year
46"	Manual	Manual	-	190-674-100	70 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 10"	1 Pair	190-916-100	16 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tractor Trunk Tool Box		190-604-101	30 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	2 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	2 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Dump Cart	(D)	190-120-100	-	90 Days
17 Cu. Ft. Dump Cart	(D)	190-121-100	-	90 Days
12 Cu. Ft. Poly Convertible Dump Cart	(D)	190-123-100	-	90 Days
130 Lb. Capacity Broadcast Spreader	(D)	190-125-100	-	90 Days
42" Lawn Dethatcher	(D)	190-126-100	-	90 Days
42" Lawn Spike Aerator	(D)	190-127-100	-	90 Days
42" Lawn Plug Aerator	(D)	190-128-100	-	90 Days
45" Lawn Sweeper	(D)	190-129-100	-	90 Days

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 42" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Agri-Fab**NOTE: (D)** Contact Precision 1-800-225-5891 Extension 204**NOTE: (E)** Tractor Comes With Mulch Plug

MODEL: LT 1045

YEAR: 2006

Factory Model Number: 13AX11CH710

Serial Numbers:

20 H.P. Hydro Drive
Electric P.T.O. / 46" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	592 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	46.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6"
Rear Wheel Tire Size	20" x 10"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV600-0009
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	20 HP (14.9 kW)
Peak Torque	Not Available
Displacement	36.4 cu in. (597cc)
Bore	3.70"
Stroke	3.38"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.005" (0.127 mm)
Valve Lash (Exhaust)	0.007" (0.178 mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	1.6 qts. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-20-083-02-S
Pre Filter	KH-20-083-03-S
Oil Filter	KH-52-050-02-S
Fuel Filter	KH-25-050-22-S
Spark Plug	759-3336
Armature	KH-20-584-03-S
Points	Not Applicable
Carb Kit	KH-12-757-03

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-0617A
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV600-0009
Short Block	KH-20-522-01
Mini Block	Not Applicable

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year
P.T.O. Clutch	3 Year
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 1045**YEAR: 2006**

Factory Model Number: 13AX11CH710

20 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
46"	3	Stamped	(A)	H	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
46"	2	Stamped	4 bu. Bagger Kit	Yes	190-678-100	65 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(E)							

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year
42"	2	2	Manual	-	190-673-100	280 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year
46"	Manual	Manual	-	190-674-100	70 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 10"	1 Pair	190-916-100	16 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tractor Trunk Tool Box		190-604-101	30 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	2 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	2 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Dump Cart	(D)	190-120-100	-	90 Days
17 Cu. Ft. Dump Cart	(D)	190-121-100	-	90 Days
12 Cu. Ft. Poly Convertible Dump Cart	(D)	190-123-100	-	90 Days
130 Lb. Capacity Broadcast Spreader	(D)	190-125-100	-	90 Days
42" Lawn Dethatcher	(D)	190-126-100	-	90 Days
42" Lawn Spike Aerator	(D)	190-127-100	-	90 Days
42" Lawn Plug Aerator	(D)	190-128-100	-	90 Days
45" Lawn Sweeper	(D)	190-129-100	-	90 Days

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 46" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Agri-Fab**NOTE: (D)** Contact Precision 1-800-225-5891 Extension 204**NOTE: (E)** Tractor Comes With Mulch Plug

MODEL: LT 1045

YEAR: 2006

Factory Model Number: 13BP11CH710

Serial Numbers:

20 H.P. Hydro Drive
Electric P.T.O. / 46" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	592 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	46.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6"
Rear Wheel Tire Size	20" x 10"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV710-0019
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	20 HP (14.9 kW)
Peak Torque	Not Available
Displacement	44.0 cu in. (725cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.005" (0.127 mm)
Valve Lash (Exhaust)	0.005" (0.127 mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-32-083-03-S
Pre Filter	KH-32-083-05-S
Oil Filter	KH-52-050-02-S
Fuel Filter	KH-25-050-22-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-46-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-0805
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV710-0019
Short Block	KH-32-522-03
Mini Block	Not Applicable

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year
P.T.O. Clutch	3 Year
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 1045**YEAR: 2006**

Factory Model Number: 13BP11CH710

20 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
46"	3	Stamped	(A)	H	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
46"	2	Stamped	4 bu. Bagger Kit	Yes	190-678-100	65 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(E)							

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year
42"	2	2	Manual	-	190-673-100	280 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year
46"	Manual	Manual	-	190-674-100	70 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 10"	1 Pair	190-916-100	16 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tractor Trunk Tool Box		190-604-101	30 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	2 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	2 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Dump Cart	(D)	190-120-100	-	90 Days
17 Cu. Ft. Dump Cart	(D)	190-121-100	-	90 Days
12 Cu. Ft. Poly Convertible Dump Cart	(D)	190-123-100	-	90 Days
130 Lb. Capacity Broadcast Spreader	(D)	190-125-100	-	90 Days
42" Lawn Dethatcher	(D)	190-126-100	-	90 Days
42" Lawn Spike Aerator	(D)	190-127-100	-	90 Days
42" Lawn Plug Aerator	(D)	190-128-100	-	90 Days
45" Lawn Sweeper	(D)	190-129-100	-	90 Days

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 46" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Agri-Fab**NOTE: (D)** Contact Precision 1-800-225-5891 Extension 204**NOTE: (E)** Tractor Comes With Mulch Plug

MODEL: LT 1046

YEAR: 2006

Factory Model Number: 13AP11CH710

Serial Numbers:

23 H.P. Hydro Drive
Electric P.T.O. / 46" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	595 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	46.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6"
Rear Wheel Tire Size	20" x 10"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV720-0010
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	Not Available
Displacement	44.0 cu in. (725cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.005" (0.127mm)
Valve Lash (Exhaust)	0.005" (0.127mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-32-083-03-S
Pre Filter	KH-32-083-05-S
Oil Filter	KH-52-050-02-S
Fuel Filter	KH-25-050-22-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-46-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-10161
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV720-0010
Short Block	KH-32-522-03
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year
P.T.O. Clutch	3 Year
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 1046**YEAR: 2006**

Factory Model Number: 13AP11CH710

23 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
46"	3	Stamped	(A)	H	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
46"	2	Stamped	4 bu. Bagger Kit	Yes	190-678-100	65 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(E)							

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year
42"	2	2	Manual	-	190-673-100	280 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year
46"	Manual	Manual	-	190-674-100	70 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 10"	1 Pair	190-916-100	16 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tractor Trunk Tool Box		190-604-101	30 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	2 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	2 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Dump Cart	(D)	190-120-100	-	90 Days
17 Cu. Ft. Dump Cart	(D)	190-121-100	-	90 Days
12 Cu. Ft. Poly Convertible Dump Cart	(D)	190-123-100	-	90 Days
130 Lb. Capacity Broadcast Spreader	(D)	190-125-100	-	90 Days
42" Lawn Dethatcher	(D)	190-126-100	-	90 Days
42" Lawn Spike Aerator	(D)	190-127-100	-	90 Days
42" Lawn Plug Aerator	(D)	190-128-100	-	90 Days
45" Lawn Sweeper	(D)	190-129-100	-	90 Days

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 46" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Agri-Fab**NOTE: (D)** Contact Precision 1-800-225-5891 Extension 204**NOTE: (E)** Tractor Comes With Mulch Plug

MODEL: LT 1050

YEAR: 2006

Factory Model Number: 13AQ11CP710

Serial Numbers:

23 H.P. Hydro Drive
Electric P.T.O. / 50" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	630 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	46.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6"
Rear Wheel Tire Size	20" x 10"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV720-0010
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	Not Available
Displacement	44.0 cu in. (725cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.005" (0.127mm)
Valve Lash (Exhaust)	0.005" (0.127mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-32-083-03-S
Pre Filter	KH-32-083-05-S
Oil Filter	KH-52-050-02-S
Fuel Filter	KH-25-050-22-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-46-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-10161
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV720-0010
Short Block	KH-32-522-03
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year
P.T.O. Clutch	3 Year
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 1050**YEAR: 2006**

Factory Model Number: 13AQ11CP710

23 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
50"	3	Stamped	(A)	P	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
50"	3	Stamped	6 bu. Bagger Kit	Yes	190-190-100	98 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
50"	0	Stamped	(E)	No	190-193-000	2 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year
42"	2	2	Manual	-	190-673-100	280 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year
46"	Manual	Manual	-	190-674-100	70 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 10"	1 Pair	190-916-100	16 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tractor Trunk Tool Box		190-604-101	30 lbs.	-
Armrest kit		757-04040	-	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	2 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	2 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Dump Cart	(D)	190-120-100	-	90 Days
17 Cu. Ft. Dump Cart	(D)	190-121-100	-	90 Days
12 Cu. Ft. Poly Convertible Dump Cart	(D)	190-123-100	-	90 Days
130 Lb. Capacity Broadcast Spreader	(D)	190-125-100	-	90 Days
42" Lawn Dethatcher	(D)	190-126-100	-	90 Days
42" Lawn Spike Aerator	(D)	190-127-100	-	90 Days
42" Lawn Plug Aerator	(D)	190-128-100	-	90 Days
45" Lawn Sweeper	(D)	190-129-100	-	90 Days

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 50" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Agri-Fab**NOTE: (D)** Contact Precision 1-800-225-5891 Extension 204**NOTE: (E)** Tractor Comes With Mulch Plug

LT 1040	18 H.P. Courage	Single	Gear	2007
LT 1042	19 H.P. Courage	Single	Hydro	2007
LT 1045	20 H.P. Courage	Single	Hydro	2007
LT 1046	23 H.P. Courage	Twin	Hydro	2007
LT 1050	23 H.P. Courage	Twin	Hydro	2007

MODEL: LT 1040

YEAR: 2007-2008

Factory Model Number: 13AX10CG710

18 H.P. Auto CVT Drive

Serial Numbers:

Electric P.T.O. / 42" Deck

One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	550 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	46.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6"
Rear Wheel Tire Size	20" x 10"
Trans/Differential Type	Variable Belt Drive
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV540-0020
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	18 HP (13.4 kW)
Peak Torque	Not Available
Displacement	32.6 cu in. (535cc)
Bore	3.50"
Stroke	3.38"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.005" (0.127 mm)
Valve Lash (Exhaust)	0.007" (0.178 mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	1.6 qts. (A)
Coolant	Not Applicable
Transmission	20 oz. (E)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.0 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034
(E) Benalene #920 Grease	737-0300A

ENGINE MAINTENANCE PARTS:

Air Filter	KH-20-083-02-S
Pre Filter	KH-20-083-03-S
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-25-050-22-S
Spark Plug	759-3336
Armature	KH-20-584-01-S
Points	Not Applicable
Carb Kit	KH-12-757-03

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-0617A
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV540-0220
Short Block	KH-20-522-02
Mini Block	Not Applicable

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year / 120 Hrs.
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 1040**YEAR: 2007-2008**

Factory Model Number: 13AX10CG710

18 H.P. Auto CVT Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped	(A)	G	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	190-670-100	70 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
42"	0	Stamped	(E)	No	190-116-000	4 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 10"	1 Pair	190-916-100	16 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	2 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	2 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(D)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(D)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(D)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(D)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(D)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(D)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(D)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(D)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 42" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Agri-Fab**NOTE: (D)** Contact Brinley Hardy 1-800-626-5329**NOTE: (E)** Tractor Comes With Mulch Plug

MODEL: LT 1042

YEAR: 2007

Factory Model Number: 13AX11CG710

Serial Numbers:

19 H.P. Hydro Drive
Electric P.T.O. / 42" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	580 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	46.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6"
Rear Wheel Tire Size	20" x 10"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV590-0003
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	19 HP (14.1 kW)
Peak Torque	Not Available
Displacement	36.4 cu in. (597cc)
Bore	3.70"
Stroke	3.38"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.005" (0.127 mm)
Valve Lash (Exhaust)	0.007" (0.178 mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	1.6 qts. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-20-083-02-S
Pre Filter	KH-20-083-03-S
Oil Filter	KH-52-050-02-S
Fuel Filter	KH-25-050-22-S
Spark Plug	759-3336
Armature	KH-20-584-01-S
Points	Not Applicable
Carb Kit	KH-12-757-03

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-0617A
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV590-0003
Short Block	KH-20-522-01
Mini Block	Not Applicable

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year / 120 Hrs.
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788ST04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 1042**YEAR: 2007**

Factory Model Number: 13AX11CG710

19 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped	(A)	G	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	190-670-100	70 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
42"	0	Stamped	(E)	No	190-116-000	4 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 10"	1 Pair	190-916-100	16 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	2 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	2 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(D)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(D)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(D)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(D)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(D)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(D)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(D)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(D)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 42" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Agri-Fab**NOTE: (D)** Contact Brinley Hardy 1-800-626-5329**NOTE: (E)** Tractor Comes With Mulch Plug

MODEL: LT 1045

YEAR: 2007

Factory Model Number: 13AX11CH710

Serial Numbers:

20 H.P. Hydro Drive
Electric P.T.O. / 46" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	592 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	46.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6"
Rear Wheel Tire Size	20" x 10"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV600-0009
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	20 HP (14.9 kW)
Peak Torque	Not Available
Displacement	36.4 cu in. (597cc)
Bore	3.70"
Stroke	3.38"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.005" (0.127 mm)
Valve Lash (Exhaust)	0.007" (0.178 mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	1.6 qts. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-20-083-02-S
Pre Filter	KH-20-083-03-S
Oil Filter	KH-52-050-02-S
Fuel Filter	KH-25-050-22-S
Spark Plug	759-3336
Armature	KH-20-584-01-S
Points	Not Applicable
Carb Kit	KH-12-757-03

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-0617A
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV600-0009
Short Block	KH-20-522-01
Mini Block	Not Applicable

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year / 120 Hrs.
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 1045**YEAR: 2007**

Factory Model Number: 13AX11CH710

20 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
46"	3	Stamped	(A)	H	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
46"	2	Stamped	4 bu. Bagger Kit	No	190-678-100	65 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(E)							

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 10"	1 Pair	190-916-100	16 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	2 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	2 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(D)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(D)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(D)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(D)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(D)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(D)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(D)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(D)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 46" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Agri-Fab**NOTE: (D)** Contact Brinley Hardy 1-800-626-5329**NOTE: (E)** Tractor Comes With Mulch Plug

MODEL: LT 1046

YEAR: 2007

Factory Model Number: 13AP11CH710

Serial Numbers:

23 H.P. Hydro Drive
Electric P.T.O. / 46" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	595 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	46.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6"
Rear Wheel Tire Size	20" x 10"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV720-0010
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	Not Available
Displacement	44.0 cu in. (725cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.005" (0.127mm)
Valve Lash (Exhaust)	0.005" (0.127mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-32-083-03-S
Pre Filter	KH-32-083-05-S
Oil Filter	KH-52-050-02-S
Fuel Filter	KH-25-050-22-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-46-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-10161
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV720-0010
Short Block	KH-32-522-03
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year / 120 Hrs.
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 1046**YEAR: 2007**

Factory Model Number: 13AP11CH710

23 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
46"	3	Stamped	(A)	H	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
46"	2	Stamped	4 bu. Bagger Kit	No	190-678-100	65 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(E)							

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 10"	1 Pair	190-916-100	16 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	2 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	2 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(D)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(D)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(D)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(D)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(D)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(D)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(D)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(D)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 46" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Agri-Fab**NOTE: (D)** Contact Brinley Hardy 1-800-626-5329**NOTE: (E)** Tractor Comes With Mulch Plug

MODEL: LT 1050

YEAR: 2007

Factory Model Number: 13AQ11CP710

Serial Numbers:

23 H.P. Hydro Drive
Electric P.T.O. / 50" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	630 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	46.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6"
Rear Wheel Tire Size	20" x 10"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV720-0010
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	Not Available
Displacement	44.0 cu in. (725cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.005" (0.127mm)
Valve Lash (Exhaust)	0.005" (0.127mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-32-083-03-S
Pre Filter	KH-32-083-05-S
Oil Filter	KH-52-050-02-S
Fuel Filter	KH-25-050-22-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-46-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-10161
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV720-0010
Short Block	KH-32-522-03
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year / 120 Hrs.
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 1050**YEAR: 2007**

Factory Model Number: 13AQ11CP710

23 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
50"	3	Stamped	(A)	P	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
50"	3	Stamped	6 bu. Bagger Kit	No	190-190-100	98 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
50"	0	Stamped	(E)	No	190-193-000	2 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 10"	1 Pair	190-916-100	16 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Armrest Kit		757-04040	-	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	2 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	2 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(D)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(D)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(D)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(D)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(D)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(D)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(D)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(D)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 50" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Agri-Fab**NOTE: (D)** Contact Brinley Hardy 1-800-626-5329**NOTE: (E)** Tractor Comes With Mulch Plug

LT 1040	18 H.P. Courage	Single	Gear	2008
LT 1042	19 H.P. Courage	Single	Hydro	2008
LT 1045	20 H.P. Courage	Single	Hydro	2008
LT 1046	23 H.P. Courage	Twin	Hydro	2008
LT 1050	26 H.P. Courage	Twin	Hydro	2008

MODEL: LT 1040

YEAR: 2007-2008

Factory Model Number: 13AX10CG710

18 H.P. Auto CVT Drive

Serial Numbers:

Electric P.T.O. / 42" Deck

One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	550 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	46.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6"
Rear Wheel Tire Size	20" x 10"
Trans/Differential Type	Variable Belt Drive
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV540-0020
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	18 HP (13.4 kW)
Peak Torque	Not Available
Displacement	32.6 cu in. (535cc)
Bore	3.50"
Stroke	3.38"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.005" (0.127 mm)
Valve Lash (Exhaust)	0.007" (0.178 mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	1.6 qts. (A)
Coolant	Not Applicable
Transmission	20 oz. (E)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.0 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034
(E) Benalene #920 Grease	737-0300A

ENGINE MAINTENANCE PARTS:

Air Filter	KH-20-083-02-S
Pre Filter	KH-20-083-03-S
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-25-050-22-S
Spark Plug	759-3336
Armature	KH-20-584-01-S
Points	Not Applicable
Carb Kit	KH-12-757-03

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-0617A
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV540-0220
Short Block	KH-20-522-02
Mini Block	Not Applicable

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year / 120 Hrs.
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 1040**YEAR: 2007-2008**

Factory Model Number: 13AX10CG710

18 H.P. Auto CVT Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped	(A)	G	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	190-670-100	70 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
42"	0	Stamped	(E)	No	190-116-000	4 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 10"	1 Pair	190-916-100	16 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	2 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	2 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(D)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(D)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(D)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(D)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(D)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(D)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(D)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(D)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 42" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Agri-Fab**NOTE: (D)** Contact Brinley Hardy 1-800-626-5329**NOTE: (E)** Tractor Comes With Mulch Plug

MODEL: LT 1042

YEAR: 2008

Factory Model Number: 13AX11CG010

Serial Numbers:

19 H.P. Hydro Drive
Electric P.T.O. / 42" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	580 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	46.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6"
Rear Wheel Tire Size	20" x 10"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV590-0003
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	19 HP (14.1 kW)
Peak Torque	Not Available
Displacement	36.4 cu in. (597cc)
Bore	3.70"
Stroke	3.38"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.005" (0.127 mm)
Valve Lash (Exhaust)	0.007" (0.178 mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	1.6 qts. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-20-083-02-S
Pre Filter	KH-20-083-03-S
Oil Filter	KH-52-050-02-S
Fuel Filter	KH-25-050-22-S
Spark Plug	759-3336
Armature	KH-20-584-03-S
Points	Not Applicable
Carb Kit	KH-12-757-03

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-10529
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV590-0003
Short Block	KH-20-522-01
Mini Block	Not Applicable

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year / 120 Hrs.
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 1042**YEAR: 2008**

Factory Model Number: 13AX11CG010

19 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped	(A)	G	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	190-670-100	70 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
42"	0	Stamped	(E)	No	190-116-000	4 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 10"	1 Pair	190-916-100	16 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	2 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	2 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(D)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(D)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(D)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(D)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(D)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(D)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(D)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(D)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 42" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Agri-Fab**NOTE: (D)** Contact Brinley Hardy 1-800-626-5329**NOTE: (E)** Tractor Comes With Mulch Plug

MODEL: LT 1045

YEAR: 2008

Factory Model Number: 13AX11CH010

Serial Numbers:

20 H.P. Hydro Drive
Electric P.T.O. / 46" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	592 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	46.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6"
Rear Wheel Tire Size	20" x 10"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV600-0009
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	20 HP (14.9 kW)
Peak Torque	Not Available
Displacement	36.4 cu in. (597cc)
Bore	3.70"
Stroke	3.38"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.005" (0.127 mm)
Valve Lash (Exhaust)	0.007" (0.178 mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	1.6 qts. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-20-083-02-S
Pre Filter	KH-20-083-02-S
Oil Filter	KH-25-050-25-S
Fuel Filter	KH-25-050-22-S
Spark Plug	759-3336
Armature	KH-20-584-03-S
Points	Not Applicable
Carb Kit	KH-12-757-03

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-10529
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV600-0009
Short Block	KH-20-522-01
Mini Block	Not Applicable

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year / 120 Hrs.
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 1045**YEAR: 2008**

Factory Model Number: 13AX11CH010

20 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
46"	3	Stamped	(A)	H	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
46"	2	Stamped	4 bu. Bagger Kit	No	190-678-100	65 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(E)							

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 10"	1 Pair	190-916-100	16 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	2 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	2 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(D)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(D)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(D)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(D)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(D)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(D)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(D)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(D)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 46" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Agri-Fab**NOTE: (D)** Contact Brinley Hardy 1-800-626-5329**NOTE: (E)** Tractor Comes With Mulch Plug

MODEL: LT 1046

YEAR: 2008

Factory Model Number: 13AP11CH010

Serial Numbers:

23 H.P. Hydro Drive
Electric P.T.O. / 46" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	595 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	46.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6"
Rear Wheel Tire Size	20" x 10"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV720-0010
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	Not Available
Displacement	44.0 cu in. (725cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.005" (0.127mm)
Valve Lash (Exhaust)	0.005" (0.127mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-32-083-03-S
Pre Filter	KH-32-083-05-S
Oil Filter	KH-52-050-02-S
Fuel Filter	KH-25-050-22-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-46-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-10161
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV720-0010
Short Block	KH-32-522-03
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year / 120 Hrs.
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 1046**YEAR: 2008**

Factory Model Number: 13AP11CH010

23 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
46"	3	Stamped	(A)	H	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
46"	2	Stamped	4 bu. Bagger Kit	No	190-678-100	65 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(E)							

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 10"	1 Pair	190-916-100	16 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	2 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	2 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(D)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(D)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(D)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(D)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(D)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(D)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(D)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(D)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 46" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Agri-Fab**NOTE: (D)** Contact Brinley Hardy 1-800-626-5329**NOTE: (E)** Tractor Comes With Mulch Plug

MODEL: LT 1050

YEAR: 2008

Factory Model Number: 13AQ11CP010

Serial Numbers:

26 H.P. Hydro Drive
Electric P.T.O. / 50" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	45.0"
Height (Over-All)	N/A
Ground Clearance	N/A
Weight (Approximate)	650 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	46.0"
Tread Front/Rear	N/A
Turning Radius	18"
Front Wheel Tire Size	15" x 6"
Rear Wheel Tire Size	20" x 10"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV730-0011
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	25 HP (18.6 kW)
Peak Torque	Not Available
Displacement	44.0 cu in. (725cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.005" (0.127mm)
Valve Lash (Exhaust)	0.005" (0.127mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-32-083-03-S
Pre Filter	KH-32-083-05-S
Oil Filter	KH-52-050-02-S
Fuel Filter	KH-25-050-22-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-46-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-10161
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV730-0011
Short Block	KH-32-522-03
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year / 120 Hrs.
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 1050**YEAR: 2008**

Factory Model Number: 13AQ11CP010

26 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
50"	3	Stamped	(A)	P	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
50"	3	Stamped	6 bu. Bagger Kit	No	190-190-100	98 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
50"	0	Stamped	(E)	No	190-193-000	2 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 10"	1 Pair	190-916-100	16 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Armrest Kit		757-04073	-	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	2 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	2 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(D)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(D)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(D)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(D)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(D)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(D)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(D)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(D)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 50" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Agri-Fab**NOTE: (D)** Contact Brinley Hardy 1-800-626-5329**NOTE: (E)** Tractor Comes With Mulch Plug