

**SLTX 1000
SPECIFICATION SHEETS
2009-2012**

2009	Specification Sheets	CC
2010	Specification Sheets	CC
2011	Specification Sheets	CC
2012	Specification Sheets	CC

Material contained in this document is intended for use by Independent Retail dealer personnel.

Any other use without expressed written consent of MTD PRODUCTS INC is prohibited.

SLTX 1050	25 H.P. Courage	Twin	Hydro	2009
SLTX 1054	26 H.P. Courage	Twin	Hydro	2009

MODEL: SLTX 1050

YEAR: 2009

Factory Model Number: 13AQ92AP010

Serial Numbers:

25 H.P. Hydro Drive
Electric P.T.O. / 50" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	69.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	548 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.50"
Tread Front/Rear	Not Available
Turning Radius	12"
Front Wheel Tire Size	16" x 6.5"
Rear Wheel Tire Size	22" x 9.5"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV730-0011
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	25 HP (18.6 kW)
Peak Torque	Not Available
Displacement	44.0 cu in. (725cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1600 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.005" (0.127 mm)
Valve Lash (Exhaust)	0.005" (0.127 mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	1.9 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-32-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-25-050-25-S
Fuel Filter	KH-25-050-22-S1
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-46-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Solenoid	725-04439
Muffler	751-10528A
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV730-0011
Short Block	KH-32-522-03
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year / 120 Hrs.
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: SLTX 1050**YEAR: 2009**

Factory Model Number: 13AQ92AP010

25 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
50"	3	Stamped	(A)	P	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
50"	3	Stamped	6 bu. Bagger Kit	No	190-190-100	98 lbs.	2 Year
50"	3	Stamped	6 bu. Bagger Kit	No	19A40002100	98 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
50"	0	Stamped		No	190-193-000	3 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 22" x 9.5" x 12"	1 Pair	490-241-0025	15 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Armrest Kit		757-04073	-	-
10 Cu. Ft. Poly Cart With Divider Tool Tray	(C)	19A-106-100	81 lbs.	2 Years
Broadcast Spreader	(C)	19A-105-100	44 lbs.	2 Years
48" Lawn Dethatcher	(C)	19A-107-100	37 lbs.	2 Years
48" Lawn Plug Aerator	(C)	19A-108-100	86 lbs.	2 Years
48" Lawn Spike Aerator	(C)	19A-109-100	54 lbs.	2 Years
42" Lawn Sweeper	(C)	19A-103-100	82 lbs.	2 Years
48" Lawn Roller	(C)	19A-113-100	62 lbs.	2 Years
25 gal. Sprayer	(C)	19A-104-100	53 lbs.	2 Years

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 50" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Contact Brinley Hardy 1-800-626-5329

MODEL: SLTX 1054

YEAR: 2009

Factory Model Number: 13AK92AK010

Serial Numbers:

26 H.P. Hydro Drive
Electric P.T.O. / 54" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	69.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	567 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.50"
Tread Front/Rear	Not Available
Turning Radius	12"
Front Wheel Tire Size	16" x 6.5"
Rear Wheel Tire Size	22" x 9.5"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV735-0002
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	26 HP (19.4 kW)
Peak Torque	Not Available
Displacement	44.0 cu in. (725cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1600 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.005" (0.127 mm)
Valve Lash (Exhaust)	0.005" (0.127 mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	1.9 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-32-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-25-050-22-S1
Spark Plug	759-3336
Armature	KH-24-584-52-S
Points	Not Applicable
Carb Kit	KH-24-757-46-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Solenoid	725-04439
Muffler	751-10528A
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV735-0002
Short Block	Not Available
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year / 120 Hrs.
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: SLTX 1054

YEAR: 2009

Factory Model Number: 13AK92AK010

26 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	No	190-285-000	101 lbs.	2 Year
54"	3	Stamped	6 bu. Bagger Kit	No	19A40002100	98 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped		Yes	190-841-000	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 22" x 9.5" x 12"	1 Pair	490-241-0025	15 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Armrest Kit		757-04073	-	-
10 Cu. Ft. Poly Cart With Divider Tool Tray	(C)	19A-106-100	81 lbs.	2 Years
Broadcast Spreader	(C)	19A-105-100	44 lbs.	2 Years
48" Lawn Dethatcher	(C)	19A-107-100	37 lbs.	2 Years
48" Lawn Plug Aerator	(C)	19A-108-100	86 lbs.	2 Years
48" Lawn Spike Aerator	(C)	19A-109-100	54 lbs.	2 Years
42" Lawn Sweeper	(C)	19A-103-100	82 lbs.	2 Years
48" Lawn Roller	(C)	19A-113-100	62 lbs.	2 Years
25 gal. Sprayer	(C)	19A-104-100	53 lbs.	2 Years

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck

NOTE: (B) Mower Deck Not Available As A Wholegood

NOTE: (C) Contact Brinley Hardy 1-800-626-5329

SLTX 1050	25 H.P. Courage	Twin	Hydro	2010
SLTX 1054	26 H.P. Courage	Twin	Hydro	2010
SLTX 1054 VT	26 H.P. Intek	Twin	Hydro	2010

MODEL: SLTX 1050

YEAR: 2010

Factory Model Number: 13WQ92AP010

Serial Numbers:

25 H.P. Hydro Drive
Electric P.T.O. / 50" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	69.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	548 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.50"
Tread Front/Rear	Not Available
Turning Radius	12"
Front Wheel Tire Size	16" x 6.5"
Rear Wheel Tire Size	22" x 9.5"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV730-0002
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	25 HP (18.6 kW)
Peak Torque	Not Available
Displacement	44.0 cu in. (725cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1600 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.005" (0.127 mm)
Valve Lash (Exhaust)	0.005" (0.127 mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	1.9 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.3 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-32-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-25-050-22-S1
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-46-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Solenoid	725-04439
Muffler	751-10528A
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV730-0002
Short Block	KH-32-522-03
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year / 120 Hrs.
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: SLTX 1050

YEAR: 2010

Factory Model Number: 13WQ92AP010

25 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
50"	3	Stamped	(A)	P	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
50"	3	Stamped	6 bu. Bagger Kit	No	19A40002100	98 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
50"	0	Stamped		No	190-193-000	3 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains	22" x 9.5" x 12"	490-241-0025	15 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Armrest Kit	-	757-04073	-	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 50" Stamped Mower Deck

NOTE: (B) Mower Deck Not Available As A Wholegood

MODEL: SLTX 1054

YEAR: 2010

Factory Model Number: 13WK92AK010

Serial Numbers:

26 H.P. Hydro Drive
Electric P.T.O. / 54" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	69.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	567 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.50"
Tread Front/Rear	Not Available
Turning Radius	12"
Front Wheel Tire Size	16" x 6.5"
Rear Wheel Tire Size	22" x 9.5"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV735-0002
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	26 HP (19.4 kW)
Peak Torque	Not Available
Displacement	44.0 cu in. (725cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1600 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.005" (0.127 mm)
Valve Lash (Exhaust)	0.005" (0.127 mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	1.9 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.3 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-32-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-25-050-22-S1
Spark Plug	759-3336
Armature	KH-24-584-52-S
Points	Not Applicable
Carb Kit	KH-24-757-46-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Solenoid	725-04439
Muffler	751-10528A
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV735-0002
Short Block	Not Available
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year / 120 Hrs.
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: SLTX 1054

YEAR: 2010

Factory Model Number: 13WK92AK010

26 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	No	19A40002100	98 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped		Yes	190-841-000	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains	22" x 9.5" x 12"	490-241-0025	15 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Armrest Kit	-	757-04073	-	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck

NOTE: (B) Mower Deck Not Available As A Wholegood

MODEL: SLTX 1054 VT

YEAR: 2010

Factory Model Number: 13WR92AK010

Serial Numbers:

26 H.P. Hydro Drive
Electric P.T.O. / 54" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	69.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	567 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.50"
Tread Front/Rear	Not Available
Turning Radius	12"
Front Wheel Tire Size	16" x 6.5"
Rear Wheel Tire Size	22" x 9.5"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Briggs & Stratton
Model Series	Intek (Vertical)
Model/Type/Spec	44P777-0765-B1
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	26 HP (19.4 kW)
Peak Torque	Not Available
Displacement	44.2 cu in. (725cc)
Bore	3.12"
Stroke	2.89"

ENGINE SPECS:

Idle Speed	1750 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.005" (0.127 mm)
Valve Lash (Exhaust)	0.005" (0.127 mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	1.9 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.3 gal.

FLUIDS:

(A) SAE 30	737-3029
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	BS-792105
Pre Filter	Not Applicable
Oil Filter	BS-696854
Fuel Filter	BS-691035
Spark Plug	759-3336
Armature	BS-691060
Points	Not Applicable
Carb Kit	BS-792455

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	BS-794360
Solenoid	725-04439
Muffler	751-10528A
Battery	925-1707D

ENGINE:

Complete Engine	BS-44Q777-0137
Short Block	Not Available
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year / 120 Hrs.
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: SLTX 1054 VT

YEAR: 2010

Factory Model Number: 13WR92AK010

26 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	No	19A40002100	98 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped		Yes	190-841-000	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains	22" x 9.5" x 12"	490-241-0025	15 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Armrest Kit	-	757-04073	-	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck

NOTE: (B) Mower Deck Not Available As A Wholegood

SLTX 1050	25 H.P. Courage	Twin	Hydro	2011
SLTX 1054	26 H.P. Courage	Twin	Hydro	2011

MODEL: SLTX 1050

YEAR: 2011-2012

Factory Model Number: 13AQ92AP010, 13WQ92AP010

25 H.P. Hydro Drive
Electric P.T.O. / 50" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	69.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	548 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.50"
Tread Front/Rear	Not Available
Turning Radius	12"
Front Wheel Tire Size	16" x 6.5"
Rear Wheel Tire Size	22" x 9.5"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV730-3002
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	25 HP (18.6 kW)
Peak Torque	Not Available
Displacement	44.0 cu in. (725cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1600 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.005" (0.127 mm)
Valve Lash (Exhaust)	0.005" (0.127 mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	1.9 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.3 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-32-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-25-050-22-S1
Spark Plug	759-3336
Armature	KH-24-584-52-S
Points	Not Applicable
Carb Kit	KH-24-757-46-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Solenoid	725-04439
Muffler	751-10528A
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV730-3002
Short Block	KH-32-522-07
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year / 120 Hrs.
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: SLTX 1050

YEAR: 2011-2012

Factory Model Number: 13AQ92AP010, 13WQ92AP010

25 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
50"	3	Stamped	(A)	P	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
50"	3	Stamped	6 bu. Bagger Kit	No	19A40002100	98 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
50"	0	Stamped		No	190-193-000	3 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains	22" x 9.5" x 12"	490-241-0025	15 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Armrest Kit	-	757-04073	-	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 50" Stamped Mower Deck

NOTE: (B) Mower Deck Not Available As A Wholegood

MODEL: SLTX 1054

YEAR: 2011

Factory Model Number: 13AK92AK010, 13WK92AK010
 Serial Numbers:

26 H.P. Hydro Drive
 Electric P.T.O. / 54" Deck
 One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	69.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	567 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.50"
Tread Front/Rear	Not Available
Turning Radius	12"
Front Wheel Tire Size	16" x 6.5"
Rear Wheel Tire Size	22" x 9.5"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV735-3002
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	26 HP (19.4 kW)
Peak Torque	Not Available
Displacement	44.0 cu in. (725cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1600 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.005" (0.127 mm)
Valve Lash (Exhaust)	0.005" (0.127 mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	1.9 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.3 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-32-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-25-050-22-S1
Spark Plug	759-3336
Armature	KH-24-584-63-S
Points	Not Applicable
Carb Kit	KH-24-757-46-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Solenoid	725-04439
Muffler	751-10528A
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV735-0002
Short Block	KH-32-522-07
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year / 120 Hrs.
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: SLTX 1054

YEAR: 2011

Factory Model Number: 13AK92AK010, 13WK92AK010

26 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	No	19A40002100	98 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped		Yes	190-841-000	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains	22" x 9.5" x 12"	490-241-0025	15 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Armrest kit		757-04073	-	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck

NOTE: (B) Mower Deck Not Available As A Wholegood

SLTX 1050

25 H.P. Courage

Twin

Hydro

2012

MODEL: SLTX 1050

YEAR: 2011-2012

Factory Model Number: 13AQ92AP010, 13WQ92AP010

25 H.P. Hydro Drive
Electric P.T.O. / 50" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	69.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	548 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.50"
Tread Front/Rear	Not Available
Turning Radius	12"
Front Wheel Tire Size	16" x 6.5"
Rear Wheel Tire Size	22" x 9.5"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV730-3002
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	25 HP (18.6 kW)
Peak Torque	Not Available
Displacement	44.0 cu in. (725cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1600 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.005" (0.127 mm)
Valve Lash (Exhaust)	0.005" (0.127 mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	1.9 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.3 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-32-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-25-050-22-S1
Spark Plug	759-3336
Armature	KH-24-584-52-S
Points	Not Applicable
Carb Kit	KH-24-757-46-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Solenoid	725-04439
Muffler	751-10528A
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV730-3002
Short Block	KH-32-522-07
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year / 120 Hrs.
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: SLTX 1050

YEAR: 2011-2012

Factory Model Number: 13AQ92AP010, 13WQ92AP010

25 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
50"	3	Stamped	(A)	P	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
50"	3	Stamped	6 bu. Bagger Kit	No	19A40002100	98 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
50"	0	Stamped		No	190-193-000	3 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains	22" x 9.5" x 12"	490-241-0025	15 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Armrest Kit	-	757-04073	-	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 50" Stamped Mower Deck

NOTE: (B) Mower Deck Not Available As A Wholegood