

# **GARDEN TRACTOR and SUPER GARDEN TRACTOR SPECIFICATION SHEETS 1960-1984**

<b>1960-1963</b>	<b>Specification Sheet</b>	<b>IH</b>
<b>1963-1965</b>	<b>Specification Sheets</b>	<b>IH</b>
<b>1965-1967</b>	<b>Specification Sheets</b>	<b>IH</b>
<b>1967-1969</b>	<b>Specification Sheets</b>	<b>IH</b>
<b>1969-1971</b>	<b>Specification Sheets</b>	<b>IH</b>
<b>1971-1974</b>	<b>Specification Sheets</b>	<b>IH</b>
<b>1974-1980</b>	<b>Specification Sheets</b>	<b>IH</b>
<b>1980-1984</b>	<b>Specification Sheets</b>	<b>IH / CC</b>

Material contained in this document is intended for use by Independent Retail dealer personnel.

Any other use without expressed written consent of MTD PRODUCTS INC is prohibited.



# MODEL: Original Cub Cadet

# YEAR: 1960-1963

Factory Model Number: N/A  
Serial Numbers: 501-65,457

IH Garden Tractor  
7 H.P. Gear Drive

## GENERAL INFO:

Length (Over-All)	62"
Width (Over-All)	33.25"
Height (Over-All)	38"
Ground Clearance	6"
Weight (Approximate)	N/A
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

## GENERAL INFO:

Wheelbase	42.75"
Tread	27"
Turning Radius	6.75'
Front Wheel Tire Size	4.80/4.00-8
Rear Wheel Tire Size	6-12
Trans/Differential Type	3 Speed Gear/Cast Iron
Forward Speeds (1 / 2 / 3)	2.3 / 3.1 / 6.9 mph
Reverse Speed	2.6 mph

## ENGINE SPECS:

Make	Kohler
Model Series	K-Series (Horizontal)
Model/Type/Spec	K161S
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	7 HP (5.2 kW)
Peak Torque	Not Available
Displacement	16.9 cu in. (277cc)
Bore	2-7/8"
Stroke	2-1/2"

## ENGINE SPECS:

Idle Speed	1000 R.P.M.
Max. Speed (No Load)	3780 R.P.M.
Max. Speed (Full Load)	3600 R.P.M.
Valve Lash (Intake)	0.006"
Valve Lash (Exhaust)	0.017"
Ignition Type	Battery
Spark Plug Gap	0.025"
Breaker Point Gap	0.020"

## CAPACITIES:

Engine Crankcase	1.250 qts. (A)
Coolant	Not Applicable
Transmission	3.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive	1/2 pnt. (B)
Front Axle	Not Applicable
Fuel Tank	5 qt.

## FLUIDS:

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

## ENGINE MAINTENANCE PARTS:

Air Filter	KH-231847
Pre Filter	KH-234869
Oil Filter	Not Applicable
Fuel Filter	KH-210479
Spark Plug	759-3339
Points	KH-47-150-03
Coil	KH-231281-S
Carb Kit	KH-25-757-01
Complete Engine	No Longer Available
Short Block	KH-41-522-39
Mini Block	No Longer Available

## TRACTOR MAINTENANCE PARTS:

Voltage Regulator	IH-121577-C2
Muffler	KH-230410-S
Battery	IH-PRLU

## WHITE PAINT

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

## YELLOW PAINT

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

<b>70</b>	<b>7 H.P.</b>	<b>Gear</b>	<b>1963-1965</b>
<b>100</b>	<b>10 H.P.</b>	<b>Gear</b>	<b>1963-1965</b>

# MODEL: 70

# YEAR: 1963-1965

Factory Model Number: N/A  
 Serial Numbers: 65,458-127,160

IH Garden Tractor  
 7 H.P. Gear Drive

### GENERAL INFO:

Length (Over-All)	63"
Width (Over-All)	33.25"
Height (Over-All)	39.75"
Ground Clearance	6"
Weight (Approximate)	N/A
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

### GENERAL INFO:

Wheelbase	43"
Tread	27"
Turning Radius	6.75'
Front Wheel Tire Size	4.80/4.00-8*
Rear Wheel Tire Size	6-12*
Trans/Differential Type	3 Speed Gear/Cast Iron
Forward Speeds (1 / 2 / 3)	2.3 / 3.9 / 6.9 mph
Reverse Speed	2.5 mph

### ENGINE SPECS:

Make	Kohler
Model Series	K-Series (Horizontal)
Model/Type/Spec	K161S-30564D
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	7 HP (5.2 kW)
Peak Torque	Not Available
Displacement	16.9 cu in. (277cc)
Bore	2-7/8"
Stroke	2-1/2"

### ENGINE SPECS:

Idle Speed	1000 R.P.M.
Max. Speed (No Load)	3780 R.P.M.
Max. Speed (Full Load)	3600 R.P.M.
Valve Lash (Intake)	0.006"
Valve Lash (Exhaust)	0.017"
Ignition Type	Battery
Spark Plug Gap	0.025"
Breaker Point Gap	0.020"

### CAPACITIES:

Engine Crankcase	1.250 qts. (A)
Coolant	Not Applicable
Transmission	3.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive	1/2 pnt. (B)
Front Axle	Not Applicable
Fuel Tank	5 qt.

### FLUIDS:

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

### ENGINE MAINTENANCE PARTS:

Air Filter	KH-231847
Pre Filter	KH-234869
Oil Filter	Not Applicable
Fuel Filter	KH-210479
Spark Plug	759-3339
Points	KH-47-150-03
Coil	KH-231281-S
Carb Kit	KH-25-757-01
Complete Engine	No Longer Available
Short Block	KH-41-522-38
Mini Block	No Longer Available

### TRACTOR MAINTENANCE PARTS:

Voltage Regulator	IH-121577-C2
Muffler	KH-230410-S
Battery	IH-PRLU

### WHITE PAINT

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

### YELLOW PAINT

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.

\*Other pneumatic tire sizes available.

# MODEL: 100

# YEAR: 1963-1965

**Factory Model Number:** N/A  
**Serial Numbers:** 65,458-127,160

**IH Garden Tractor**  
**10 H.P. Gear Drive**

### GENERAL INFO:

Length (Over-All)	63"
Width (Over-All)	33.25"
Height (Over-All)	39.75"
Ground Clearance	6"
Weight (Approximate)	N/A
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

### GENERAL INFO:

Wheelbase	43"
Tread	27"
Turning Radius	6.75'
Front Wheel Tire Size	4.80/4.00-8*
Rear Wheel Tire Size	6-12*
Trans/Differential Type	3 Speed Gear/Cast Iron
Forward Speeds (1 / 2 / 3)	2.3 / 3.9 / 6.9 mph
Reverse Speed	2.5 mph

### ENGINE SPECS:

Make	Kohler
Model Series	K-Series (Horizontal)
Model/Type/Spec	K241S-46700D
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	10 HP (7.5 kW)
Peak Torque	Not Available
Displacement	23.95 cu in. (391cc)
Bore	3-1/4"
Stroke	2-7/8"

### ENGINE SPECS:

Idle Speed	1000 R.P.M.
Max. Speed (No Load)	3800 R.P.M.
Max. Speed (Full Load)	3600 R.P.M.
Valve Lash (Intake)	0.009"
Valve Lash (Exhaust)	0.018"
Ignition Type	Battery
Spark Plug Gap	0.035"
Breaker Point Gap	0.020"

### CAPACITIES:

Engine Crankcase	1.50 qts. (A)
Coolant	Not Applicable
Transmission	3.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive	1/2 pnt. (B)
Front Axle	Not Applicable
Fuel Tank	6.5 qt.

### FLUIDS:

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

### ENGINE MAINTENANCE PARTS:

Air Filter	KH-231847
Pre Filter	KH-234869
Oil Filter	Not Applicable
Fuel Filter	KH-210479
Spark Plug	759-3333
Points	KH-47-150-03
Coil	KH-231281-S
Carb Kit	KH-25-757-01
Complete Engine	KH-PA-47504D
Short Block	KH-47-522-44
Mini Block	No Longer Available

### TRACTOR MAINTENANCE PARTS:

Voltage Regulator	IH-121577-C2
Muffler	IH-393840-R91
Battery	IH-PRLU

### WHITE PAINT

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

### YELLOW PAINT

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.

\*Other pneumatic tire sizes available.

<b>71</b>	<b>7 H.P.</b>	<b>Gear</b>	<b>1965-1967</b>
<b>102</b>	<b>10 H.P.</b>	<b>Gear</b>	<b>1965-1967</b>
<b>122</b>	<b>12 H.P.</b>	<b>Gear</b>	<b>1965-1967</b>
<b>123</b>	<b>12 H.P.</b>	<b>Hydro</b>	<b>1965-1967</b>

# MODEL: 71

# YEAR: 1965-1967

**Factory Model Number:** N/A  
**Serial Numbers:** 127,161-218,009

**IH Garden Tractor**  
**7 H.P. Gear Drive**

## GENERAL INFO:

## GENERAL INFO:

Length (Over-All)	63"	Wheelbase	43"
Width (Over-All)	33.25"	Tread	27"
Height (Over-All)	39.75"	Turning Radius	6.75'
Ground Clearance	6"	Front Wheel Tire Size	4.80/4.00-8*
Weight (Approximate)	N/A	Rear Wheel Tire Size	6-12*
Engine Type	Gas (Air Cooled)	Trans/Differential Type	3 Speed Gear/Cast Iron
Electrical System	12v Negative Ground	Forward Speeds (1 / 2 / 3)	2.3 / 3.9 / 6.9 mph
		Reverse Speed	2.5 mph

## ENGINE SPECS:

## ENGINE SPECS:

Make	Kohler	Idle Speed	1000 R.P.M.
Model Series	K-Series (Horizontal)	Max. Speed (No Load)	3780 R.P.M.
Model/Type/Spec	K161S-30564D	Max. Speed (Full Load)	3600 R.P.M.
No. Of Cylinders	1	Valve Lash (Intake)	0.006"
Horse Power <small>Rated By Manufacturer</small>	7 HP (5.2 kW)	Valve Lash (Exhaust)	0.017"
Peak Torque	Not Available	Ignition Type	Battery
Displacement	16.9 cu in. (277cc)	Spark Plug Gap	0.025"
Bore	2-7/8"	Breaker Point Gap	0.020"
Stroke	2-1/2"		

## CAPACITIES:

## FLUIDS:

Engine Crankcase	1.250 qts. (A)	(A) Low Ash SAE30	737-3029
Coolant	Not Applicable	(B) Hydraulic Transmission Fluid	737-3025
Transmission	3.5 qts. (B)	(C) 135H EP Gear Lube 85W-140	737-3065
Transaxle	Not Applicable	(D) 251 EP Chassis Lubricant	737-3034
Creeper Drive	1/2 pnt. (B)		
Front Axle	Not Applicable		
Fuel Tank	5 qt.		

## ENGINE MAINTENANCE PARTS:

## TRACTOR MAINTENANCE PARTS:

Air Filter	KH-231847	Voltage Regulator	IH-545130-R93
Pre Filter	KH-234869	Muffler	KH-230410-S
Oil Filter	Not Applicable	Battery	IH-PRLU
Fuel Filter	KH-210479		
Spark Plug	759-3339		
Points	KH-47-150-03		
Coil	KH-231281-S		
Carb Kit	KH-25-757-01		
Complete Engine	No Longer Available		
Short Block	KH-41-522-38		
Mini Block	No Longer Available		

## WHITE PAINT

## YELLOW PAINT

White Paint (11.5 oz. Aerosol)	759-3259	Yellow Paint (11.5 oz. Aerosol)	759-3258
White Paint (Quart)	759-3264	Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.

\*Other pneumatic tire sizes available.



# MODEL: 102

# YEAR: 1965-1967

**Factory Model Number:** N/A  
**Serial Numbers:** 127,161-218,009

**IH Garden Tractor**  
**10 H.P. Gear Drive**

### GENERAL INFO:

Length (Over-All)	63"
Width (Over-All)	33.25"
Height (Over-All)	39.75"
Ground Clearance	6"
Weight (Approximate)	N/A
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

### GENERAL INFO:

Wheelbase	43"
Tread	27"
Turning Radius	6.75'
Front Wheel Tire Size	4.80/4.00-8*
Rear Wheel Tire Size	6-12*
Trans/Differential Type	3 Speed Gear/Cast Iron
Forward Speeds (1 / 2 / 3)	2.3 / 3.9 / 6.9 mph
Reverse Speed	2.5 mph

### ENGINE SPECS:

Make	Kohler
Model Series	K-Series (Horizontal)
Model/Type/Spec	K241S-46700D
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	10 HP (7.5 kW)
Peak Torque	Not Available
Displacement	23.9 cu in. (391cc)
Bore	3-1/4"
Stroke	2-7/8"

### ENGINE SPECS:

Idle Speed	1000 R.P.M.
Max. Speed (No Load)	3800 R.P.M.
Max. Speed (Full Load)	3600 R.P.M.
Valve Lash (Intake)	0.009"
Valve Lash (Exhaust)	0.018"
Ignition Type	Battery
Spark Plug Gap	0.035"
Breaker Point Gap	0.020"

### CAPACITIES:

Engine Crankcase	1.50 qts. (A)
Coolant	Not Applicable
Transmission	3.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive	1/2 pnt. (B)
Front Axle	Not Applicable
Fuel Tank	6.5 qt.

### FLUIDS:

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

### ENGINE MAINTENANCE PARTS:

Air Filter	IH-385168-R2
Pre Filter	None Used
Oil Filter	Not Applicable
Fuel Filter	KH-210479
Spark Plug	759-3333
Points	KH-47-150-03
Coil	KH-231281-S
Carb Kit	KH-25-757-01
Complete Engine	KH-PA-47504D
Short Block	KH-47-522-44
Mini Block	No Longer Available

### TRACTOR MAINTENANCE PARTS:

Voltage Regulator	IH-545130-R93
Muffler	IH-393840-R91
Battery	IH-PRLU

### WHITE PAINT

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

### YELLOW PAINT

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.

\*Other pneumatic tire sizes available.

# MODEL: 122

# YEAR: 1965-1967

**Factory Model Number:** N/A  
**Serial Numbers:** 127,161-218,009

**IH Garden Tractor**  
**12 H.P. Gear Drive**

### GENERAL INFO:

Length (Over-All)	63"
Width (Over-All)	36"
Height (Over-All)	39.75"
Ground Clearance	6"
Weight (Approximate)	N/A
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

### GENERAL INFO:

Wheelbase	43"
Tread	27"
Turning Radius	6.75'
Front Wheel Tire Size	4.80/4.00-8*
Rear Wheel Tire Size	23 x 8.50-12
Trans/Differential Type	3 Speed Gear/Cast Iron
Forward Speeds (1 / 2 / 3)	2.3 / 3.9 / 6.9 mph
Reverse Speed	2.5 mph

### ENGINE SPECS:

Make	Kohler
Model Series	K-Series (Horizontal)
Model/Type/Spec	K301S-47504D
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	12 HP (9.0 kW)
Peak Torque	Not Available
Displacement	29.1 cu in. (476cc)
Bore	3-3/8"
Stroke	3-1/4"

### ENGINE SPECS:

Idle Speed	1000 R.P.M.
Max. Speed (No Load)	3800 R.P.M.
Max. Speed (Full Load)	3600 R.P.M.
Valve Lash (Intake)	0.009"
Valve Lash (Exhaust)	0.018"
Ignition Type	Battery
Spark Plug Gap	0.035"
Breaker Point Gap	0.020"

### CAPACITIES:

Engine Crankcase	1.50 qts. (A)
Coolant	Not Applicable
Transmission	3.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive	1/2 pnt. (B)
Front Axle	Not Applicable
Fuel Tank	8 qt.

### FLUIDS:

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

### ENGINE MAINTENANCE PARTS:

Air Filter	IH-385168-R2
Pre Filter	None Used
Oil Filter	Not Applicable
Fuel Filter	KH-210479
Spark Plug	759-3333
Points	KH-47-150-03
Coil	KH-231281-S
Carb Kit	KH-25-757-01
Complete Engine	KH-PA-47504D
Short Block	KH-77-522-12
Mini Block	No Longer Available

### TRACTOR MAINTENANCE PARTS:

Voltage Regulator	IH-545130-R93
Muffler	IH-393840-R91
Battery	IH-PRLU

### WHITE PAINT

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

### YELLOW PAINT

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.

\*Other pneumatic tire sizes available.

# MODEL: 123

# YEAR: 1966-1967

Factory Model Number: N/A  
 Serial Numbers: 157,490-218,009

IH Garden Tractor  
 12 H.P. Hydro Drive

### GENERAL INFO:

### GENERAL INFO:

Length (Over-All)	63"	Wheelbase	43"
Width (Over-All)	36"	Tread	27"
Height (Over-All)	39.75"	Turning Radius	6.75'
Ground Clearance	6"	Front Wheel Tire Size	4.80/4.00-8*
Weight (Approximate)	N/A	Rear Wheel Tire Size	23 x 8.50-12
Engine Type	Gas (Air Cooled)	Trans/Differential Type	Hydro / Cast Iron
Electrical System	12v Negative Ground	Forward Speed	0-8 mph
		Reverse Speed	0-4 mph

### ENGINE SPECS:

### ENGINE SPECS:

Make	Kohler	Idle Speed	1000 R.P.M.
Model Series	K-Series (Horizontal)	Max. Speed (No Load)	3800 R.P.M.
Model/Type/Spec	K301S-47504D	Max. Speed (Full Load)	3600 R.P.M.
No. Of Cylinders	1	Valve Lash (Intake)	0.009"
Horse Power <small>Rated By Manufacturer</small>	12 HP (9.0 kW)	Valve Lash (Exhaust)	0.018"
Peak Torque	Not Available	Ignition Type	Battery
Displacement	29.1 cu in. (476cc)	Spark Plug Gap	0.035"
Bore	3-3/8"	Breaker Point Gap	0.020"
Stroke	3-1/4"		

### CAPACITIES:

### FLUIDS:

Engine Crankcase	1.50 qts. (A)	(A) Low Ash SAE30	737-3029
Coolant	Not Applicable	(B) Hydraulic Transmission Fluid	737-3025
Transmission	7 qts. (B)	(C) 135H EP Gear Lube 85W-140	737-3065
Transaxle	Not Applicable	(D) 251 EP Chassis Lubricant	737-3034
Creeper Drive	Not Applicable		
Front Axle	Not Applicable		
Fuel Tank	8 qt.		

### ENGINE MAINTENANCE PARTS:

### TRACTOR MAINTENANCE PARTS:

Air Filter	IH-385168-R2	Transmission Filter	923-3014
Pre Filter	None Used	Voltage Regulator	IH-545130-R93
Oil Filter	Not Applicable	Muffler	IH-393840-R91
Fuel Filter	KH-210479	Battery	IH-PRLU
Spark Plug	759-3333		
Points	KH-47-150-03		
Coil	KH-231281-S		
Carb Kit	KH-25-757-01		
Complete Engine	KH-PA-47504D		
Short Block	KH-77-522-12		
Mini Block	No Longer Available		

### WHITE PAINT

### YELLOW PAINT

White Paint (11.5 oz. Aerosol)	759-3259	Yellow Paint (11.5 oz. Aerosol)	759-3258
White Paint (Quart)	759-3264	Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.

\*Other pneumatic tire sizes available.

<b>72</b>	<b>7 H.P.</b>	<b>Gear</b>	<b>1967-1969</b>
<b>104</b>	<b>10 H.P.</b>	<b>Gear</b>	<b>1967-1969</b>
<b>105</b>	<b>10 H.P.</b>	<b>Hydro</b>	<b>1967-1969</b>
<b>124</b>	<b>12 H.P.</b>	<b>Gear</b>	<b>1967-1969</b>
<b>125</b>	<b>12 H.P.</b>	<b>Hydro</b>	<b>1967-1969</b>

# MODEL: 72

# YEAR: 1967-1969

Factory Model Number: N/A  
 Serial Numbers: 218,010-306,085

IH Garden Tractor  
 7 H.P. Gear Drive

### GENERAL INFO:

Length (Over-All)	64"
Width (Over-All)	33.25"
Height (Over-All)	39.75"
Ground Clearance	6"
Weight (Approximate)	N/A
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

### GENERAL INFO:

Wheelbase	43"
Tread	27"
Turning Radius	6.75'
Front Wheel Tire Size	4.80/4.00-8*
Rear Wheel Tire Size	6-12*
Trans/Differential Type	3 Speed Gear/Cast Iron
Forward Speeds (1 / 2 / 3)	2.3 / 3.9 / 6.9 mph
Reverse Speed	2.5 mph

### ENGINE SPECS:

Make	Kohler
Model Series	K-Series (Horizontal)
Model/Type/Spec	K161S-30564D
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	7 HP (5.2 kW)
Peak Torque	Not Available
Displacement	16.9 cu in. (277cc)
Bore	2-7/8"
Stroke	2-1/2"

### ENGINE SPECS:

Idle Speed	1000 R.P.M.
Max. Speed (No Load)	3780 R.P.M.
Max. Speed (Full Load)	3600 R.P.M.
Valve Lash (Intake)	0.006"
Valve Lash (Exhaust)	0.017"
Ignition Type	Battery
Spark Plug Gap	0.025"
Breaker Point Gap	0.020"

### CAPACITIES:

Engine Crankcase	1.250 qts. (A)
Coolant	Not Applicable
Transmission	3.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive	1/2 pnt. (B)
Front Axle	Not Applicable
Fuel Tank	5 qt.

### FLUIDS:

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

### ENGINE MAINTENANCE PARTS:

Air Filter	KH-231847
Pre Filter	KH-234869
Oil Filter	Not Applicable
Fuel Filter	KH-210479
Spark Plug	759-3339
Points	KH-47-150-03
Coil	KH-231281-S
Carb Kit	KH-25-757-01
Complete Engine	No Longer Available
Short Block	KH-41-522-38
Mini Block	No Longer Available

### TRACTOR MAINTENANCE PARTS:

Voltage Regulator	IH-545130-R93
Muffler	KH-230410-S
Battery	IH-PRLU

### WHITE PAINT

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

### YELLOW PAINT

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.

\*Other pneumatic tire sizes available.

# MODEL: 104

# YEAR: 1967-1969

Factory Model Number: N/A  
 Serial Numbers: 218,010-306,085

IH Garden Tractor  
 10 H.P. Gear Drive

### GENERAL INFO:

### GENERAL INFO:

Length (Over-All)	64"	Wheelbase	43"
Width (Over-All)	33.25"	Tread	27"
Height (Over-All)	39.75"	Turning Radius	6.75'
Ground Clearance	6"	Front Wheel Tire Size	4.80/4.00-8*
Weight (Approximate)	N/A	Rear Wheel Tire Size	6-12*
Engine Type	Gas (Air Cooled)	Trans/Differential Type	3 Speed Gear/Cast Iron
Electrical System	12v Negative Ground	Forward Speeds (1 / 2 / 3)	2.3 / 3.9 / 6.9 mph
		Reverse Speed	2.5 mph

### ENGINE SPECS:

### ENGINE SPECS:

Make	Kohler	Idle Speed	1000 R.P.M.
Model Series	K-Series (Horizontal)	Max. Speed (No Load)	3800 R.P.M.
Model/Type/Spec	K241S-46700D	Max. Speed (Full Load)	3600 R.P.M.
No. Of Cylinders	1	Valve Lash (Intake)	0.009"
Horse Power <small>Rated By Manufacturer</small>	10 HP (7.5 kW)	Valve Lash (Exhaust)	0.018"
Peak Torque	Not Available	Ignition Type	Battery
Displacement	23.9 cu in. (391cc)	Spark Plug Gap	0.035"
Bore	3-1/4"	Breaker Point Gap	0.020"
Stroke	2-7/8"		

### CAPACITIES:

### FLUIDS:

Engine Crankcase	1.50 qts. (A)	(A) Low Ash SAE30	737-3029
Coolant	Not Applicable	(B) Hydraulic Transmission Fluid	737-3025
Transmission	3.5 qts. (B)	(C) 135H EP Gear Lube 85W-140	737-3065
Transaxle	Not Applicable	(D) 251 EP Chassis Lubricant	737-3034
Creeper Drive	1/2 pnt. (B)		
Front Axle	Not Applicable		
Fuel Tank	6.5 qt.		

### ENGINE MAINTENANCE PARTS:

### TRACTOR MAINTENANCE PARTS:

Air Filter	IH-385168-R2	Voltage Regulator	IH-545130-R93
Pre Filter	None Used	Muffler	IH-393840-R91
Oil Filter	Not Applicable	Battery	IH-PRLU
Fuel Filter	KH-210479		
Spark Plug	759-3333		
Points	KH-47-150-03		
Coil	KH-231281-S		
Carb Kit	KH-25-757-01		
Complete Engine	KH-PA-47504D		
Short Block	KH-47-522-44		
Mini Block	No Longer Available		

### WHITE PAINT

### YELLOW PAINT

White Paint (11.5 oz. Aerosol)	759-3259	Yellow Paint (11.5 oz. Aerosol)	759-3258
White Paint (Quart)	759-3264	Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.

\*Other pneumatic tire sizes available.

# MODEL: 105

# YEAR: 1967-1969

**Factory Model Number:** N/A  
**Serial Numbers:** 218,010-306,085

**IH Garden Tractor**  
**10 H.P. Hydro Drive**

### GENERAL INFO:

### GENERAL INFO:

Length (Over-All)	64"	Wheelbase	43"
Width (Over-All)	33.25"	Tread	27"
Height (Over-All)	39.75"	Turning Radius	6.75'
Ground Clearance	6"	Front Wheel Tire Size	4.80/4.00-8*
Weight (Approximate)	N/A	Rear Wheel Tire Size	6-12*
Engine Type	Gas (Air Cooled)	Trans/Differential Type	Hydro / Cast Iron
Electrical System	12v Negative Ground	Forward Speed	0-8 mph
		Reverse Speed	0-4 mph

### ENGINE SPECS:

### ENGINE SPECS:

Make	Kohler	Idle Speed	1000 R.P.M.
Model Series	K-Series (Horizontal)	Max. Speed (No Load)	3800 R.P.M.
Model/Type/Spec	K241S-46700D	Max. Speed (Full Load)	3600 R.P.M.
No. Of Cylinders	1	Valve Lash (Intake)	0.009"
Horse Power <small>Rated By Manufacturer</small>	10 HP (7.5 kW)	Valve Lash (Exhaust)	0.018"
Peak Torque	Not Available	Ignition Type	Battery
Displacement	23.9 cu in. (391cc)	Spark Plug Gap	0.035"
Bore	3-1/4"	Breaker Point Gap	0.020"
Stroke	2-7/8"		

### CAPACITIES:

### FLUIDS:

Engine Crankcase	1.50 qts. (A)	(A) Low Ash SAE30	737-3029
Coolant	Not Applicable	(B) Hydraulic Transmission Fluid	737-3025
Transmission	7 qts. (B)	(C) 135H EP Gear Lube 85W-140	737-3065
Transaxle	Not Applicable	(D) 251 EP Chassis Lubricant	737-3034
Creeper Drive	Not Applicable		
Front Axle	Not Applicable		
Fuel Tank	6.5 qt.		

### ENGINE MAINTENANCE PARTS:

### TRACTOR MAINTENANCE PARTS:

Air Filter	IH-385168-R2	Transmission Filter	923-3014
Pre Filter	None Used	Voltage Regulator	IH-545130-R93
Oil Filter	Not Applicable	Muffler	IH-393840-R91
Fuel Filter	KH-210479	Battery	IH-PRLU
Spark Plug	759-3333		
Points	KH-47-150-03		
Coil	KH-231281-S		
Carb Kit	KH-25-757-01		
Complete Engine	KH-PA-47504D		
Short Block	KH-47-522-44		
Mini Block	No Longer Available		

### WHITE PAINT

### YELLOW PAINT

White Paint (11.5 oz. Aerosol)	759-3259	Yellow Paint (11.5 oz. Aerosol)	759-3258
White Paint (Quart)	759-3264	Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.  
 Other pneumatic tire sizes available.

# MODEL: 124

# YEAR: 1967-1969

**Factory Model Number:** N/A  
**Serial Numbers:** 218,010-306,085

**IH Garden Tractor**  
**12 H.P. Gear Drive**

### GENERAL INFO:

Length (Over-All)	64"
Width (Over-All)	36"
Height (Over-All)	39.75"
Ground Clearance	6"
Weight (Approximate)	N/A
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

### GENERAL INFO:

Wheelbase	43"
Tread	27"
Turning Radius	6.75'
Front Wheel Tire Size	4.80/4.00-8*
Rear Wheel Tire Size	23 x 8.50-12
Trans/Differential Type	3 Speed Gear/Cast Iron
Forward Speeds (1 / 2 / 3)	2.3 / 3.9 / 6.9 mph
Reverse Speed	2.5 mph

### ENGINE SPECS:

Make	Kohler
Model Series	K-Series (Horizontal)
Model/Type/Spec	K301S-47504D
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	12 HP (9.0 kW)
Peak Torque	Not Available
Displacement	29.1 cu in. (476cc)
Bore	3-3/8"
Stroke	3-1/4"

### ENGINE SPECS:

Idle Speed	1000 R.P.M.
Max. Speed (No Load)	3800 R.P.M.
Max. Speed (Full Load)	3600 R.P.M.
Valve Lash (Intake)	0.009"
Valve Lash (Exhaust)	0.018"
Ignition Type	Battery
Spark Plug Gap	0.035"
Breaker Point Gap	0.020"

### CAPACITIES:

Engine Crankcase	1.50 qts. (A)
Coolant	Not Applicable
Transmission	3.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive	1/2 pnt. (B)
Front Axle	Not Applicable
Fuel Tank	8 qt.

### FLUIDS:

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

### ENGINE MAINTENANCE PARTS:

Air Filter	IH-385168-R2
Pre Filter	None Used
Oil Filter	Not Applicable
Fuel Filter	KH-210479
Spark Plug	759-3333
Points	KH-47-150-03
Coil	KH-231281-S
Carb Kit	KH-25-757-01
Complete Engine	KH-PA-47504D
Short Block	KH-77-522-12
Mini Block	No Longer Available

### TRACTOR MAINTENANCE PARTS:

Voltage Regulator	IH-545130-R93
Muffler	IH-393840-R91
Battery	IH-PRLU

### WHITE PAINT

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

### YELLOW PAINT

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.

\*Other pneumatic tire sizes available.



# MODEL: 125

# YEAR: 1967-1969

**Factory Model Number:** N/A  
**Serial Numbers:** 218,010-306,085

**IH Garden Tractor**  
**12 H.P. Hydro Drive**

### GENERAL INFO:

Length (Over-All)	64"
Width (Over-All)	36"
Height (Over-All)	39.75"
Ground Clearance	6"
Weight (Approximate)	N/A
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

### GENERAL INFO:

Wheelbase	43"
Tread	27"
Turning Radius	6.75'
Front Wheel Tire Size	4.80/4.00-8*
Rear Wheel Tire Size	23 x 8.50-12
Trans/Differential Type	Hydro / Cast Iron
Forward Speed	0-8 mph
Reverse Speed	0-4 mph

### ENGINE SPECS:

Make	Kohler
Model Series	K-Series (Horizontal)
Model/Type/Spec	K301S-47504D
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	12 HP (9.0 kW)
Peak Torque	Not Available
Displacement	29.1 cu in. (476cc)
Bore	3-3/8"
Stroke	3-1/4"

### ENGINE SPECS:

Idle Speed	1000 R.P.M.
Max. Speed (No Load)	3800 R.P.M.
Max. Speed (Full Load)	3600 R.P.M.
Valve Lash (Intake)	0.009"
Valve Lash (Exhaust)	0.018"
Ignition Type	Battery
Spark Plug Gap	0.035"
Breaker Point Gap	0.020"

### CAPACITIES:

Engine Crankcase	1.50 qts. (A)
Coolant	Not Applicable
Transmission	7 qts. (B)
Transaxle	Not Applicable
Creeper Drive	Not Applicable
Front Axle	Not Applicable
Fuel Tank	8 qt.

### FLUIDS:

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

### ENGINE MAINTENANCE PARTS:

Air Filter	IH-385168-R2
Pre Filter	None Used
Oil Filter	Not Applicable
Fuel Filter	KH-210479
Spark Plug	759-3333
Points	KH-47-150-03
Coil	KH-231281-S
Carb Kit	KH-25-757-01
Complete Engine	KH-PA-47504D
Short Block	KH-77-522-12
Mini Block	No Longer Available

### TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	IH-545130-R93
Muffler	IH-393840-R91
Battery	IH-PRLU

### WHITE PAINT

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

### YELLOW PAINT

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.

\*Other pneumatic tire sizes available.

<b>73</b>	<b>7 H.P.</b>	<b>Gear</b>	<b>1969-1971</b>
<b>106</b>	<b>10 H.P.</b>	<b>Gear</b>	<b>1969-1971</b>
<b>107</b>	<b>10 H.P.</b>	<b>Hydro</b>	<b>1969-1971</b>
<b>126</b>	<b>12 H.P.</b>	<b>Gear</b>	<b>1969-1971</b>
<b>127</b>	<b>12 H.P.</b>	<b>Hydro</b>	<b>1969-1971</b>
<b>147</b>	<b>14 H.P.</b>	<b>Hydro</b>	<b>1969-1971</b>

# MODEL: 73

# YEAR: 1969-1971

Factory Model Number: 2050036U  
Serial Numbers: 307,000-400,000

IH Garden Tractor  
7 H.P. Gear Drive

## GENERAL INFO:

Length (Over-All)	64"
Width (Over-All)	33.25"
Height (Over-All)	39.75"
Ground Clearance	6"
Weight (Approximate)	N/A
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

## GENERAL INFO:

Wheelbase	43"
Tread	27"
Turning Radius	6.75'
Front Wheel Tire Size	4.80/4.00-8*
Rear Wheel Tire Size	6-12*
Trans/Differential Type	3 Speed Gear/Cast Iron
Forward Speeds (1 / 2 / 3)	2.3 / 3.9 / 6.9 mph
Reverse Speed	2.5 mph

## ENGINE SPECS:

Make	Kohler
Model Series	K-Series (Horizontal)
Model/Type/Spec	K161S-30564D
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	7 HP (5.2 kW)
Peak Torque	Not Available
Displacement	16.9 cu in. (277cc)
Bore	2-7/8"
Stroke	2-1/2"

## ENGINE SPECS:

Idle Speed	1000 R.P.M.
Max. Speed (No Load)	3780 R.P.M.
Max. Speed (Full Load)	3600 R.P.M.
Valve Lash (Intake)	0.006"
Valve Lash (Exhaust)	0.017"
Ignition Type	Battery
Spark Plug Gap	0.025"
Breaker Point Gap	0.020"

## CAPACITIES:

Engine Crankcase	1.250 qts. (A)
Coolant	Not Applicable
Transmission	3.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive	1/2 pnt. (B)
Front Axle	Not Applicable
Fuel Tank	5 qt.

## FLUIDS:

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

## ENGINE MAINTENANCE PARTS:

Air Filter	KH-231847
Pre Filter	KH-234869
Oil Filter	Not Applicable
Fuel Filter	KH-210479
Spark Plug	759-3339
Points	KH-47-150-03
Coil	KH-231281-S
Carb Kit	KH-25-757-01
Complete Engine	No Longer Available
Short Block	KH-41-522-38
Mini Block	No Longer Available

## TRACTOR MAINTENANCE PARTS:

Voltage Regulator	IH-545130-R93
Muffler	KH-230410-S
Battery	IH-PRLU

## WHITE PAINT

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

## YELLOW PAINT

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.

\*Other pneumatic tire sizes available.

# MODEL: 106

# YEAR: 1969-1971

**Factory Model Number:** 2050037U  
**Serial Numbers:** 307,000-400,000

**IH Garden Tractor**  
**10 H.P. Gear Drive**

### GENERAL INFO:

### GENERAL INFO:

Length (Over-All)	64"	Wheelbase	43"
Width (Over-All)	33.25"	Tread	27"
Height (Over-All)	39.75"	Turning Radius	6.75'
Ground Clearance	6"	Front Wheel Tire Size	4.80/4.00-8*
Weight (Approximate)	N/A	Rear Wheel Tire Size	6-12*
Engine Type	Gas (Air Cooled)	Trans/Differential Type	3 Speed Gear/Cast Iron
Electrical System	12v Negative Ground	Forward Speeds (1 / 2 / 3)	2.3 / 3.9 / 6.9 mph
		Reverse Speed	2.5 mph

### ENGINE SPECS:

### ENGINE SPECS:

Make	Kohler	Idle Speed	1000 R.P.M.
Model Series	K-Series (Horizontal)	Max. Speed (No Load)	3800 R.P.M.
Model/Type/Spec	K241S-46700D	Max. Speed (Full Load)	3600 R.P.M.
No. Of Cylinders	1	Valve Lash (Intake)	0.009"
Horse Power <small>Rated By Manufacturer</small>	10 HP (7.5 kW)	Valve Lash (Exhaust)	0.018"
Peak Torque	Not Available	Ignition Type	Battery
Displacement	23.9 cu in. (391cc)	Spark Plug Gap	0.035"
Bore	3-1/4"	Breaker Point Gap	0.020"
Stroke	2-7/8"		

### CAPACITIES:

### FLUIDS:

Engine Crankcase	1.50 qts. (A)	(A) Low Ash SAE30	737-3029
Coolant	Not Applicable	(B) Hydraulic Transmission Fluid	737-3025
Transmission	3.5 qts. (B)	(C) 135H EP Gear Lube 85W-140	737-3065
Transaxle	Not Applicable	(D) 251 EP Chassis Lubricant	737-3034
Creeper Drive	1/2 pnt. (B)		
Front Axle	Not Applicable		
Fuel Tank	6.5 qt.		

### ENGINE MAINTENANCE PARTS:

### TRACTOR MAINTENANCE PARTS:

Air Filter	IH-385168-R2	Voltage Regulator	IH-545130-R93
Pre Filter	None Used	Muffler	IH-393840-R91
Oil Filter	Not Applicable	Battery	IH-PRLU
Fuel Filter	KH-210479		
Spark Plug	759-3333		
Points	KH-47-150-03		
Coil	KH-231281-S		
Carb Kit	KH-25-757-01		
Complete Engine	KH-PA-47504D		
Short Block	KH-47-522-44		
Mini Block	No Longer Available		

### WHITE PAINT

### YELLOW PAINT

White Paint (11.5 oz. Aerosol)	759-3259	Yellow Paint (11.5 oz. Aerosol)	759-3258
White Paint (Quart)	759-3264	Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.

\*Other pneumatic tire sizes available.

# MODEL: 107

# YEAR: 1969-1971

**Factory Model Number:** 2050038U  
**Serial Numbers:** 307,000-400,000

**IH Garden Tractor**  
**10 H.P. Hydro Drive**

### GENERAL INFO:

### GENERAL INFO:

Length (Over-All)	64"	Wheelbase	43"
Width (Over-All)	33.25"	Tread	27"
Height (Over-All)	39.75"	Turning Radius	6.75'
Ground Clearance	6"	Front Wheel Tire Size	4.80/4.00-8*
Weight (Approximate)	N/A	Rear Wheel Tire Size	6-12*
Engine Type	Gas (Air Cooled)	Trans/Differential Type	Hydro / Cast Iron
Electrical System	12v Negative Ground	Forward Speed	0-8 mph
		Reverse Speed	0-4 mph

### ENGINE SPECS:

### ENGINE SPECS:

Make	Kohler	Idle Speed	1000 R.P.M.
Model Series	K-Series (Horizontal)	Max. Speed (No Load)	3800 R.P.M.
Model/Type/Spec	K241S-46700D	Max. Speed (Full Load)	3600 R.P.M.
No. Of Cylinders	1	Valve Lash (Intake)	0.009"
Horse Power <small>Rated By Manufacturer</small>	10 HP (7.5 kW)	Valve Lash (Exhaust)	0.018"
Peak Torque	Not Available	Ignition Type	Battery
Displacement	23.9 cu in. (391cc)	Spark Plug Gap	0.035"
Bore	3-1/4"	Breaker Point Gap	0.020"
Stroke	2-7/8"		

### CAPACITIES:

### FLUIDS:

Engine Crankcase	1.50 qts. (A)	(A) Low Ash SAE30	737-3029
Coolant	Not Applicable	(B) Hydraulic Transmission Fluid	737-3025
Transmission	7 qts. (B)	(C) 135H EP Gear Lube 85W-140	737-3065
Transaxle	Not Applicable	(D) 251 EP Chassis Lubricant	737-3034
Creeper Drive	Not Applicable		
Front Axle	Not Applicable		
Fuel Tank	6.5 qt.		

### ENGINE MAINTENANCE PARTS:

### TRACTOR MAINTENANCE PARTS:

Air Filter	IH-385168-R2	Transmission Filter	923-3014
Pre Filter	None Used	Voltage Regulator	IH-545130-R93
Oil Filter	Not Applicable	Muffler	IH-393840-R91
Fuel Filter	KH-210479	Battery	IH-PRLU
Spark Plug	759-3333		
Points	KH-47-150-03		
Coil	KH-231281-S		
Carb Kit	KH-25-757-01		
Complete Engine	KH-PA-47504D		
Short Block	KH-47-522-44		
Mini Block	No Longer Available		

### WHITE PAINT

### YELLOW PAINT

White Paint (11.5 oz. Aerosol)	759-3259	Yellow Paint (11.5 oz. Aerosol)	759-3258
White Paint (Quart)	759-3264	Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.

\*Other pneumatic tire sizes available.

# MODEL: 126

# YEAR: 1969-1971

**Factory Model Number:** 2050039U  
**Serial Numbers:** 307,000-400,000

**IH Garden Tractor**  
**12 H.P. Gear Drive**

### GENERAL INFO:

Length (Over-All)	64"
Width (Over-All)	36"
Height (Over-All)	39.75"
Ground Clearance	6"
Weight (Approximate)	N/A
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

### GENERAL INFO:

Wheelbase	43"
Tread	27"
Turning Radius	6.75'
Front Wheel Tire Size	4.80/4.00-8*
Rear Wheel Tire Size	23 x 8.50-12
Trans/Differential Type	3 Speed Gear/Cast Iron
Forward Speeds (1 / 2 / 3)	2.3 / 3.9 / 6.9 mph
Reverse Speed	2.5 mph

### ENGINE SPECS:

Make	Kohler
Model Series	K-Series (Horizontal)
Model/Type/Spec	K301S-47504D
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	12 HP (9.0 kW)
Peak Torque	Not Available
Displacement	29.1 cu in. (476cc)
Bore	3-3/8"
Stroke	3-1/4"

### ENGINE SPECS:

Idle Speed	1000 R.P.M.
Max. Speed (No Load)	3800 R.P.M.
Max. Speed (Full Load)	3600 R.P.M.
Valve Lash (Intake)	0.009"
Valve Lash (Exhaust)	0.018"
Ignition Type	Battery
Spark Plug Gap	0.035"
Breaker Point Gap	0.020"

### CAPACITIES:

Engine Crankcase	1.50 qts. (A)
Coolant	Not Applicable
Transmission	3.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive	1/2 pnt. (B)
Front Axle	Not Applicable
Fuel Tank	8 qt.

### FLUIDS:

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

### ENGINE MAINTENANCE PARTS:

Air Filter	IH-385168-R2
Pre Filter	None Used
Oil Filter	Not Applicable
Fuel Filter	KH-210479
Spark Plug	759-3333
Points	KH-47-150-03
Coil	KH-231281-S
Carb Kit	KH-25-757-01
Complete Engine	KH-PA-47504D
Short Block	KH-77-522-12
Mini Block	No Longer Available

### TRACTOR MAINTENANCE PARTS:

Voltage Regulator	IH-545130-R93
Muffler	IH-393840-R91
Battery	IH-PRLU

### WHITE PAINT

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

### YELLOW PAINT

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.

\*Other pneumatic tire sizes available.

# MODEL: 127

# YEAR: 1969-1971

**Factory Model Number:** 2050040U  
**Serial Numbers:** 307,000-400,000

**IH Garden Tractor**  
**12 H.P. Hydro Drive**

### GENERAL INFO:

### GENERAL INFO:

Length (Over-All)	64"	Wheelbase	43"
Width (Over-All)	36"	Tread	27"
Height (Over-All)	39.75"	Turning Radius	6.75'
Ground Clearance	6"	Front Wheel Tire Size	4.80/4.00-8*
Weight (Approximate)	N/A	Rear Wheel Tire Size	23 x 8.50-12
Engine Type	Gas (Air Cooled)	Trans/Differential Type	Hydro / Cast Iron
Electrical System	12v Negative Ground	Forward Speed	0-8 mph
		Reverse Speed	0-4 mph

### ENGINE SPECS:

### ENGINE SPECS:

Make	Kohler	Idle Speed	1000 R.P.M.
Model Series	K-Series (Horizontal)	Max. Speed (No Load)	3800 R.P.M.
Model/Type/Spec	K301S-47504D	Max. Speed (Full Load)	3600 R.P.M.
No. Of Cylinders	1	Valve Lash (Intake)	0.009"
Horse Power <small>Rated By Manufacturer</small>	12 HP (9.0 kW)	Valve Lash (Exhaust)	0.018"
Peak Torque	Not Available	Ignition Type	Battery
Displacement	29.1 cu in. (476cc)	Spark Plug Gap	0.035"
Bore	3-3/8"	Breaker Point Gap	0.020"
Stroke	3-1/4"		

### CAPACITIES:

### FLUIDS:

Engine Crankcase	1.50 qts. (A)	(A) Low Ash SAE30	737-3029
Coolant	Not Applicable	(B) Hydraulic Transmission Fluid	737-3025
Transmission	7 qts. (B)	(C) 135H EP Gear Lube 85W-140	737-3065
Transaxle	Not Applicable	(D) 251 EP Chassis Lubricant	737-3034
Creeper Drive	Not Applicable		
Front Axle	Not Applicable		
Fuel Tank	8 qt.		

### ENGINE MAINTENANCE PARTS:

### TRACTOR MAINTENANCE PARTS:

Air Filter	IH-385168-R2	Transmission Filter	923-3014
Pre Filter	None Used	Voltage Regulator	IH-545130-R93
Oil Filter	Not Applicable	Muffler	IH-393840-R91
Fuel Filter	KH-210479	Battery	IH-PRLU
Spark Plug	759-3333		
Points	KH-47-150-03		
Coil	KH-231281-S		
Carb Kit	KH-25-757-01		
Complete Engine	KH-PA-47504D		
Short Block	KH-77-522-12		
Mini Block	No Longer Available		

### WHITE PAINT

### YELLOW PAINT

White Paint (11.5 oz. Aerosol)	759-3259	Yellow Paint (11.5 oz. Aerosol)	759-3258
White Paint (Quart)	759-3264	Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.

\*Other pneumatic tire sizes available.

# MODEL: 147

# YEAR: 1969-1971

**Factory Model Number:** 2050041U, 2050203U  
**Serial Numbers:** 316,816-400,000

**IH Garden Tractor**  
**14 H.P. Hydro Drive**

### GENERAL INFO:

### GENERAL INFO:

Length (Over-All)	64"	Wheelbase	43"
Width (Over-All)	36"	Tread	27"
Height (Over-All)	39.75"	Turning Radius	6.75'
Ground Clearance	6"	Front Wheel Tire Size	16 x 6.50-8
Weight (Approximate)	N/A	Rear Wheel Tire Size	23 x 8.50-12
Engine Type	Gas (Air Cooled)	Trans/Differential Type	Hydro / Cast Iron
Electrical System	12v Negative Ground	Forward Speed	0-8 mph
		Reverse Speed	0-4 mph

### ENGINE SPECS:

### ENGINE SPECS:

Make	Kohler	Idle Speed	1000 R.P.M.
Model Series	K-Series (Horizontal)	Max. Speed (No Load)	3800 R.P.M.
Model/Type/Spec	K321S-60226D	Max. Speed (Full Load)	3600 R.P.M.
No. Of Cylinders	1	Valve Lash (Intake)	0.009"
Horse Power <small>Rated By Manufacturer</small>	14 HP (10.4 kW)	Valve Lash (Exhaust)	0.018"
Peak Torque	Not Available	Ignition Type	Battery
Displacement	31.27 cu in. (512cc)	Spark Plug Gap	0.035"
Bore	3-1/2"	Breaker Point Gap	0.020"
Stroke	3-1/4"		

### CAPACITIES:

### FLUIDS:

Engine Crankcase	1.50 qts. (A)	(A) Low Ash SAE30	737-3029
Coolant	Not Applicable	(B) Hydraulic Transmission Fluid	737-3025
Transmission	7 qts. (B)	(C) 135H EP Gear Lube 85W-140	737-3065
Transaxle	Not Applicable	(D) 251 EP Chassis Lubricant	737-3034
Creeper Drive	Not Applicable		
Front Axle	Not Applicable		
Fuel Tank	8 qt.		

### ENGINE MAINTENANCE PARTS:

### TRACTOR MAINTENANCE PARTS:

Air Filter	IH-385168-R2	Transmission Filter	923-3014
Pre Filter	None Used	Voltage Regulator	IH-545130-R93
Oil Filter	Not Applicable	Muffler	IH-393840-R91
Fuel Filter	KH-210479	Battery	IH-PRLU
Spark Plug	759-3333		
Points	KH-47-150-03		
Coil	KH-231281-S		
Carb Kit	KH-25-757-01		
Complete Engine	KH-PA-60226D		
Short Block	KH-77-522-46		
Mini Block	No Longer Available		

### WHITE PAINT

### YELLOW PAINT

White Paint (11.5 oz. Aerosol)	759-3259	Yellow Paint (11.5 oz. Aerosol)	759-3258
White Paint (Quart)	759-3264	Yellow Paint (Quart)	759-3263



<b>86</b>	<b>8 H.P.</b>	<b>Gear</b>	<b>1971-1974</b>
<b>108</b>	<b>10 H.P.</b>	<b>Gear</b>	<b>1971-1974</b>
<b>109</b>	<b>10 H.P.</b>	<b>Hydro</b>	<b>1971-1974</b>
<b>128</b>	<b>12 H.P.</b>	<b>Gear</b>	<b>1971-1974</b>
<b>129</b>	<b>12 H.P.</b>	<b>Hydro</b>	<b>1971-1974</b>
<b>149</b>	<b>14 H.P.</b>	<b>Hydro</b>	<b>1971-1974</b>
<b>169</b>	<b>16 H.P.</b>	<b>Hydro</b>	<b>1971-1974</b>

**MODEL: 86****YEAR: 1971-1974**

**Factory Model Number:** 2050042U  
**Serial Numbers:** 400,001-529,511

**IH Garden Tractor**  
**8 H.P. Gear Drive**

**GENERAL INFO:**

Length (Over-All)	64"
Width (Over-All)	33.25"
Height (Over-All)	39.75"
Ground Clearance	6"
Weight (Approximate)	649 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

**GENERAL INFO:**

Wheelbase	44"
Tread	27"
Turning Radius	6.75'
Front Wheel Tire Size	4.80/4.00-8*
Rear Wheel Tire Size	6-12*
Trans/Differential Type	3 Speed Gear/Cast Iron
Forward Speeds (1 / 2 / 3)	2.3 / 3.9 / 6.9 mph
Reverse Speed	2.5 mph

**ENGINE SPECS:**

Make	Kohler
Model Series	K-Series (Horizotal)
Model/Type/Spec	K181S
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	8 HP (6 kW)
Peak Torque	Not Available
Displacement	18.64 cu in. (308cc)
Bore	2-15/16"
Stroke	2-3/4"

**ENGINE SPECS:**

Idle Speed	1000 R.P.M.
Max. Speed (No Load)	3780 R.P.M.
Max. Speed (Full Load)	3600 R.P.M.
Valve Lash (Intake)	0.007"
Valve Lash (Exhaust)	0.018"
Ignition Type	Battery
Spark Plug Gap	0.035"
Breaker Point Gap	0.020"

**CAPACITIES:**

Engine Crankcase	1.250 qts. (A)
Coolant	Not Applicable
Transmission	3.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive	1/2 pnt. (B)
Front Axle	Not Applicable
Fuel Tank	8 qt.

**FLUIDS:**

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

**ENGINE MAINTENANCE PARTS:**

Air Filter	KH-231847
Pre Filter	KH-234869
Oil Filter	Not Applicable
Fuel Filter	Not Applicable
Spark Plug	759-3339
Points	KH-47-150-03
Coil	KH-231281-S
Carb Kit	KH-25-757-01
Complete Engine	No Longer Available
Short Block	KH-41-522-36
Mini Block	No Longer Available

**TRACTOR MAINTENANCE PARTS:**

Voltage Regulator	IH-545130-R93
Muffler	KH-41-068-05
Battery	IH-PRLU
Fuel Filter (In Tank)	751-3015

**WHITE PAINT**

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

**YELLOW PAINT**

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.

\*Other pneumatic tire sizes available.

# MODEL: 108

# YEAR: 1971-1974

**Factory Model Number:** 2050043U, 2050209U, 2050210U  
**Serial Numbers:** 400,001-529,511

**IH Garden Tractor**  
**10 H.P. Gear Drive**

### GENERAL INFO:

Length (Over-All)	64"
Width (Over-All)	33.25"
Height (Over-All)	39.75"
Ground Clearance	6"
Weight (Approximate)	727 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

### GENERAL INFO:

Wheelbase	44"
Tread	27"
Turning Radius	6.75'
Front Wheel Tire Size	4.80/4.00-8*
Rear Wheel Tire Size	6-12*
Trans/Differential Type	3 Speed Gear/Cast Iron
Forward Speeds (1 / 2 / 3)	2.3 / 3.9 / 6.9 mph
Reverse Speed	2.5 mph

### ENGINE SPECS:

Make	Kohler
Model Series	K-Series (Horizontal)
Model/Type/Spec	K241S-46700D
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	10 HP (7.5 kW)
Peak Torque	Not Available
Displacement	23.9 cu in. (391cc)
Bore	3-1/4"
Stroke	2-7/8"

### ENGINE SPECS:

Idle Speed	1000 R.P.M.
Max. Speed (No Load)	3800 R.P.M.
Max. Speed (Full Load)	3600 R.P.M.
Valve Lash (Intake)	0.009"
Valve Lash (Exhaust)	0.018"
Ignition Type	Battery
Spark Plug Gap	0.035"
Breaker Point Gap	0.020"

### CAPACITIES:

Engine Crankcase	1.50 qts. (A)
Coolant	Not Applicable
Transmission	3.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive	1/2 pnt. (B)
Front Axle	Not Applicable
Fuel Tank	8 qt.

### FLUIDS:

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

### ENGINE MAINTENANCE PARTS:

Air Filter	IH-385168-R2
Pre Filter	None Used
Oil Filter	Not Applicable
Fuel Filter	Not Applicable
Spark Plug	759-3333
Points	KH-47-150-03
Coil	KH-231281-S
Carb Kit	KH-25-757-01
Complete Engine	KH-PA-47504D
Short Block	KH-47-522-44
Mini Block	No Longer Available

### TRACTOR MAINTENANCE PARTS:

Voltage Regulator	IH-545130-R93
Muffler	IH-393840-R91
Battery	IH-PRLU
Fuel Filter (In Tank)	751-3015

### WHITE PAINT

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

### YELLOW PAINT

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.

\*Other pneumatic tire sizes available.

# MODEL: 109

# YEAR: 1971-1974

**Factory Model Number:** 2050044U, 2050211U, 2050213U  
**Serial Numbers:** 400,001-529,511

**IH Garden Tractor**  
**10 H.P. Hydro Drive**

### GENERAL INFO:

### GENERAL INFO:

Length (Over-All)	64"	Wheelbase	44"
Width (Over-All)	33.25"	Tread	27"
Height (Over-All)	39.75"	Turning Radius	6.75'
Ground Clearance	6"	Front Wheel Tire Size	4.80/4.00-8*
Weight (Approximate)	772 lbs.	Rear Wheel Tire Size	6-12*
Engine Type	Gas (Air Cooled)	Trans/Differential Type	Hydro / Cast Iron
Electrical System	12v Negative Ground	Forward Speed	0-8 mph
		Reverse Speed	0-4 mph

### ENGINE SPECS:

### ENGINE SPECS:

Make	Kohler	Idle Speed	1000 R.P.M.
Model Series	K-Series (Horizontal)	Max. Speed (No Load)	3800 R.P.M.
Model/Type/Spec	K241S-46700D	Max. Speed (Full Load)	3600 R.P.M.
No. Of Cylinders	1	Valve Lash (Intake)	0.009"
Horse Power <small>Rated By Manufacturer</small>	10 HP (7.5 kW)	Valve Lash (Exhaust)	0.018"
Peak Torque	Not Available	Ignition Type	Battery
Displacement	23.9 cu in. (391cc)	Spark Plug Gap	0.035"
Bore	3-1/4"	Breaker Point Gap	0.020"
Stroke	2-7/8"		

### CAPACITIES:

### FLUIDS:

Engine Crankcase	1.50 qts. (A)	(A) Low Ash SAE30	737-3029
Coolant	Not Applicable	(B) Hydraulic Transmission Fluid	737-3025
Transmission	7 qts. (B)	(C) 135H EP Gear Lube 85W-140	737-3065
Transaxle	Not Applicable	(D) 251 EP Chassis Lubricant	737-3034
Creeper Drive	Not Applicable		
Front Axle	Not Applicable		
Fuel Tank	8 qt.		

### ENGINE MAINTENANCE PARTS:

### TRACTOR MAINTENANCE PARTS:

Air Filter	IH-385168-R2	Transmission Filter	923-3014
Pre Filter	None Used	Voltage Regulator	IH-545130-R93
Oil Filter	Not Applicable	Muffler	IH-393840-R91
Fuel Filter	Not Applicable	Battery	IH-PRLU
Spark Plug	759-3333	Fuel Filter (In Tank)	751-3015
Points	KH-47-150-03		
Coil	KH-231281-S		
Carb Kit	KH-25-757-01		
Complete Engine	KH-PA-47504D		
Short Block	KH-47-522-44		
Mini Block	No Longer Available		

### WHITE PAINT

### YELLOW PAINT

White Paint (11.5 oz. Aerosol)	759-3259	Yellow Paint (11.5 oz. Aerosol)	759-3258
White Paint (Quart)	759-3264	Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.

\*Other pneumatic tire sizes available.

# MODEL: 128

# YEAR: 1971-1974

**Factory Model Number:** 2050045U, 2050217U, 2050218U  
**Serial Numbers:** 400,001-529,511

**IH Garden Tractor**  
**12 H.P. Gear Drive**

### GENERAL INFO:

Length (Over-All)	64"
Width (Over-All)	36"
Height (Over-All)	39.75"
Ground Clearance	6"
Weight (Approximate)	743 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

### GENERAL INFO:

Wheelbase	44"
Tread	27"
Turning Radius	6.75'
Front Wheel Tire Size	4.80/4.00-8*
Rear Wheel Tire Size	23 x 8.50-12
Trans/Differential Type	3 Speed Gear/Cast Iron
Forward Speeds (1 / 2 / 3)	2.3 / 3.9 / 6.9 mph
Reverse Speed	2.5 mph

### ENGINE SPECS:

Make	Kohler
Model Series	K-Series (Horizontal)
Model/Type/Spec	K301S-47504D
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	12 HP (9.0 kW)
Peak Torque	Not Available
Displacement	29.1 cu in. (476cc)
Bore	3-3/8"
Stroke	3-1/4"

### ENGINE SPECS:

Idle Speed	1000 R.P.M.
Max. Speed (No Load)	3800 R.P.M.
Max. Speed (Full Load)	3600 R.P.M.
Valve Lash (Intake)	0.009"
Valve Lash (Exhaust)	0.018"
Ignition Type	Battery
Spark Plug Gap	0.035"
Breaker Point Gap	0.020"

### CAPACITIES:

Engine Crankcase	1.50 qts. (A)
Coolant	Not Applicable
Transmission	3.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive	1/2 pnt. (B)
Front Axle	Not Applicable
Fuel Tank	8 qt.

### FLUIDS:

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

### ENGINE MAINTENANCE PARTS:

Air Filter	IH-385168-R2
Pre Filter	None Used
Oil Filter	Not Applicable
Fuel Filter	Not Applicable
Spark Plug	759-3333
Points	KH-47-150-03
Coil	KH-231281-S
Carb Kit	KH-25-757-01
Complete Engine	KH-PA-47504D
Short Block	KH-77-522-12
Mini Block	No Longer Available

### TRACTOR MAINTENANCE PARTS:

Voltage Regulator	IH-545130-R93
Muffler	IH-393840-R91
Battery	IH-PRLU
Fuel Filter (In Tank)	751-3015

### WHITE PAINT

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

### YELLOW PAINT

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.

\*Other pneumatic tire sizes available.

# MODEL: 129

# YEAR: 1971-1974

Factory Model Number: 2050046U, 2050220U, 2050221U, 2050222U, 2050223U  
 Serial Numbers: 307,000-400,000

IH Garden Tractor  
 12 H.P. Hydro Drive

### GENERAL INFO:

### GENERAL INFO:

Length (Over-All)	64"	Wheelbase	44"
Width (Over-All)	36"	Tread	27"
Height (Over-All)	39.75"	Turning Radius	6.75'
Ground Clearance	6"	Front Wheel Tire Size	4.80/4.00-8*
Weight (Approximate)	781 lbs.	Rear Wheel Tire Size	23 x 8.50-12
Engine Type	Gas (Air Cooled)	Trans/Differential Type	Hydro / Cast Iron
Electrical System	12v Negative Ground	Forward Speed	0-8 mph
		Reverse Speed	0-4 mph

### ENGINE SPECS:

### ENGINE SPECS:

Make	Kohler	Idle Speed	1000 R.P.M.
Model Series	K-Series (Horizontal)	Max. Speed (No Load)	3800 R.P.M.
Model/Type/Spec	K301S-47504D	Max. Speed (Full Load)	3600 R.P.M.
No. Of Cylinders	1	Valve Lash (Intake)	0.009"
Horse Power <small>Rated By Manufacturer</small>	12 HP (9.0 kW)	Valve Lash (Exhaust)	0.018"
Peak Torque	Not Available	Ignition Type	Battery
Displacement	29.1 cu in. (476cc)	Spark Plug Gap	0.035"
Bore	3-3/8"	Breaker Point Gap	0.020"
Stroke	3-1/4"		

### CAPACITIES:

### FLUIDS:

Engine Crankcase	1.50 qts. (A)	(A) Low Ash SAE30	737-3029
Coolant	Not Applicable	(B) Hydraulic Transmission Fluid	737-3025
Transmission	7 qts. (B)	(C) 135H EP Gear Lube 85W-140	737-3065
Transaxle	Not Applicable	(D) 251 EP Chassis Lubricant	737-3034
Creeper Drive	Not Applicable		
Front Axle	Not Applicable		
Fuel Tank	8 qt.		

### ENGINE MAINTENANCE PARTS:

### TRACTOR MAINTENANCE PARTS:

Air Filter	IH-385168-R2	Transmission Filter	923-3014
Pre Filter	None Used	Voltage Regulator	IH-545130-R93
Oil Filter	Not Applicable	Muffler	IH-393840-R91
Fuel Filter	Not Applicable	Battery	IH-PRLU
Spark Plug	759-3333	Fuel Filter (In Tank)	751-3015
Points	KH-47-150-03		
Coil	KH-231281-S		
Carb Kit	KH-25-757-01		
Complete Engine	KH-PA-47504D		
Short Block	KH-77-522-12		
Mini Block	No Longer Available		

### WHITE PAINT

### YELLOW PAINT

White Paint (11.5 oz. Aerosol)	759-3259	Yellow Paint (11.5 oz. Aerosol)	759-3258
White Paint (Quart)	759-3264	Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.

\*Other pneumatic tire sizes available.

# MODEL: 149

# YEAR: 1971-1974

**Factory Model Number:** 2050047U, 2050205U, 2050206U, 2050224U  
**Serial Numbers:** 400,001-529,511

**IH Garden Tractor**  
**14 H.P. Hydro Drive**

### GENERAL INFO:

### GENERAL INFO:

Length (Over-All)	64"	Wheelbase	44"
Width (Over-All)	36"	Tread	27"
Height (Over-All)	39.75"	Turning Radius	6.75'
Ground Clearance	6"	Front Wheel Tire Size	16 x 6.50-8
Weight (Approximate)	795 lbs.	Rear Wheel Tire Size	23 x 8.50-12
Engine Type	Gas (Air Cooled)	Trans/Differential Type	Hydro / Cast Iron
Electrical System	12v Negative Ground	Forward Speed	0-8 mph
		Reverse Speed	0-4 mph

### ENGINE SPECS:

### ENGINE SPECS:

Make	Kohler	Idle Speed	1000 R.P.M.
Model Series	K-Series (Horizontal)	Max. Speed (No Load)	3800 R.P.M.
Model/Type/Spec	K321S-60226D	Max. Speed (Full Load)	3600 R.P.M.
No. Of Cylinders	1	Valve Lash (Intake)	0.009"
Horse Power <small>Rated By Manufacturer</small>	14 HP (10.4 kW)	Valve Lash (Exhaust)	0.018"
Peak Torque	Not Available	Ignition Type	Battery
Displacement	31.27 cu in. (512cc)	Spark Plug Gap	0.035"
Bore	3-1/2"	Breaker Point Gap	0.020"
Stroke	3-1/4"		

### CAPACITIES:

### FLUIDS:

Engine Crankcase	1.50 qts. (A)	(A) Low Ash SAE30	737-3029
Coolant	Not Applicable	(B) Hydraulic Transmission Fluid	737-3025
Transmission	7 qts. (B)	(C) 135H EP Gear Lube 85W-140	737-3065
Transaxle	Not Applicable	(D) 251 EP Chassis Lubricant	737-3034
Creeper Drive	Not Applicable		
Front Axle	Not Applicable		
Fuel Tank	8 qt.		

### ENGINE MAINTENANCE PARTS:

### TRACTOR MAINTENANCE PARTS:

Air Filter	IH-385168-R2	Transmission Filter	923-3014
Pre Filter	None Used	Voltage Regulator	IH-545130-R93
Oil Filter	Not Applicable	Muffler	IH-393840-R91
Fuel Filter	Not Applicable	Battery	IH-PRLU
Spark Plug	759-3333	Fuel Filter (In Tank)	751-3015
Points	KH-47-150-03		
Coil	KH-231281-S		
Carb Kit	KH-25-757-01		
Complete Engine	KH-PA-60226D		
Short Block	KH-77-522-46		
Mini Block	No Longer Available		

### WHITE PAINT

### YELLOW PAINT

White Paint (11.5 oz. Aerosol)	759-3259	Yellow Paint (11.5 oz. Aerosol)	759-3258
White Paint (Quart)	759-3264	Yellow Paint (Quart)	759-3263

# MODEL: 169

# YEAR: 1971-1974

**Factory Model Number:** 2050048U  
**Serial Numbers:** 400,001-529,511

**IH Garden Tractor**  
**16 H.P. Hydro Drive**

### GENERAL INFO:

### GENERAL INFO:

Length (Over-All)	69"	Wheelbase	44"
Width (Over-All)	38"	Tread Front/Rear	28.6"/27.0"
Height (Over-All)	41"	Turning Radius	6.6'
Ground Clearance	6"	Front Wheel Tire Size	16 x 6.50-8
Weight (Approximate)	795 lbs.	Rear Wheel Tire Size	23 x 10.50-12
Engine Type	Gas (Air Cooled)	Trans/Differential Type	Hydro / Cast Iron
Electrical System	12v Negative Ground	Forward Speed	0-8 mph
		Reverse Speed	0-4 mph

### ENGINE SPECS:

### ENGINE SPECS:

Make	Kohler	Idle Speed	1000 R.P.M.
Model Series	K-Series (Horizontal)	Max. Speed (No Load)	3600 R.P.M.
Model/Type/Spec	K341S	Max. Speed (Full Load)	3400 R.P.M.
No. Of Cylinders	1	Valve Lash (Intake)	0.009"
Horse Power <small>Rated By Manufacturer</small>	16 HP (11.9 kW)	Valve Lash (Exhaust)	0.018"
Peak Torque	Not Available	Ignition Type	Battery
Displacement	35.90 cu in. (588cc)	Spark Plug Gap	0.035"
Bore	3-3/4"	Breaker Point Gap	0.020"
Stroke	3-1/4"		

### CAPACITIES:

### FLUIDS:

Engine Crankcase	1.50 qts. (A)	(A) Low Ash SAE30	737-3029
Coolant	Not Applicable	(B) Hydraulic Transmission Fluid	737-3025
Transmission	7 qts. (B)	(C) 135H EP Gear Lube 85W-140	737-3065
Transaxle	Not Applicable	(D) 251 EP Chassis Lubricant	737-3034
Creeper Drive	Not Applicable		
Front Axle	Not Applicable		
Fuel Tank	8 qt.		

### ENGINE MAINTENANCE PARTS:

### TRACTOR MAINTENANCE PARTS:

Air Filter	759-3359	Transmission Filter	923-3014
Pre Filter	None Used	Voltage Regulator	IH-545130-R93
Oil Filter	Not Applicable	Muffler	IH-61274-C1
Fuel Filter	Not Applicable	Battery	IH-PRLU
Spark Plug	759-3333	Fuel Filter (In Tank)	751-3015
Points	KH-47-150-03		
Coil	KH-231281-S		
Carb Kit	KH-25-757-02		
Complete Engine	No Longer Available		
Short Block	KH-45-522-41		
Mini Block	No Longer Available		

### WHITE PAINT

### YELLOW PAINT

White Paint (11.5 oz. Aerosol)	759-3259	Yellow Paint (11.5 oz. Aerosol)	759-3258
White Paint (Quart)	759-3264	Yellow Paint (Quart)	759-3263



<b>800</b>	<b>8 H.P.</b>	<b>Gear</b>	<b>1974-1980</b>
<b>1000</b>	<b>10 H.P.</b>	<b>Gear</b>	<b>1974-1980</b>
<b>1100</b>	<b>11 H.P.</b>	<b>Gear</b>	<b>1974-1980</b>
<b>1100</b>	<b>11 H.P.</b>	<b>Gear</b>	<b>1980</b>
<b>1200</b>	<b>12 H.P.</b>	<b>Gear</b>	<b>1974-1980</b>
<b>1250</b>	<b>12 H.P.</b>	<b>Hydro</b>	<b>1974-1980</b>
<b>1450</b>	<b>14 H.P.</b>	<b>Hydro</b>	<b>1974-1980</b>
<b>1650</b>	<b>16 H.P.</b>	<b>Hydro</b>	<b>1974-1980</b>

# MODEL: 800

# YEAR: 1974-1980

**Factory Model Number:** 2050050U, 2050510U, 2050520U  
**Serial Numbers:** 530,000-664,996

**IH Garden Tractor**  
**8 H.P. Gear Drive**

### GENERAL INFO:

Length (Over-All)	69"
Width (Over-All)	33"
Height (Over-All)	41"
Ground Clearance	6"
Weight (Approximate)	N/A
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

### GENERAL INFO:

Wheelbase	44"
Tread Front/Rear	27.0"/27.0"
Turning Radius	6.6'
Front Wheel Tire Size	4.80/4.00-8*
Rear Wheel Tire Size	6-12*
Trans/Differential Type	3 Speed Gear / Cast Iron
Forward Speeds (1 / 2 / 3)	2.3 / 3.5 / 6.9 mph
Reverse Speed	2.5 mph

### ENGINE SPECS:

Make	Kohler
Model Series	K-Series (Horizontal)
Model/Type/Spec	K181QS-30545
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	8 HP (6 kW)
Peak Torque	Not Available
Displacement	18.64 cu in. (305cc)
Bore	2-5/16"
Stroke	2-3/4"

### ENGINE SPECS:

Idle Speed	1800 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3400 R.P.M.
Valve Lash (Intake)	0.007"
Valve Lash (Exhaust)	0.018"
Ignition Type	Battery
Spark Plug Gap	0.035"
Breaker Point Gap	0.020"

### CAPACITIES:

Engine Crankcase	1.50 qts. (A)
Coolant	Not Applicable
Transmission	3.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive	1/2 pnt. (B)
Front Axle	Not Applicable
Fuel Tank	8 qt.

### FLUIDS:

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

### ENGINE MAINTENANCE PARTS:

Air Filter	IH-385168-R2
Pre Filter	None Used
Oil Filter	Not Applicable
Fuel Filter	Not Applicable
Spark Plug	759-3339
Points	KH-47-150-03
Coil	KH-231281-S
Carb Kit	KH-25-757-01
Complete Engine	No Longer Available
Short Block	KH-41-522-36
Mini Block	Not Applicable

### TRACTOR MAINTENANCE PARTS:

Voltage Regulator	KH-25-755-03
Muffler	No Longer Available
Battery	IH-PRLU
Fuel Filter (In Tank)	IH-109042-C1

### WHITE PAINT

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

### YELLOW PAINT

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.

\* Other pneumatic tire sizes available.

**MODEL: 1000****YEAR: 1974-1980**

**Factory Model Number:** 2050053U, 2050540U, 2050550U  
**Serial Numbers:** 530,000-664,996

**IH Garden Tractor**  
**10 H.P. Gear Drive**

**GENERAL INFO:**

Length (Over-All)	69"
Width (Over-All)	33"
Height (Over-All)	41"
Ground Clearance	6"
Weight (Approximate)	745 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

**GENERAL INFO:**

Wheelbase	44"
Tread Front/Rear	27.0"/27.0"
Turning Radius	6.6'
Front Wheel Tire Size	4.80/4.00-8*
Rear Wheel Tire Size	6-12*
Trans/Differential Type	3 Speed Gear / Cast Iron
Forward Speeds (1 / 2 / 3)	2.3 / 3.5 / 6.9 mph
Reverse Speed	2.5 mph

**ENGINE SPECS:**

Make	Kohler
Model Series	K-Series (Horizontal)
Model/Type/Spec	K241AQS
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	10 HP (7.5 kW)
Peak Torque	Not Available
Displacement	23.90 cu in. (391cc)
Bore	3-1/4"
Stroke	2-7/8"

**ENGINE SPECS:**

Idle Speed	1800 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3400 R.P.M.
Valve Lash (Intake)	0.009"
Valve Lash (Exhaust)	0.018"
Ignition Type	Battery
Spark Plug Gap	0.035"
Breaker Point Gap	0.020"

**CAPACITIES:**

Engine Crankcase	1.50 qts. (A)
Coolant	Not Applicable
Transmission	3.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive	1/2 pnt. (B)
Front Axle	Not Applicable
Fuel Tank	8 qt.

**FLUIDS:**

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

**ENGINE MAINTENANCE PARTS:**

Air Filter	759-3547
Pre Filter	KH-52-083-01-S
Oil Filter	Not Applicable
Fuel Filter	Not Applicable
Spark Plug	759-3333
Points	KH-47-150-03
Coil	KH-231281-S
Carb Kit	KH-25-757-02
Complete Engine	No Longer Available
Short Block	KH-47-522-46
Mini Block	Not Applicable

**TRACTOR MAINTENANCE PARTS:**

Voltage Regulator	KH-25-755-03
Muffler	751-3029
Battery	725-3061A
Fuel Filter (In Tank)	IH-109042-C1

**WHITE PAINT**

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

**YELLOW PAINT**

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.

\* Other pneumatic tire sizes available.

**MODEL: 1100****YEAR: 1974-1980**

**Factory Model Number:** 2050590U  
**Serial Numbers:** 530,000-646,219

**IH Garden Tractor**  
**11 H.P. Gear Drive**

**GENERAL INFO:**

Length (Over-All)	69"
Width (Over-All)	37.50"
Height (Over-All)	42.5"
Ground Clearance	7.5"
Weight (Approximate)	N/A
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

**GENERAL INFO:**

Wheelbase	44"
Tread Front/Rear	29"/29"
Turning Radius	6'- 9"
Front Wheel Tire Size	16 x 6.50-8
Rear Wheel Tire Size	23 x 8.50-12
Trans/Differential Type	4 Speed Gear/Cast Iron
Forward Speeds (1 / 2 / 3 / 4)	.63 / 1.87 / 3.34 / 4.93 mph
Reverse Speed	2.56 mph

**ENGINE SPECS:**

Make	Briggs & Stratton
Model Series	250000 Series (Horizontal)
Model/Type/Spec	253417-0630
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	11 HP
Peak Torque	Not Available
Displacement	25.0 cu in.
Bore	3.437"
Stroke	2.625"

**ENGINE SPECS:**

Idle Speed	1750 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3400 R.P.M.
Valve Lash (Intake)	0.006"
Valve Lash (Exhaust)	0.010"
Ignition Type	Battery
Spark Plug Gap	0.030"
Breaker Point Gap	0.020"
Mag Air Gap	0.012"

**CAPACITIES:**

Engine Crankcase	1.50 qts. (A)
Coolant	Not Applicable
Transmission	Not Applicable
Transaxle	2 qts. (C)
90 degree Gear Box	4 oz. (D)
Front Axle	Not Applicable
Fuel Tank	8 qt.

**FLUIDS:**

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

**ENGINE MAINTENANCE PARTS:**

Air Filter	BS-392286
Pre Filter	BS-270973
Oil Filter	Not Applicable
Fuel Filter	Not Applicable
Spark Plug	759-3338
Armature	BS-298968
Points	BS-391284
Carb Kit	BS-393544
Complete Engine	No Longer Available
Short Block	No Longer Available
Mini Block	No Longer Available

**TRACTOR MAINTENANCE PARTS:**

Voltage Regulator	BS-691955
Muffler	BS-498984S
Battery	IH-PRLU
Fuel Filter (In Tank)	751-3015

**WHITE PAINT**

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

**YELLOW PAINT**

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.

**MODEL: 1100****YEAR: 1980**

**Factory Model Number:** 2050590U  
**Serial Numbers:** 646,220-664,996

**IH Garden Tractor**  
**11 H.P. Gear Drive**

**GENERAL INFO:**

Length (Over-All)	69"
Width (Over-All)	37.50"
Height (Over-All)	42.5"
Ground Clearance	7.5"
Weight (Approximate)	N/A
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

**GENERAL INFO:**

Wheelbase	44"
Tread Front/Rear	29"/29"
Turning Radius	6'- 9"
Front Wheel Tire Size	16 x 6.50-8
Rear Wheel Tire Size	23 x 8.50-12
Trans/Differential Type	4 Speed Gear/Cast Iron
Forward Speeds (1 / 2 / 3 / 4)	.63 / 1.87 / 3.34 / 4.93 mph
Reverse Speed	2.56 mph

**ENGINE SPECS:**

Make	Briggs & Stratton
Model Series	250000 Series (Horizontal)
Model/Type/Spec	253417-0632
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	11 HP
Peak Torque	Not Available
Displacement	25.0 cu in.
Bore	3.437"
Stroke	2.625"

**ENGINE SPECS:**

Idle Speed	1750 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3400 R.P.M.
Valve Lash (Intake)	0.006"
Valve Lash (Exhaust)	0.010"
Ignition Type	Magnetron
Spark Plug Gap	0.030"
Breaker Point Gap	Not Applicable
Mag Air Gap	0.012"

**CAPACITIES:**

Engine Crankcase	1.50 qts. (A)
Coolant	Not Applicable
Transmission	Not Applicable
Transaxle	2 qts. (C)
90 degree Gear Box	4 oz. (D)
Front Axle	Not Applicable
Fuel Tank	8 qt.

**FLUIDS:**

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

**ENGINE MAINTENANCE PARTS:**

Air Filter	BS-392286
Pre Filter	BS-270973
Oil Filter	Not Applicable
Fuel Filter	Not Applicable
Spark Plug	759-3338
Armature	BS-398811
Points	Not Applicable
Carb Kit	BS-393544
Complete Engine	No Longer Available
Short Block	No Longer Available
Mini Block	No Longer Available

**TRACTOR MAINTENANCE PARTS:**

Voltage Regulator	BS-691955
Muffler	BS-498984S
Battery	IH-PRLU
Fuel Filter (In Tank)	751-3015

**WHITE PAINT**

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

**YELLOW PAINT**

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.

**MODEL: 1200****YEAR: 1974-1980**

**Factory Model Number:** 2050056U, 2050570U, 2050580U  
**Serial Numbers:** 530,000-664,996

**IH Garden Tractor**  
**12 H.P. Gear Drive**

**GENERAL INFO:**

Length (Over-All)	69"
Width (Over-All)	37"
Height (Over-All)	41"
Ground Clearance	6"
Weight (Approximate)	748 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

**GENERAL INFO:**

Wheelbase	44"
Tread Front/Rear	27.0"/27.0"
Turning Radius	6.6'
Front Wheel Tire Size	4.80/4.00-8*
Rear Wheel Tire Size	23 x 8.50-12
Trans/Differential Type	3 Speed Gear / Cast Iron
Forward Speeds (1 / 2 / 3)	2.3 / 3.5 / 6.9 mph
Reverse Speed	2.5 mph

**ENGINE SPECS:**

Make	Kohler
Model Series	K-Series (Horizontal)
Model/Type/Spec	K301AQS-47541
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	12 HP (9.0 kW)
Peak Torque	Not Available
Displacement	29.10 cu in. (476cc)
Bore	3.380"
Stroke	3.250"

**ENGINE SPECS:**

Idle Speed	1800 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3400 R.P.M.
Valve Lash (Intake)	0.009"
Valve Lash (Exhaust)	0.018"
Ignition Type	Battery
Spark Plug Gap	0.035"
Breaker Point Gap	0.020"

**CAPACITIES:**

Engine Crankcase	1.50 qts. (A)
Coolant	Not Applicable
Transmission	3.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive	1/2 pnt. (B)
Front Axle	Not Applicable
Fuel Tank	8 qt.

**FLUIDS:**

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

**ENGINE MAINTENANCE PARTS:**

Air Filter	759-3547
Pre Filter	KH-52-083-01-S
Oil Filter	Not Applicable
Fuel Filter	Not Applicable
Spark Plug	759-3333
Points	KH-47-150-03
Coil	KH-231281-S
Carb Kit	KH-25-757-02
Complete Engine	KH-PA-47622
Short Block	KH-77-522-13
Mini Block	Not Applicable

**TRACTOR MAINTENANCE PARTS:**

Voltage Regulator	KH-25-755-03
Muffler	751-3029
Battery	725-3061A
Fuel Filter (In Tank)	IH-109042-C1

**WHITE PAINT**

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

**YELLOW PAINT**

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.

\* Other pneumatic tire sizes available.

# MODEL: 1250

# YEAR: 1974-1980

**Factory Model Number:** 2050059U, 2050610U  
**Serial Numbers:** 530,000-664,996

**IH Garden Tractor**  
**12 H.P. Hydro Drive**

### GENERAL INFO:

### GENERAL INFO:

Length (Over-All)	69"	Wheelbase	44"
Width (Over-All)	37"	Tread Front/Rear	27.0"/27.0"
Height (Over-All)	41"	Turning Radius	6.6'
Ground Clearance	6"	Front Wheel Tire Size	4.80/4.00-8*
Weight (Approximate)	766 lbs.	Rear Wheel Tire Size	23 x 8.50-12
Engine Type	Gas (Air Cooled)	Trans/Differential Type	Hydro / Cast Iron
Electrical System	12v Negative Ground	Forward Speed	0-8.0 mph
		Reverse Speed	0-4.0 mph

### ENGINE SPECS:

### ENGINE SPECS:

Make	Kohler	Idle Speed	1800 R.P.M.
Model Series	K-Series (Horizontal)	Max. Speed (No Load)	3600 R.P.M.
Model/Type/Spec	K301AQS-47541	Max. Speed (Full Load)	3400 R.P.M.
No. Of Cylinders	1	Valve Lash (Intake)	0.009"
Horse Power <small>Rated By Manufacturer</small>	12 HP (9.0 kW)	Valve Lash (Exhaust)	0.018"
Peak Torque	Not Available	Ignition Type	Battery
Displacement	29.10 cu in. (476cc)	Spark Plug Gap	0.035"
Bore	3.380"	Breaker Point Gap	0.020"
Stroke	3.250"		

### CAPACITIES:

### FLUIDS:

Engine Crankcase	1.50 qts. (A)	(A) Low Ash SAE30	737-3029
Coolant	Not Applicable	(B) Hydraulic Transmission Fluid	737-3025
Transmission	7 qts. (B)	(C) 135H EP Gear Lube 85W-140	737-3065
Transaxle	Not Applicable	(D) 251 EP Chassis Lubricant	737-3034
Creeper Drive	Not Applicable		
Front Axle	Not Applicable		
Fuel Tank	8 qt.		

### ENGINE MAINTENANCE PARTS:

### TRACTOR MAINTENANCE PARTS:

Air Filter	759-3547	Transmission Filter	923-3014
Pre Filter	KH-52-083-01-S	Voltage Regulator	KH-25-755-03
Oil Filter	Not Applicable	Muffler	751-3029
Fuel Filter	Not Applicable	Battery	725-3061A
Spark Plug	759-3333	Fuel Filter (In Tank)	IH-109042-C1
Points	KH-47-150-03		
Coil	KH-231281-S		
Carb Kit	KH-25-757-02		
Complete Engine	KH-PA-47622		
Short Block	KH-77-522-13		
Mini Block	Not Applicable		

### WHITE PAINT

### YELLOW PAINT

White Paint (11.5 oz. Aerosol)	759-3259	Yellow Paint (11.5 oz. Aerosol)	759-3258
White Paint (Quart)	759-3264	Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.

\* Other pneumatic tire sizes available.

**MODEL: 1450****YEAR: 1974-1980**

**Factory Model Number:** 2050065U, 2050660U  
**Serial Numbers:** 530,000-664,996

**IH Garden Tractor**  
**14 H.P. Hydro Drive**

**GENERAL INFO:**

Length (Over-All)	69"
Width (Over-All)	37"
Height (Over-All)	41"
Ground Clearance	6"
Weight (Approximate)	774 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

**GENERAL INFO:**

Wheelbase	44"
Tread Front/Rear	28.6"/27.0"
Turning Radius	6.6'
Front Wheel Tire Size	16 x 6.50-8
Rear Wheel Tire Size	23 x 8.50-12
Trans/Differential Type	Hydro / Cast Iron
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

**ENGINE SPECS:**

Make	Kohler
Model Series	K-Series (Horizontal)
Model/Type/Spec	K321AQS-60291
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	14 HP (10.4 kW)
Peak Torque	Not Available
Displacement	31.3 cu in. (512cc)
Bore	3.500"
Stroke	3.250"

**ENGINE SPECS:**

Idle Speed	1800 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3400 R.P.M.
Valve Lash (Intake)	0.009"
Valve Lash (Exhaust)	0.018"
Ignition Type	Battery
Spark Plug Gap	0.035"
Breaker Point Gap	0.020"

**CAPACITIES:**

Engine Crankcase	1.50 qts. (A)
Coolant	Not Applicable
Transmission	7 qts. (B)
Transaxle	Not Applicable
Creeper Drive	Not Applicable
Front Axle	Not Applicable
Fuel Tank	8 qt.

**FLUIDS:**

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

**ENGINE MAINTENANCE PARTS:**

Air Filter	759-3547
Pre Filter	KH-52-083-01-S
Oil Filter	Not Applicable
Fuel Filter	Not Applicable
Spark Plug	759-3333
Points	KH-47-150-03
Coil	KH-231281-S
Carb Kit	KH-25-757-02
Complete Engine	KH-PA-60312
Short Block	Refer To Parts List
Mini Block	Not Applicable

**TRACTOR MAINTENANCE PARTS:**

Transmission Filter	923-3014
Voltage Regulator	KH-25-755-03
Muffler	751-3029
Battery	725-3061A
Fuel Filter (In Tank)	IH-109042-C1

**WHITE PAINT**

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

**YELLOW PAINT**

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.



# MODEL: 1650

# YEAR: 1974-1980

**Factory Model Number:** 2050067U, 2050070U, 2050670U  
**Serial Numbers:** 530,000-664,996

**IH Garden Tractor**  
**16 H.P. Hydro Drive**

### GENERAL INFO:

### GENERAL INFO:

Length (Over-All)	69"	Wheelbase	44"
Width (Over-All)	39"	Tread Front/Rear	28.6"/27.0"
Height (Over-All)	41"	Turning Radius	6.6'
Ground Clearance	6"	Front Wheel Tire Size	16 x 6.50-8
Weight (Approximate)	775 lbs.	Rear Wheel Tire Size	23 x 10.50-12
Engine Type	Gas (Air Cooled)	Trans/Differential Type	Hydro / Cast Iron
Electrical System	12v Negative Ground	Forward Speed	0-8.0 mph
		Reverse Speed	0-4.0 mph

### ENGINE SPECS:

### ENGINE SPECS:

Make	Kohler	Idle Speed	1800 R.P.M.
Model Series	K-Series (Horizontal)	Max. Speed (No Load)	3600 R.P.M.
Model/Type/Spec	K341AQS-71231	Max. Speed (Full Load)	3400 R.P.M.
No. Of Cylinders	1	Valve Lash (Intake)	0.009"
Horse Power <small>Rated By Manufacturer</small>	16 HP (11.9 kW)	Valve Lash (Exhaust)	0.018"
Peak Torque	Not Available	Ignition Type	Battery
Displacement	35.90 cu in. (588cc)	Spark Plug Gap	0.035"
Bore	3.750"	Breaker Point Gap	0.020"
Stroke	3.250"		

### CAPACITIES:

### FLUIDS:

Engine Crankcase	1.50 qts. (A)	(A) Low Ash SAE30	737-3029
Coolant	Not Applicable	(B) Hydraulic Transmission Fluid	737-3025
Transmission	7 qts. (B)	(C) 135H EP Gear Lube 85W-140	737-3065
Transaxle	Not Applicable	(D) 251 EP Chassis Lubricant	737-3034
Creeper Drive	Not Applicable		
Front Axle	Not Applicable		
Fuel Tank	8 qt.		

### ENGINE MAINTENANCE PARTS:

### TRACTOR MAINTENANCE PARTS:

Air Filter	759-3547	Transmission Filter	923-3014
Pre Filter	KH-52-083-01-S	Voltage Regulator	KH-25-755-03
Oil Filter	Not Applicable	Muffler	751-3029
Fuel Filter	Not Applicable	Battery	725-3061A
Spark Plug	759-3333	Fuel Filter (In Tank)	IH-109042-C1
Points	KH-47-150-03		
Coil	KH-231281-S		
Carb Kit	KH-25-757-02		
Complete Engine	KH-PA-71221		
Short Block	KH-45-522-41		
Mini Block	Not Applicable		

### WHITE PAINT

### YELLOW PAINT

White Paint (11.5 oz. Aerosol)	759-3259	Yellow Paint (11.5 oz. Aerosol)	759-3258
White Paint (Quart)	759-3264	Yellow Paint (Quart)	759-3263

Part Numbers and Specifications Subject To Change Without Notice.

<b>482</b>	<b>11 H.P.</b>	<b>Gear</b>	<b>1980-1984</b>
<b>580</b>	<b>16 H.P.</b>	<b>Gear</b>	<b>1982-1984</b>
<b>582</b>	<b>16 H.P.</b>	<b>Gear</b>	<b>1980-1984</b>
<b>582 S</b>	<b>16 H.P.</b>	<b>Gear</b>	<b>1980-1981</b>
<b>680</b>	<b>12 H.P.</b>	<b>Hydro</b>	<b>1982-1984</b>
<b>682</b>	<b>17 H.P.</b>	<b>Hydro</b>	<b>1980-1981</b>
<b>682</b>	<b>17 H.P.</b>	<b>Hydro</b>	<b>1981-1984</b>
<b>782</b>	<b>17 H.P.</b>	<b>Hydro</b>	<b>1980-1981</b>
<b>782</b>	<b>17 H.P.</b>	<b>Hydro</b>	<b>1981-1984</b>
<b>782D</b>	<b>15 H.P.</b>	<b>Hydro</b>	<b>1984</b>
<b>784</b>	<b>17 H.P.</b>	<b>Hydro</b>	<b>1982-1984</b>
<b>882D</b>	<b>15 H.P.</b>	<b>Hydro</b>	<b>1984</b>
<b>982</b>	<b>19.9 H.P.</b>	<b>Hydro</b>	<b>1980-1984</b>
<b>984</b>	<b>19.9 H.P.</b>	<b>Hydro</b>	<b>1982-1984</b>
<b>986</b>	<b>19.9 H.P.</b>	<b>Hydro</b>	<b>1982-1984</b>
<b>1282</b>	<b>12 H.P.</b>	<b>Hydro</b>	<b>1982-1984</b>

# MODEL: 482

# YEAR: 1980-1984

Factory Model Number: 2050581U, 2050591U, 2050597U  
 Factory Model Number: 142-482-100, 143-482-100, 144-482-100  
 Serial Numbers: 665,001-737,624

IH Garden Tractor  
 CCC Garden Tractor  
 11 H.P. Gear Drive  
 Man. Lift

## GENERAL INFO:

## GENERAL INFO:

Length (Over-All)	72"	Wheelbase	44"
Width (Over-All)	37.25"	Tread Front/Rear	29"/29"
Height (Over-All)	43"	Turning Radius	6'- 9"
Ground Clearance	7.5"	Front Wheel Tire Size	16 x 6.50-8
Weight (Approximate)	615 lbs.	Rear Wheel Tire Size	23 x 8.50-12
Engine Type	Gas (Air Cooled)	Trans/Differential Type	4 Speed Gear/Cast Iron
Electrical System	12v Negative Ground	Forward Speeds (1 / 2 / 3 / 4)	.66 / 1.98 / 3.54 / 5.23 mph
		Reverse Speed	2.72 mph

## ENGINE SPECS:

## ENGINE SPECS:

Make	Briggs & Stratton	Idle Speed	1750 R.P.M.
Model Series	250000 Series (Horizontal)	Max. Speed (No Load)	3600 R.P.M.
Model/Type/Spec	253417-0632	Max. Speed (Full Load)	3300 R.P.M.
No. Of Cylinders	1	Valve Lash (Intake)	0.006"
Horse Power <small>Rated By Manufacturer</small>	11 HP	Valve Lash (Exhaust)	0.010"
Peak Torque	Not Available	Ignition Type	Battery
Displacement	24.36 cu in.	Spark Plug Gap	0.030"
Bore	3.437"	Mag Air Gap	0.010"-0.014"
Stroke	2.625"		

## CAPACITIES:

## FLUIDS:

Engine Crankcase	1.50 qts. (A)	(A) Low Ash SAE30	737-3029
Coolant	Not Applicable	(B) Hydraulic Transmission Fluid	737-3025
Transmission	Not Applicable	(C) 135H EP Gear Lube 85W-140	737-3065
Transaxle	2 qts. (C)	(D) 251 EP Chassis Lubricant	737-3034
90 degree Gear Box	4 oz. (D)		
Front Axle	Not Applicable		
Fuel Tank	4 gal.		

## ENGINE MAINTENANCE PARTS:

## TRACTOR MAINTENANCE PARTS:

Air Filter	BS-392286	Voltage Regulator	BS-691955
Pre Filter	BS-270973	Muffler	BS-498984S
Oil Filter	Not Applicable	Battery	725-3061A
Fuel Filter	751-3013	Fuel Filter (In Tank)	751-0171
Spark Plug	759-3338		
Armature	BS-398811		
Points	Not Applicable		
Carb Kit	BS-393544		
Complete Engine	No Longer Available		
Short Block	No Longer Available	<b>RED PAINT</b>	
Mini Block	No Longer Available	Red Paint (11.5 oz. Aerosol)	759-3260
		Red Paint (Quart)	759-3265

## WHITE PAINT

## YELLOW PAINT

White Paint (11.5 oz. Aerosol)	759-3259	Yellow Paint (11.5 oz. Aerosol)	759-3258
White Paint (Quart)	759-3264	Yellow Paint (Quart)	759-3263

# MODEL: 580

# YEAR: 1982-1984

Factory Model Number: 142-580-100, 143-580-100, 144-580-100  
Serial Numbers: 700,001-737,324

CCC Garden Tractor  
16 H.P. Gear Drive  
Man. Lift

## GENERAL INFO:

## GENERAL INFO:

Length (Over-All)	72"	Wheelbase	44"
Width (Over-All)	37.25"	Tread Front/Rear	29"/26.8"
Height (Over-All)	43"	Turning Radius	6'- 9"
Ground Clearance	6"	Front Wheel Tire Size	16 x 6.50-8
Weight (Approximate)	640 lbs.	Rear Wheel Tire Size	23 x 10.50-12
Engine Type	Gas (Air Cooled)	Trans/Differential Type	4 Speed Gear/Cast Iron
Electrical System	12v Negative Ground	Forward Speeds (1 / 2 / 3 / 4)	.66 / 1.98 / 3.54 / 5.23 mph
		Reverse Speed	2.72 mph

## ENGINE SPECS:

## ENGINE SPECS:

Make	Briggs & Stratton	Idle Speed	1200 R.P.M.
Model Series	400000 Series (Horizontal)	Max. Speed (No Load)	3600 R.P.M.
Model/Type/Spec	401417-0145	Max. Speed (Full Load)	3300 R.P.M.
No. Of Cylinders	2	Valve Lash (Intake)	0.006"
Horse Power <small>Rated By Manufacturer</small>	16 HP	Valve Lash (Exhaust)	0.008"
Peak Torque	Not Available	Ignition Type	Magnetron
Displacement	40.0 cu in.	Spark Plug Gap	0.030"
Bore	3.437"	Mag Air Gap	0.008"-0.012"
Stroke	2.156"		

## CAPACITIES:

## FLUIDS:

Engine Crankcase	1.750 qts. (A)	(A) Low Ash SAE30	737-3029
Coolant	Not Applicable	(B) Hydraulic Transmission Fluid	737-3025
Transmission	Not Applicable	(C) 135H EP Gear Lube 85W-140	737-3065
Transaxle	2 qts. (C)	(D) 251 EP Chassis Lubricant	737-3034
90 degree Gear Box	4 oz. (D)		
Front Axle	Not Applicable		
Fuel Tank	4 gal.		

## ENGINE MAINTENANCE PARTS:

## TRACTOR MAINTENANCE PARTS:

Air Filter	BS-394018S	Voltage Regulator	BS-691185
Pre Filter	BS-272490S	Muffler	BS-491307S
Oil Filter	Not Applicable	Battery	725-3061A
Fuel Filter	751-3013	Fuel Filter (In Tank)	751-0171
Spark Plug	759-3332		
Armature	BS-394988		
Points	Not Applicable		
Carb Kit	BS-393544		
Complete Engine	759-3481		
Short Block	BS-492106	<b>RED PAINT</b>	
Mini Block	No Longer Available	Red Paint (11.5 oz. Aerosol)	759-3260
		Red Paint (Quart)	759-3265

## WHITE PAINT

## YELLOW PAINT

White Paint (11.5 oz. Aerosol)	759-3259	Yellow Paint (11.5 oz. Aerosol)	759-3258
White Paint (Quart)	759-3264	Yellow Paint (Quart)	759-3263

# MODEL: 582

# YEAR: 1980-1984

Factory Model Number: 2050582U, 2050598U,  
Factory Model Number: 142-582-100, 143-582-100, 144-582-100  
Serial Numbers: 665,001-737,624

IH Garden Tractor  
CCC Garden Tractor  
16 H.P. Gear w/Creeper Drive  
Man. Lift

### GENERAL INFO:

Length (Over-All)	72"
Width (Over-All)	37.25"
Height (Over-All)	43"
Ground Clearance	6"
Weight (Approximate)	734 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

### GENERAL INFO:

Wheelbase	44"
Tread Front/Rear	29"/26.8"
Turning Radius	6'- 9"
Front Wheel Tire Size	16 x 6.50-8
Rear Wheel Tire Size	23 x 10.50-12
Trans/Differential Type	3 Speed Gear/Cast Iron
Forward Speeds 1/2/3 (Creeper)	2.3/3.3/6.8 mph (.6/.8/1.7 mph)
Reverse Speed (Creeper)	2.5 mph (.6 mph)

### ENGINE SPECS:

Make	Briggs & Stratton
Model Series	400000 Series (Horizontal)
Model/Type/Spec	402417-0145
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	16 HP
Peak Torque	Not Available
Displacement	40.0 cu in.
Bore	3.437"
Stroke	2.156"

### ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3300 R.P.M.
Valve Lash (Intake)	0.006"
Valve Lash (Exhaust)	0.008"
Ignition Type	Battery
Spark Plug Gap	0.030"
Breaker Point Gap	0.020"

### CAPACITIES:

Engine Crankcase	1.750 qts. (A)
Coolant	Not Applicable
Transmission	7 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	1/2 pnt. (B)
Front Axle	Not Applicable
Fuel Tank	4 gal.

### FLUIDS:

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

### ENGINE MAINTENANCE PARTS:

Air Filter	BS-394018S
Pre Filter	BS-272490S
Oil Filter	Not Applicable
Fuel Filter	751-3013
Spark Plug	759-3332
Armature	BS-394988
Points	Not Applicable
Carb Kit	BS-393544
Complete Engine	759-3481*
Short Block	BS-492106
Mini Block	No Longer Available

### TRACTOR MAINTENANCE PARTS:

Voltage Regulator	BS-691185
Muffler	BS-491307S
Battery	725-3061A
Fuel Filter (In Tank)	751-0171
<b>RED PAINT</b>	
Red Paint (11.5 oz. Aerosol)	759-3260
Red Paint (Quart)	759-3265

### WHITE PAINT

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

### YELLOW PAINT

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

# MODEL: 582 S (Special)

# YEAR: 1980-1981

Factory Model Number: 2050583U, 2050596U, 2050599U  
Serial Numbers: 665,001-700,000

IH Garden Tractor  
16 H.P. Gear Drive  
Man. Lift

## GENERAL INFO:

Length (Over-All)	72"
Width (Over-All)	37.25"
Height (Over-All)	43"
Ground Clearance	6"
Weight (Approximate)	N/A
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

## GENERAL INFO:

Wheelbase	44"
Tread Front/Rear	29"/26.8"
Turning Radius	6'- 9"
Front Wheel Tire Size	16 x 6.50-8
Rear Wheel Tire Size	23 x 10.50-12
Trans/Differential Type	4 Speed Gear/Cast Iron
Forward Speeds (1 / 2 / 3 / 4)	.66 / 1.98 / 3.54 / 5.23 mph
Reverse Speed	2.72 mph

## ENGINE SPECS:

Make	Briggs & Stratton
Model Series	400000 Series (Horizontal)
Model/Type/Spec	402417-0145
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	16 HP
Peak Torque	Not Available
Displacement	40.0 cu in.
Bore	3.437"
Stroke	2.156"

## ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3300 R.P.M.
Valve Lash (Intake)	0.006"
Valve Lash (Exhaust)	0.008"
Ignition Type	Battery
Spark Plug Gap	0.030"
Breaker Point Gap	0.020"

## CAPACITIES:

Engine Crankcase	1.750 qts. (A)
Coolant	Not Applicable
Transmission	Not Applicable
Transaxle	2 qts. (C)
90 degree Gear Box	4 oz. (D)
Front Axle	Not Applicable
Fuel Tank	4 gal.

## FLUIDS:

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

## ENGINE MAINTENANCE PARTS:

Air Filter	BS-394018S
Pre Filter	BS-272490S
Oil Filter	Not Applicable
Fuel Filter	751-3013
Spark Plug	759-3332
Armature	BS-394988
Points	Not Applicable
Carb Kit	BS-393544
Complete Engine	759-3481*
Short Block	BS-492106
Mini Block	No Longer Available

## TRACTOR MAINTENANCE PARTS:

Voltage Regulator	BS-691185
Muffler	BS-491307S
Battery	725-3061A
Fuel Filter (In Tank)	751-0171
<b>RED PAINT</b>	
Red Paint (11.5 oz. Aerosol)	759-3260
Red Paint (Quart)	759-3265

## WHITE PAINT

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

## YELLOW PAINT

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

**MODEL: 680****YEAR: 1982-1984**

**Factory Model Number:** 142-680-100, 143-680-100, 144-680-100  
**Serial Numbers:** 700,001-737,624

**CCC Garden Tractor**  
**12 H.P. Hydro Drive**  
**Man. Lift**

**GENERAL INFO:**

Length (Over-All)	72"
Width (Over-All)	37.75"
Height (Over-All)	43"
Ground Clearance	6"
Weight (Approximate)	692 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

**GENERAL INFO:**

Wheelbase	44"
Tread Front/Rear	29"/27"
Turning Radius	6.75'
Front Wheel Tire Size	16 x 6.50-8
Rear Wheel Tire Size	23 x 10.50-12
Trans/Differential Type	Hydro / Cast Iron/Aluminum
Forward Speed	0-8.64 mph
Reverse Speed	0-4.25 mph

**ENGINE SPECS:**

Make	Kohler
Model Series	K-Series (Horizontal)
Model/Type/Spec	K301AQS-47764
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	12 HP
Peak Torque	Not Available
Displacement	29.07 cu in.
Bore	3.375"
Stroke	3.250"

**ENGINE SPECS:**

Idle Speed	1800 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3400 R.P.M.
Valve Lash (Intake)	0.009"
Valve Lash (Exhaust)	0.018"
Ignition Type	Battery
Spark Plug Gap	0.035"
Breaker Point Gap	0.020"

**CAPACITIES:**

Engine Crankcase	1.50 qts. (A)
Coolant	Not Applicable
Transmission	7 qts. (B)
Transaxle	Not Applicable
90 degree Gear Box	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4 gal.

**FLUIDS:**

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

**ENGINE MAINTENANCE PARTS:**

Air Filter	759-3547
Pre Filter	KH-52-083-01-S
Oil Filter	Not Applicable
Fuel Filter	751-3013
Spark Plug	759-3333
Armature	KH-231281-S
Points	KH-47-150-03
Carb Kit	KH-25-757-02
Complete Engine	No Longer Available
Short Block	KH-77-522-18
Mini Block	No Longer Available

**TRACTOR MAINTENANCE PARTS:**

Voltage Regulator	KH-25-755-03
Muffler	751-3029
Battery	725-3061A
Fuel Filter (In Tank)	751-0171

**WHITE PAINT**

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

**YELLOW PAINT**

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263





# MODEL: 682

# YEAR: 1981-1984

Factory Model Number: 2050584U, 2050592U, 2050593U, 2050600U  
 Factory Model Number: 142-682-100, 143-682-100, 144-682-100  
 Serial Numbers: 669,971-737,624

IH Garden Tractor  
 CCC Garden Tractor  
 17 H.P. Hydro Drive  
 Man. Lift

### GENERAL INFO:

Length (Over-All)	72"
Width (Over-All)	37.75"
Height (Over-All)	43"
Ground Clearance	6"
Weight (Approximate)	700 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

### GENERAL INFO:

Wheelbase	44"
Tread Front/Rear	29"/27"
Turning Radius	6.8'
Front Wheel Tire Size	16 x 6.50-8
Rear Wheel Tire Size	23 x 10.50-12
Trans/Differential Type	Hydro / Cast Iron/Aluminum
Forward Speed	0-8.64 mph
Reverse Speed	0-4.25 mph

### ENGINE SPECS:

Make	Kohler
Model Series	KT-17 Series (Horizontal)
Model/Type/Spec	KT17S-24193
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	17 HP
Peak Torque	Not Available
Displacement	42.18 cu in.
Bore	3.125"
Stroke	2.750"

### ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.008-0.011"
Valve Lash (Exhaust)	0.011-0.014"
Ignition Type	Battery
Spark Plug Gap	0.025"
Breaker Point Gap	0.020"

### CAPACITIES:

Engine Crankcase	1.50 qts. (A)
Coolant	Not Applicable
Transmission	7 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4 gal.

### FLUIDS:

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

### ENGINE MAINTENANCE PARTS:

Air Filter	759-3359
Pre Filter	KH-45-083-01
Oil Filter	Not Applicable
Fuel Filter	751-3013
Spark Plug	759-3337
Armature	KH-52-755-48-S
Points	KH-47-150-03
Carb Kit	Refer To Parts List
Complete Engine	KH-24302
Short Block	KH-52-522-98
Mini Block	N/A

### TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-25-755-03
Muffler	751-3014
Battery	725-3061A
Fuel Filter (In Tank)	751-0171
<b>RED PAINT</b>	
Red Paint (11.5 oz. Aerosol)	759-3260
Red Paint (Quart)	759-3265

### WHITE PAINT

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

### YELLOW PAINT

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

# MODEL: 782

# YEAR: 1980-1981

**Factory Model Number:** 2050585U, 2050594U, 2050593U, 2050601U  
**Serial Numbers:** 665,001-669,970

**IH Garden Tractor**  
**17 H.P. Hydro Drive**  
**Hyd. Lift**

### GENERAL INFO:

Length (Over-All)	72"
Width (Over-All)	37.75"
Height (Over-All)	43"
Ground Clearance	6"
Weight (Approximate)	724 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

### GENERAL INFO:

Wheelbase	44"
Tread Front/Rear	29"/27"
Turning Radius	6.8'
Front Wheel Tire Size	16 x 6.50-8
Rear Wheel Tire Size	23 x 10.50-12
Trans/Differential Type	Hydro / Cast Iron
Forward Speed	0-8.64 mph
Reverse Speed	0-4.25 mph

### ENGINE SPECS:

Make	Kohler
Model Series	KT-17 Series (Horizontal)
Model/Type/Spec	KT17S-24193
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	17 HP
Peak Torque	Not Available
Displacement	42.18 cu in.
Bore	3.125"
Stroke	2.750"

### ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.008-0.011"
Valve Lash (Exhaust)	0.011-0.014"
Ignition Type	Battery
Spark Plug Gap	0.025"
Breaker Point Gap	0.020"

### CAPACITIES:

Engine Crankcase	1.50 qts. (A)
Coolant	Not Applicable
Transmission	7 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4 gal.

### FLUIDS:

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

### ENGINE MAINTENANCE PARTS:

Air Filter	759-3547
Pre Filter	KH-52-083-01-S
Oil Filter	Not Applicable
Fuel Filter	751-3013
Spark Plug	759-3337
Armature	KH-52-755-48-S
Points	KH-47-150-03
Carb Kit	Refer To Parts List
Complete Engine	KH-24302
Short Block	KH-52-522-98
Mini Block	N/A

### TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-25-755-03
Muffler	751-3014
Battery	725-3061A
Fuel Filter (In Tank)	751-0171
<b>RED PAINT</b>	
Red Paint (11.5 oz. Aerosol)	759-3260
Red Paint (Quart)	759-3265

### WHITE PAINT

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

### YELLOW PAINT

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

# MODEL: 782

# YEAR: 1981-1984

Factory Model Number: 2050585U, 2050594U, 2050593U, 2050601U  
 Factory Model Number: 142-782-100, 143-782-100, 144-782-100  
 Serial Numbers: 669,971-737,624

IH Garden Tractor  
 CCC Garden Tractor  
 17 H.P. Hydro Drive  
 Hyd. Lift

### GENERAL INFO:

Length (Over-All)	72"
Width (Over-All)	37.75"
Height (Over-All)	43"
Ground Clearance	6"
Weight (Approximate)	724 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

### GENERAL INFO:

Wheelbase	44"
Tread Front/Rear	29"/27"
Turning Radius	6.8'
Front Wheel Tire Size	16 x 6.50-8
Rear Wheel Tire Size	23 x 10.50-12
Trans/Differential Type	Hydro / Cast Iron/Aluminum
Forward Speed	0-8.64 mph
Reverse Speed	0-4.25 mph

### ENGINE SPECS:

Make	Kohler
Model Series	KT-17 Series (Horizontal)
Model/Type/Spec	KT17S-24193
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	17 HP
Peak Torque	Not Available
Displacement	42.18 cu in.
Bore	3.125"
Stroke	2.750"

### ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.008-0.011"
Valve Lash (Exhaust)	0.011-0.014"
Ignition Type	Battery
Spark Plug Gap	0.025"
Breaker Point Gap	0.020"

### CAPACITIES:

Engine Crankcase	1.50 qts. (A)
Coolant	Not Applicable
Transmission	7 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4 gal.

### FLUIDS:

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

### ENGINE MAINTENANCE PARTS:

Air Filter	759-3359
Pre Filter	KH-45-083-01
Oil Filter	Not Applicable
Fuel Filter	751-3013
Spark Plug	759-3337
Armature	KH-52-755-48-S
Points	KH-47-150-03
Carb Kit	Refer To Parts List
Complete Engine	KH-24302
Short Block	KH-52-522-98
Mini Block	N/A

### TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-25-755-03
Muffler	751-3014
Battery	725-3061A
Fuel Filter (In Tank)	751-0171
<b>RED PAINT</b>	
Red Paint (11.5 oz. Aerosol)	759-3260
Red Paint (Quart)	759-3265

### WHITE PAINT

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

### YELLOW PAINT

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

# MODEL: 782 D (Diesel)

# YEAR: 1984

Factory Model Number: 2050606U  
 Factory Model Number: 144-882-399, 145-882-399  
 Serial Numbers: 724,525-737,624

IH Garden Tractor  
 IH Garden Tractor  
 15 H.P. Hydro Drive  
 Hyd. Lift, Hyd Frnt. Outlets

### GENERAL INFO:

Length (Over-All)	72"
Width (Over-All)	37.75"
Height (Over-All)	43"
Ground Clearance	6"
Weight (Approximate)	749 lbs.
Engine Type	Diesel (Water Cooled)
Electrical System	12v Negative Ground

### GENERAL INFO:

Wheelbase	44"
Tread Front/Rear	29"/27"
Turning Radius	6.8'
Front Wheel Tire Size	16 x 6.50-8
Rear Wheel Tire Size	23 x 10.50-12
Trans/Differential Type	Hydro / Aluminum
Forward Speed	0-8.64 mph
Reverse Speed	0-4.25 mph

### ENGINE SPECS:

Make	Kubota
Model Series	D600 (Horizontal)
Model/Type/Spec	D600 B-1
No. Of Cylinders	3
Horse Power <small>Rated By Manufacturer</small>	15 HP (11.19 kW)
Peak Torque	Not Available
Displacement	36.61 cu in.
Bore	2.520"
Stroke	2.450"

### ENGINE SPECS:

Idle Speed	900 R.P.M.
Max. Speed (No Load)	3700 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.006"
Valve Lash (Exhaust)	0.006"
Ignition Type	Not Applicable
Spark Plug Gap	Not Applicable
Breaker Point Gap	Not Applicable

### CAPACITIES:

Engine Crankcase	3.2 qts. (A)
Coolant	6 pnts. (E)
Transmission	7 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4 gal.

### FLUIDS:

(A) Diesel SAE30	737-3032
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034
(E) 50/50 AntiFreeze Mix	Source Locally

### ENGINE MAINTENANCE PARTS:

Air Filter	KB-70000-11221
Pre Filter	Not Applicable
Oil Filter	KB-70000-15241
Fuel Filter	KB-12581-43012
Fuel Filter (Sediment Bowl)	KB-15231-43560
Spark Plug	Not Applicable
Armature	Not Applicable
Points	Not Applicable
Carb Kit	Not Applicable
Complete Engine	No Longer Available
Short Block	N/A
Mini Block	N/A

### TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KB-15533-64600
Muffler	KB-15262-12110
Battery	759-3678
Fuel Filter (In Tank)	751-0171
<b>RED PAINT</b>	
Red Paint (11.5 oz. Aerosol)	759-3260
Red Paint (Quart)	759-3265

### WHITE PAINT

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

### YELLOW PAINT

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

# MODEL: 784

# YEAR: 1982-1984

Factory Model Number: 142-784-100, 143-784-100, 144-784-100

Serial Numbers: 700,001-737,624

CCC Garden Tractor

17 H.P. Hydro Drive

Hyd. Lift, Hyd. Frnt. Outlets

### GENERAL INFO:

Length (Over-All)	72"
Width (Over-All)	37.75"
Height (Over-All)	43"
Ground Clearance	6"
Weight (Approximate)	728 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

### GENERAL INFO:

Wheelbase	44"
Tread Front/Rear	29"/27"
Turning Radius	6.8'
Front Wheel Tire Size	16 x 6.50-8
Rear Wheel Tire Size	23 x 10.50-12
Trans/Differential Type	Hydro / Cast Iron/Aluminum
Forward Speed	0-8.64 mph
Reverse Speed	0-4.25 mph

### ENGINE SPECS:

Make	Kohler
Model Series	KT-17 Series (Horizontal)
Model/Type/Spec	KT17S-24193
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	17 HP
Peak Torque	Not Available
Displacement	42.18 cu in.
Bore	3.125"
Stroke	2.750"

### ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.008-0.011"
Valve Lash (Exhaust)	0.011-0.014"
Ignition Type	Battery
Spark Plug Gap	0.025"
Breaker Point Gap	0.020"

### CAPACITIES:

Engine Crankcase	1.50 qts. (A)
Coolant	Not Applicable
Transmission	7 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4 gal.

### FLUIDS:

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

### ENGINE MAINTENANCE PARTS:

Air Filter	759-3359
Pre Filter	KH-45-083-01
Oil Filter	Not Applicable
Fuel Filter	751-3013
Spark Plug	759-3337
Armature	KH-52-755-48-S
Points	KH-47-150-03
Carb Kit	Refer To Parts List
Complete Engine	KH-24302
Short Block	KH-52-522-98
Mini Block	N/A

### TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-25-755-03
Muffler	751-3014
Battery	725-3061A
Fuel Filter (In Tank)	751-0171
<b>RED PAINT</b>	
Red Paint (11.5 oz. Aerosol)	759-3260
Red Paint (Quart)	759-3265

### WHITE PAINT

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

### YELLOW PAINT

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

# MODEL: 882 D (Diesel)

# YEAR: 1984

Factory Model Number: 144-882-100  
 Serial Numbers: 724,525-737,624

CCC Garden Tractor  
 15 H.P. Hydro Drive  
 Hyd. Lift, Hyd. Frnt. Outlets

### GENERAL INFO:

Length (Over-All)	72"
Width (Over-All)	37.75"
Height (Over-All)	43"
Ground Clearance	6"
Weight (Approximate)	749 lbs.
Engine Type	Diesel (Water Cooled)
Electrical System	12v Negative Ground

### GENERAL INFO:

Wheelbase	44"
Tread Front/Rear	29"/27"
Turning Radius	6.8'
Front Wheel Tire Size	16 x 6.50-8
Rear Wheel Tire Size	23 x 10.50-12
Trans/Differential Type	Hydro / Aluminum
Forward Speed	0-8.64 mph
Reverse Speed	0-4.25 mph

### ENGINE SPECS:

Make	Kubota
Model Series	D600 (Horizontal)
Model/Type/Spec	D600 B-1
No. Of Cylinders	3
Horse Power <small>Rated By Manufacturer</small>	15 HP (11.19 kW)
Peak Torque	Not Available
Displacement	36.61 cu in.
Bore	2.520"
Stroke	2.450"

### ENGINE SPECS:

Idle Speed	900 R.P.M.
Max. Speed (No Load)	3700 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.006"
Valve Lash (Exhaust)	0.006"
Ignition Type	Not Applicable
Spark Plug Gap	Not Applicable
Breaker Point Gap	Not Applicable

### CAPACITIES:

Engine Crankcase	3.2 qts. (A)
Coolant	6 pnts. (E)
Transmission	7 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4 gal.

### FLUIDS:

(A) Diesel SAE30	737-3032
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034
(E) 50/50 AntiFreeze Mix	Source Locally

### ENGINE MAINTENANCE PARTS:

Air Filter	KB-70000-11221
Pre Filter	Not Applicable
Oil Filter	KB-70000-15241
Fuel Filter	KB-12581-43012
Fuel Filter (Sediment Bowl)	KB-15231-43560
Spark Plug	Not Applicable
Armature	Not Applicable
Points	Not Applicable
Carb Kit	Not Applicable
Complete Engine	No Longer Available
Short Block	N/A
Mini Block	N/A

### TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KB-15533-64600
Muffler	KB-15262-12110
Battery	759-3678
Fuel Filter (In Tank)	751-0171
<b>RED PAINT</b>	
Red Paint (11.5 oz. Aerosol)	759-3260
Red Paint (Quart)	759-3265

### WHITE PAINT

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

### YELLOW PAINT

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

# MODEL: 982

# YEAR: 1980-1984

Factory Model Number: 2050586U, 2050588U, 2050589U, 2050595U,  
 Factory Model Number: 2050602U, 2050603U, 2050604U  
 Factory Model Number: 142-982-100, 143-982-100, 144-982-100  
 Serial Numbers: 665,001-737,624

IH Super Garden Tractor  
 IH Super Garden Tractor  
 CCC Super Garden Tractor  
 19.9 H.P. Hydro Drive, Hyd. Lift

### GENERAL INFO:

Length (Over-All)	78.5"
Width (Over-All)	43.5"
Height (Over-All)	47.5"
Ground Clearance	7.6"
Weight (Approximate)	848 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

### GENERAL INFO:

Wheelbase	51.6"
Tread Front/Rear	33"/31.5"
Turning Radius	7' 2.5"
Front Wheel Tire Size	18 x 8.50-8
Rear Wheel Tire Size	26 x 12.00-12
Trans/Differential Type	Hydro / Cast Iron/Aluminum
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

### ENGINE SPECS:

Make	Onan
Model Series	(Horizontal)
Model/Type/Spec	B48G
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	19.9 HP
Peak Torque	Not Available
Displacement	47.70 cu in.
Bore	3.250"
Stroke	2.875"

### ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3400 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.008"
Valve Lash (Exhaust)	0.013"
Ignition Type	Battery
Spark Plug Gap	0.025"
Breaker Point Gap	0.021"

### CAPACITIES:

Engine Crankcase	1.750 qts. (A)
Coolant	Not Applicable
Transmission	7 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4 gal.

### FLUIDS:

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

### ENGINE MAINTENANCE PARTS:

Air Filter	ME-140-2628-01
Pre Filter	ME-140-1496-01
Oil Filter	ME-122-0645
Fuel Filter	751-3013
Spark Plug	759-3335
Armature	ME-166-0772
Points	ME-160-1183
Carb Kit	No Longer Available
Complete Engine	752-3003
Short Block	ME-110-38424-03
Mini Block	N/A

### TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	ME-191-2227
Muffler	751-3024
Battery	725-3061A
Fuel Filter (In Tank)	751-0171
<b>RED PAINT</b>	
Red Paint (11.5 oz. Aerosol)	759-3260
Red Paint (Quart)	759-3265

### WHITE PAINT

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

### YELLOW PAINT

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263

# MODEL: 984

# YEAR: 1982-1984

Factory Model Number: 142-984-100, 143-984-100, 144-984-100

CCC Super Garden Tractor  
19.9 H.P. Hydro Drive, Hyd. Lift  
Rear P.T.O.

Serial Numbers: 700,001-712,899

### GENERAL INFO:

Length (Over-All)	78.5"
Width (Over-All)	43.5"
Height (Over-All)	47.5"
Ground Clearance	7.6"
Weight (Approximate)	972 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

### GENERAL INFO:

Wheelbase	51.6"
Tread Front/Rear	33"/31.5"
Turning Radius	7' 2.5"
Front Wheel Tire Size	18 x 8.50-8
Rear Wheel Tire Size	26 x 12.00-12
Trans/Differential Type	Hydro / Cast Iron/Aluminum
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

### ENGINE SPECS:

Make	Onan
Model Series	(Horizontal)
Model/Type/Spec	B48G
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	19.9 HP
Peak Torque	Not Available
Displacement	47.70 cu in.
Bore	3.250"
Stroke	2.875"

### ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3400 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.008"
Valve Lash (Exhaust)	0.013"
Ignition Type	Battery
Spark Plug Gap	0.025"
Breaker Point Gap	0.021"

### CAPACITIES:

Engine Crankcase	1.750 qts. (A)
Coolant	Not Applicable
Transmission	7 qts. (B)
Transaxle	Not Applicable
Creep Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4 gal.

### FLUIDS:

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

### ENGINE MAINTENANCE PARTS:

Air Filter	ME-140-2628-01
Pre Filter	ME-140-1496-01
Oil Filter	ME-122-0645
Fuel Filter	751-3013
Spark Plug	759-3335
Armature	ME-166-0772
Points	ME-160-1183
Carb Kit	No Longer Available
Complete Engine	752-3003
Short Block	ME-110-38424-03
Mini Block	N/A

### TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	ME-191-2227
Muffler	751-3024
Battery	725-3061A
Fuel Filter (In Tank)	751-0171
<b>RED PAINT</b>	
Red Paint (11.5 oz. Aerosol)	759-3260
Red Paint (Quart)	759-3265

### WHITE PAINT

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

### YELLOW PAINT

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263



# MODEL: 986

# YEAR: 1982-1984

**Factory Model Number:** 142-986-100, 143-986-100, 144-986-100  
**Serial Numbers:** 700,001-712,899

**CCC Super Garden Tractor**  
**19.9 H.P. Hydro Drive, Hyd. Lift**  
**Frnt. Outlets, Rear P.T.O.**

### GENERAL INFO:

### GENERAL INFO:

Length (Over-All)	78.5"	Wheelbase	51.6"
Width (Over-All)	43.5"	Tread Front/Rear	33"/31.5"
Height (Over-All)	47.5"	Turning Radius	7' 2.5"
Ground Clearance	7.6"	Front Wheel Tire Size	18 x 8.50-8
Weight (Approximate)	978 lbs.	Rear Wheel Tire Size	26 x 12.00-12
Engine Type	Gas (Air Cooled)	Trans/Differential Type	Hydro / Cast Iron/Aluminum
Electrical System	12v Negative Ground	Forward Speed	0-8.0 mph
		Reverse Speed	0-4.0 mph

### ENGINE SPECS:

### ENGINE SPECS:

Make	Onan	Idle Speed	1200 R.P.M.
Model Series	(Horizontal)	Max. Speed (No Load)	3400 R.P.M.
Model/Type/Spec	B48G	Max. Speed (Full Load)	3150 R.P.M.
No. Of Cylinders	2	Valve Lash (Intake)	0.008"
Horse Power <small>Rated By Manufacturer</small>	19.9 HP	Valve Lash (Exhaust)	0.013"
Peak Torque	Not Available	Ignition Type	Battery
Displacement	47.70 cu in.	Spark Plug Gap	0.025"
Bore	3.250"	Breaker Point Gap	0.021"
Stroke	2.875"		

### CAPACITIES:

### FLUIDS:

Engine Crankcase	1.750 qts. (A)	(A) Low Ash SAE30	737-3029
Coolant	Not Applicable	(B) Hydraulic Transmission Fluid	737-3025
Transmission	7 qts. (B)	(C) 135H EP Gear Lube 85W-140	737-3065
Transaxle	Not Applicable	(D) 251 EP Chassis Lubricant	737-3034
Creep Drive Housing	Not Applicable		
Front Axle	Not Applicable		
Fuel Tank	4 gal.		

### ENGINE MAINTENANCE PARTS:

### TRACTOR MAINTENANCE PARTS:

Air Filter	ME-140-2628-01	Transmission Filter	923-3014
Pre Filter	ME-140-1496-01	Voltage Regulator	ME-191-2227
Oil Filter	ME-122-0645	Muffler	751-3024
Fuel Filter	751-3013	Battery	725-3061A
Spark Plug	759-3335	Fuel Filter (In Tank)	751-0171
Armature	ME-166-0772		
Points	ME-160-1183		
Carb Kit	No Longer Available		
Complete Engine	752-3003		
Short Block	ME-110-38424-03	<b>RED PAINT</b>	
Mini Block	N/A	Red Paint (11.5 oz. Aerosol)	759-3260
		Red Paint (Quart)	759-3265

### WHITE PAINT

### YELLOW PAINT

White Paint (11.5 oz. Aerosol)	759-3259	Yellow Paint (11.5 oz. Aerosol)	759-3258
White Paint (Quart)	759-3264	Yellow Paint (Quart)	759-3263

# MODEL: 1282

# YEAR: 1982-1984

Factory Model Number: 2050587U, 2050603U  
 Serial Numbers: 700,001-737,624

IH Garden Tractor  
 12 H.P. Hydro Drive  
 Man. Lift

### GENERAL INFO:

Length (Over-All)	72"
Width (Over-All)	37.75"
Height (Over-All)	43"
Ground Clearance	6"
Weight (Approximate)	584 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

### GENERAL INFO:

Wheelbase	44"
Tread Front/Rear	29.0"/27.0"
Turning Radius	6.80'
Front Wheel Tire Size	16 x 6.50-8
Rear Wheel Tire Size	23 x 10.50-12
Trans/Differential Type	Hydro / Cast Iron/Aluminum
Forward Speed	0-7.5 mph
Reverse Speed	0-4 mph

### ENGINE SPECS:

Make	Kohler
Model Series	K-Series (Horizontal)
Model/Type/Spec	K301AQS-47581
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	12 HP (9.0 kW)
Peak Torque	Not Available
Displacement	29.07 cu in. (476.5cc)
Bore	3.380"
Stroke	3.250"

### ENGINE SPECS:

Idle Speed	1800 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3400 R.P.M.
Valve Lash (Intake)	0.009"
Valve Lash (Exhaust)	0.018"
Ignition Type	Battery
Spark Plug Gap	0.035"
Breaker Point Gap	0.020"

### CAPACITIES:

Engine Crankcase	1.50 qts. (A)
Coolant	Not Applicable
Transmission	7 qts. (B)
Transaxle	Not Applicable
90 Degree Gear Box	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4 gal.

### FLUIDS:

(A) Low Ash SAE30	737-3029
(B) Hydraulic Transmission Fluid	737-3025
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

### ENGINE MAINTENANCE PARTS:

Air Filter	759-3547
Pre Filter	KH-52-083-01-S
Oil Filter	Not Applicable
Fuel Filter	751-3013
Spark Plug	759-3333
Points	KH-47-150-03
Coil	KH-231281-S
Carb Kit	KH-25-757-02
Complete Engine	No Longer Available
Short Block	KH-77-522-18
Mini Block	Not Applicable

### TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-25-755-03
Muffler	751-3029
Battery	725-3061A
Fuel Filter (In Tank)	751-0171
<b>RED PAINT</b>	
Red Paint (11.5 oz. Aerosol)	759-3260
Red Paint (Quart)	759-3265

### WHITE PAINT

White Paint (11.5 oz. Aerosol)	759-3259
White Paint (Quart)	759-3264

### YELLOW PAINT

Yellow Paint (11.5 oz. Aerosol)	759-3258
Yellow Paint (Quart)	759-3263