

**GT 3000 SERIES
SPECIFICATION SHEETS
2004-2010**

2004	Specification Sheets	CC
2005	Specification Sheets	CC
2006	Specification Sheets	CC
2007	Specification Sheets	CC
2008	Specification Sheets	CC
2009	Specification Sheets	CC
2010	Specification Sheets	CC
2006-2010	Attachments	CC

Material contained in this document is intended for use by Independent Retail dealer personnel.

Any other use without expressed written consent of MTD PRODUCTS INC is prohibited.

GT 3204	23 H.P. Command	Twin	Hydro	2004
GT 3235	25 H.P. Command	Twin	Hydro	2004

MODEL: GT 3204

YEAR: 2004

Factory Model Number: 14A-671-710

23 H.P. Hydro Drive
E-Vac P.T.O. / 44", 48" & 54" Optional Decks
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	795 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Cast Iron
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH23S-76524
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674 cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1450 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3450 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-52-435-02
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-PA-76524 (N.L.A.)
Short Block	KH-24-522-249
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 3204**YEAR: 2004**

Factory Model Number: 14A-671-710

23 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	1 Year
48"	3	Stamped	(A)	M	190-289-100	265 lbs.	1 Year
54"	3	Stamped	(A)	K	190-295-100	268 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	1 Year
54"	3	Stamped	-	Yes (3)	190-367-100	100 lbs.	1 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(B)	No	190-217B100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(C)	No	-	-	-
48"	3	Stamped	-	Yes	590-506-100	22 lbs.	1 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D) (F)	190-353-100	215 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
54"	Optional 171 or 288	190-343-100	(D) (F)	190-352-100	110 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	1 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Easy Dump Trailer, 15.0" x 6.0" Whls.	1,200 lb. Capacity	190-458-100	105 lbs.	1 Year
17 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,500 lb. Capacity	190-425-100	172 lbs.	1 Year
Hydraulic Front Hitch System	Required For 352 & 353	190-343-100	65 lbs.	1 Year
Ag Tire 23" x 10.5" x 12"	-	(G)	-	-
Hydraulic Front Angle Kit	Not Used With 353 (F)	190-288-100	30 lbs.	1 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	1 Year
3 Pt. Hitch, Category "O"	-	190-207-100	90 lbs.	1 Year
42" Hydraulic Rotary Tiller	Requires 207 (E)	190-004-100	315 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen**NOTE: (B)** Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity**NOTE: (C)** Mower Deck Comes With Mulch Plug **731-3316****NOTE: (D)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (E)** Includes Sleeve Hitch, Roller & Hydraulic Lift**NOTE: (F)** Auxiliary Valve **759-3971** Available Through Parts**NOTE: (G)** One (1) Ag Tire Without Rim **734-3028** Available Through Parts

MODEL: GT 3235

YEAR: 2004

Factory Model Number: 14A-692-710

25 H.P. Hydro Drive
E-Vac P.T.O. / 44", 48", 54" & 60" Optional Decks
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	803 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 7.5-8
Rear Wheel Tire Size	24 x 10.5-12
Trans/Differential Type	Cast Iron
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH730S-0104
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	25 HP (18.6 kW)
Peak Torque	40.9 ft. lbs. @ 2,400 RPM
Displacement	44.0 cu in. (725 cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1450 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3450 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-730104
Short Block	KH-24-522-340
Mini Block	KH-24-782-32

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: 3235**YEAR: 2004**

Factory Model Number: 14A-692-710

25 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	1 Year
48"	3	Stamped	(A)	M	190-289-100	265 lbs.	1 Year
54"	3	Stamped	(A)	K	190-295-100	268 lbs.	1 Year
60"	3	Stamped	(A)	J	190-291-100	290 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	1 Year
54"	3	Stamped	-	Yes (3)	190-367-100	100 lbs.	1 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(B)	No	190-217B100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(C)	No	-	-	-
48"	3	Stamped	-	Yes	590-506-100	22 lbs.	1 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D) (F)	190-353-100	215 lbs.	1 Year
Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty	
54"	Optional 171 or 288	190-343-100	(D) (F)	190-352-100	110 lbs.	1 Year	

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	1 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Easy Dump Trailer, 15.0" x 6.0" Whls.	1,200 lb. Capacity	190-458-100	105 lbs.	1 Year
17 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,500 lb. Capacity	190-425-100	172 lbs.	1 Year
Hydraulic Front Hitch System	Required For 352 & 353	190-343-100	65 lbs.	1 Year
Ag Tire 23" x 10.5" x 12"	-	(G)	-	-
Hydraulic Front Angle Kit	Not Used With 353 (F)	190-288-100	30 lbs.	1 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	1 Year
3 Pt. Hitch, Category "O"	-	190-207-100	90 lbs.	1 Year
42" Hydraulic Rotary Tiller	Requires 207 (E)	190-004-100	315 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen**NOTE: (B)** Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity**NOTE: (C)** Mower Deck Comes With Mulch Plug **731-3316****NOTE: (D)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (E)** Includes Sleeve Hitch, Roller & Hydraulic Lift**NOTE: (F)** Auxiliary Valve **759-3971** Available Through Parts**NOTE: (G)** One (1) Ag Tire Without Rim **734-3028** Available Through Parts

GT 3100	23 H.P. Command	Twin	Hydro	2005
GT 3200	25 H.P. Command	Twin	Hydro	2005

MODEL: GT 3100

YEAR: 2005

Factory Model Number: 14B-671-710

23 H.P. Hydro Drive
E-Vac P.T.O. / 44", 50" & 54" Optional Decks
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	795 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Cast Iron
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH23S-76524
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674 cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1450 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3450 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-52-435-02
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-PA-76524 (N.L.A.)
Short Block	KH-24-522-249
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 3100

YEAR: 2005

Factory Model Number: 14B-671-710

23 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	1 Year
50"	3	Stamped	(A)	P	190-394-100	209 lbs.	1 Year
54"	3	Stamped	(A)	K	190-295-100	268 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	1 Year
50"	3	Stamped	-	Yes (3)	190-284-100	81 lbs.	1 Year
54"	3	Stamped	-	Yes (3)	190-367-100	100 lbs.	1 Year
44" 50" 54"	10 Cu. Ft. Cart	Stamped	(B)	No	190-217B100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(C)	No	-	-	-
50"	0	Stamped	-	No	190-193-000	2 lbs.	1 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D) (E)	190-353-100	215 lbs.	1 Year
Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty	
54"	Optional 171 or 288	190-343-100	(D) (E)	190-352-100	110 lbs.	1 Year	

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	1 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Easy Dump Trailer, 15.0" x 6.0" Whls.	1,200 lb. Capacity	190-458-100	105 lbs.	1 Year
17 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,500 lb. Capacity	190-425-100	172 lbs.	1 Year
Hydraulic Front Hitch System	(F) Required For 352 & 353	190-343-100	65 lbs.	1 Year
Hydraulic Front Hitch	(G) Required For 352 & 353	190-414-100	94 lbs.	1 Year
Ag Tire 23" x 8.5" x 12"	-	(H)	-	-
Hydraulic Front Angle Kit	Not Used With 353 (E)	190-288-100	30 lbs.	1 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	1 Year
3 Pt. Hitch, Category "O"	-	190-207-100	90 lbs.	1 Year
42" Hydraulic Rotary Tiller	Requires 207 (I)	190-004-100	315 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen

NOTE: (B) Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity

NOTE: (C) Mower Deck Comes With Mulch Plug **731-3316**

NOTE: (D) Requires 190-343-100 Hydraulic Front Hitch

NOTE: (E) Auxiliary Valve **759-3971** Available Through Parts

NOTE: (F) Model GT 3100 & Series 3000 Prior To 2005

NOTE: (G) Model GT 3200 Only

NOTE: (H) One (1) Ag Tire Without Rim **734-3112** Available Through Parts

NOTE: (I) Includes Sleeve Hitch, Roller & Hydraulic Lift

MODEL: GT 3200

YEAR: 2005

Factory Model Number: 14B-692-710

25 H.P. Hydro Drive
E-Vac P.T.O. / 44", 50", 54" & 60" Optional Decks
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	803 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 7.5-8
Rear Wheel Tire Size	24 x 10.5-12
Trans/Differential Type	Cast Iron
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH730S-0104
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	25 HP (18.6 kW)
Peak Torque	40.9 ft. lbs. @ 2,400 RPM
Displacement	44.0 cu in. (725 cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1450 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3450 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-730104
Short Block	KH-24-522-340
Mini Block	KH-24-782-32

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 3200**YEAR: 2005**

Factory Model Number: 14B-692-710

25 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	1 Year
50"	3	Stamped	(A)	P	190-394-100	209 lbs.	1 Year
54"	3	Stamped	(A)	K	190-295-100	268 lbs.	1 Year
60"	3	Stamped	(A)	J	190-291-100	290 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	1 Year
50"	3	Stamped	-	Yes (3)	190-284-100	81 lbs.	1 Year
54"	3	Stamped	-	Yes (3)	190-367-100	100 lbs.	1 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(B)	No	190-217B100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(C)	No	-	-	-
50"	0	Stamped	-	No	190-193-000	2 lbs.	1 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D) (E)	190-353-100	215 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
54"	Optional 171 or 288	190-343-100	(D) (E)	190-352-100	110 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	1 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Easy Dump Trailer, 15.0" x 6.0" Whls.	1,200 lb. Capacity	190-458-100	105 lbs.	1 Year
17 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	1,500 lb. Capacity	190-425-100	172 lbs.	1 Year
Hydraulic Front Hitch System	(F) Required For 352 & 353	190-343-100	65 lbs.	1 Year
Hydraulic Front Hitch	(G) Required For 352 & 353	190-414-100	94 lbs.	1 Year
Ag Tire 23" x 10.5" x 12"	-	(H)	-	-
Hydraulic Front Angle Kit	Not Used With 353 (E)	190-288-100	30 lbs.	1 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	1 Year
3 Pt. Hitch, Category "O"	-	190-207-100	90 lbs.	1 Year
42" Hydraulic Rotary Tiller	Requires 207 (I)	190-004-100	315 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen**NOTE: (B)** Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity**NOTE: (C)** Mower Deck Comes With Mulch Plug **731-3316****NOTE: (D)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (E)** Auxiliary Valve **759-3971** Available Through Parts**NOTE: (F)** Model GT 3100 & Series 3000 Prior To 2005**NOTE: (G)** Model GT 3200 Only**NOTE: (H)** One (1) Ag Tire Without Rim **734-3028** Available Through Parts**NOTE: (I)** Includes Sleeve Hitch, Roller & Hydraulic Lift

GT 3100	23 H.P. Command	Twin	Hydro	2006
GT 3200	25 H.P. Command	Twin	Hydro	2006

MODEL: GT 3100

YEAR: 2006

Factory Model Number: 14B-671-710

23 H.P. Hydro Drive
E-Vac P.T.O. / 44", 50" & 54" Optional Decks
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	795 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Cast Iron
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH23S-76524
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674 cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1450 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3450 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-52-435-02
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-PA-76524 (N.L.A.)
Short Block	KH-24-522-249
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 180 Hrs.
Engine	3 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 3100**YEAR: 2006**

Factory Model Number: 14B-671-710

23 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	2 Year
50"	3	Stamped	(A)	P	190-394-100	209 lbs.	2 Year
54"	3	Stamped	(A)	K	190-295-100	268 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	2 Year
50"	3	Stamped	-	Yes (3)	190-284-100	81 lbs.	2 Year
54"	3	Stamped	-	Yes (3)	190-367-100	100 lbs.	2 Year
44" 50" 54"	10 Cu. Ft. Cart	Stamped	(B)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(C)	No	-	-	-
50"	0	Stamped	-	No	190-193-000	2 lbs.	2 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D) (E)	190-353-100	215 lbs.	2 Year
Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty	
54"	Optional 171 or 288	190-343-100	(D) (E)	190-352-100	110 lbs.	2 Year	

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	2 Year
Hydraulic Front Hitch System	(F) Required For 352 & 353	190-343-100	65 lbs.	2 Year
Hydraulic Front Hitch	(G) Required For 352 & 353	190-414-100	94 lbs.	2 Year
4th Valve Kit	Required For GT 3100	190-415-100	8 lbs.	2 Year
Ag Tire 23" x 8.5" x 12"	-	(H)	-	-
Hydraulic Front Angle Kit	Not Used With 353 (E)	190-288-100	30 lbs.	2 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	2 Year
3 Pt. Hitch, Category "O"	-	190-207-100	63 lbs.	2 Year
42" Hydraulic Rotary Tiller	Requires 207 (I)	190-004-100	315 lbs.	2 Year
See Page XX Of The GT 3000 Series Specification Sheets 2004-2010 For Tow Behind Attachments 2006-2010				

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen**NOTE: (B)** Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity**NOTE: (C)** Mower Deck Comes With Mulch Plug **731-3316****NOTE: (D)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (E)** Auxiliary Valve **759-3971** Available Through Parts**NOTE: (F)** Model GT 3100 & Series 3000 Prior To 2005**NOTE: (G)** Model GT 3200 Only**NOTE: (H)** One (1) Ag Tire Without Rim **734-3112** Available Through Parts**NOTE: (I)** Includes Sleeve Hitch, Roller & Hydraulic Lift

MODEL: GT 3200

YEAR: 2006

Factory Model Number: 14B-692-710

25 H.P. Hydro Drive
E-Vac P.T.O. / 44", 50", 54" & 60" Optional Decks
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	803 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 7.5-8
Rear Wheel Tire Size	24 x 10.5-12
Trans/Differential Type	Cast Iron
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH730S-0104
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	25 HP (18.6 kW)
Peak Torque	40.9 ft. lbs. @ 2,400 RPM
Displacement	44.0 cu in. (725 cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1450 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3450 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-730104
Short Block	KH-24-522-340
Mini Block	KH-24-782-32

WARRANTY:

Limited Residential	3 Year / 180 Hrs.
Engine	3 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 3200**YEAR: 2006**

Factory Model Number: 14B-692-710

25 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	2 Year
50"	3	Stamped	(A)	P	190-394-100	209 lbs.	2 Year
54"	3	Stamped	(A)	K	190-295-100	268 lbs.	2 Year
60"	3	Stamped	(A)	J	190-291-100	290 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	2 Year
50"	3	Stamped	-	Yes (3)	190-284-100	81 lbs.	2 Year
54"	3	Stamped	-	Yes (3)	190-367-100	100 lbs.	2 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(B)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(C)	No	-	-	-
50"	0	Stamped	-	No	190-193-000	2 lbs.	2 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D) (E)	190-353-100	215 lbs.	2 Year
Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty	
54"	Optional 171 or 288	190-343-100	(D) (E)	190-352-100	110 lbs.	2 Year	

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	2 Year
Hydraulic Front Hitch System	(F) Required For 352 & 353	190-343-100	65 lbs.	2 Year
Hydraulic Front Hitch	(G) Required For 352 & 353	190-414-100	94 lbs.	2 Year
4th Valve Kit	Required For GT 3100	190-415-100	8 lbs.	2 Year
Ag Tire 23" x 10.5" x 12"	-	(H)	-	-
Hydraulic Front Angle Kit	Not Used With 353 (E)	190-288-100	30 lbs.	2 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	2 Year
3 Pt. Hitch, Category "O"	-	190-207-100	90 lbs.	2 Year
42" Hydraulic Rotary Tiller	Requires 207 (I)	190-004-100	315 lbs.	2 Year
See Attachment Page At End Of This Section For Tow Behind Attachments 2006-2010				

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen**NOTE: (B)** Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity**NOTE: (C)** Mower Deck Comes With Mulch Plug **731-3316****NOTE: (D)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (E)** Auxiliary Valve **759-3971** Available Through Parts**NOTE: (F)** Model GT 3100 & Series 3000 Prior To 2005**NOTE: (G)** Model GT 3200 Only**NOTE: (H)** One (1) Ag Tire Without Rim **734-3028** Available Through Parts**NOTE: (I)** Includes Sleeve Hitch, Roller & Hydraulic Lift

GT 3100	23 H.P. Command	Twin	Hydro	2007
GT 3200	25 H.P. Command	Twin	Hydro	2007

MODEL: GT 3100

YEAR: 2007

Factory Model Number: 14B-671-710

23 H.P. Hydro Drive
E-Vac P.T.O. / 44", 50" & 54" Optional Decks
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	795 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Cast Iron
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH23S-76524
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674 cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1450 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3450 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-52-435-02
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-PA-76524 (N.L.A.)
Short Block	KH-24-522-249
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 180 Hrs.
Engine	3 Year / 180 Hrs.
P.T.O. Clutch	3 Year / 180 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 3100**YEAR: 2007**

Factory Model Number: 14B-671-710

23 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	2 Year
50"	3	Stamped	(A)	P	190-394-100	209 lbs.	2 Year
54"	3	Stamped	(A)	K	190-295-100	268 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	2 Year
50"	3	Stamped	-	Yes (3)	190-284-100	81 lbs.	2 Year
54"	3	Stamped	-	Yes (3)	190-367-100	100 lbs.	2 Year
44" 50" 54"	10 Cu. Ft. Cart	Stamped	(B)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(C)	No	-	-	-
50"	0	Stamped	-	No	190-193-000	2 lbs.	2 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D) (E)	190-353-100	215 lbs.	2 Year
Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty	
54"	Optional 171 or 288	190-343-100	(D) (E)	190-352-100	110 lbs.	2 Year	

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	2 Year
Tire Chains 23" x 9.5" / 23" x 10.5"	-	OEM-190-964	10 lbs.	2 Year
Hydraulic Front Hitch System	(F) Required For 352 & 353	190-343-100	65 lbs.	2 Year
Hydraulic Front Hitch	(G) Required For 352 & 353	190-414-100	94 lbs.	2 Year
4th Valve Kit	Required For GT 3100	190-415-100	8 lbs.	2 Year
Ag Tire 23" x 8.5" x 12"	-	(H)	-	-
Hydraulic Front Angle Kit	Not Used With 353 (E)	190-288-100	30 lbs.	2 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	2 Year
3 Pt. Hitch, Category "O"	-	190-207-100	63 lbs.	2 Year
42" Hydraulic Rotary Tiller	Requires 207 (I)	190-004-100	315 lbs.	2 Year
See Attachment Page At End Of This Section For Tow Behind Attachments 2006-2010				

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen**NOTE: (B)** Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity**NOTE: (C)** Mower Deck Comes With Mulch Plug **731-3316****NOTE: (D)** Requires 190-343-100 Hydraulic Front Hitch**NOTE: (E)** Auxiliary Valve **759-3971** Available Through Parts**NOTE: (F)** Model GT 3100 & Series 3000 Prior To 2005**NOTE: (G)** Model GT 3200 Only**NOTE: (H)** One (1) Ag Tire Without Rim **734-3112** Available Through Parts**NOTE: (I)** Includes Sleeve Hitch, Roller & Hydraulic Lift

MODEL: GT 3200

YEAR: 2007

Factory Model Number: 14B-692-710

25 H.P. Hydro Drive
E-Vac P.T.O. / 44", 50", 54" & 60" Optional Decks
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	803 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 7.5-8
Rear Wheel Tire Size	24 x 10.5-12
Trans/Differential Type	Cast Iron
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH730S-0104
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	25 HP (18.6 kW)
Peak Torque	40.9 ft. lbs. @ 2,400 RPM
Displacement	44.0 cu in. (725 cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1450 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3450 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-730104
Short Block	KH-24-522-340
Mini Block	KH-24-782-32

WARRANTY:

Limited Residential	3 Year / 180 Hrs.
Engine	3 Year / 180 Hrs.
P.T.O. Clutch	3 Year / 180 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 3200

YEAR: 2007

Factory Model Number: 14B-692-710

25 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	2 Year
50"	3	Stamped	(A)	P	190-394-100	209 lbs.	2 Year
54"	3	Stamped	(A)	K	190-295-100	268 lbs.	2 Year
60"	3	Stamped	(A)	J	190-291-100	290 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	2 Year
50"	3	Stamped	-	Yes (3)	190-284-100	81 lbs.	2 Year
54"	3	Stamped	-	Yes (3)	190-367-100	100 lbs.	2 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(B)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(C)	No	-	-	-
50"	0	Stamped	-	No	190-193-000	2 lbs.	2 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D) (E)	190-353-100	215 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
54"	Optional 171 or 288	190-343-100	(D) (E)	190-352-100	110 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	2 Year
Tire Chains 23" x 9.5" / 23" x 10.5"	-	OEM-190-964	10 lbs.	2 Year
Hydraulic Front Hitch System	(F) Required For 352 & 353	190-343-100	65 lbs.	2 Year
Hydraulic Front Hitch	(G) Required For 352 & 353	190-414-100	94 lbs.	2 Year
4th Valve Kit	Required For GT 3100	190-415-100	8 lbs.	2 Year
Ag Tire 23" x 10.5" x 12"	-	(H)	-	-
Hydraulic Front Angle Kit	Not Used With 353 (E)	190-288-100	30 lbs.	2 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	2 Year
3 Pt. Hitch, Category "O"	-	190-207-100	90 lbs.	2 Year
42" Hydraulic Rotary Tiller	Requires 207 (I)	190-004-100	315 lbs.	2 Year

See Attachment Page At End Of This Section For Tow Behind Attachments 2006-2010

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen

NOTE: (B) Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity

NOTE: (C) Mower Deck Comes With Mulch Plug **731-3316**

NOTE: (D) Requires 190-343-100 Hydraulic Front Hitch

NOTE: (E) Auxiliary Valve **759-3971** Available Through Parts

NOTE: (F) Model GT 3100 & Series 3000 Prior To 2005

NOTE: (G) Model GT 3200 Only

NOTE: (H) One (1) Ag Tire Without Rim **734-3028** Available Through Parts

NOTE: (I) Includes Sleeve Hitch, Roller & Hydraulic Lift

GT 3100	23 H.P. Command	Twin	Hydro	2008
GT 3200	25 H.P. Command	Twin	Hydro	2008

MODEL: GT 3100

YEAR: 2008-2010

Factory Model Number: 14A-671-010

23 H.P. Hydro Drive
E-Vac P.T.O. / 44", 50" & 54" Optional Decks
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	795 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Cast Iron
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH23S-76524
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674 cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1450 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3450 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-52-435-02
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-PA-76524 (N.L.A.)
Short Block	KH-24-522-249
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 180 Hrs.
Engine	3 Year / 180 Hrs.
P.T.O. Clutch	3 Year / 180 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	2 Year
50"	3	Stamped	(A)	P	190-394-100	209 lbs.	2 Year
54"	3	Stamped	(A)	K	190-295-100	268 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	2 Year
50"	3	Stamped	-	Yes (3)	190-284-100	81 lbs.	2 Year
54"	3	Stamped	-	Yes (3)	190-367-100	100 lbs.	2 Year
44" 50" 54"	10 Cu. Ft. Cart	Stamped	(B)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(C)	No	-	-	-
50"	0	Stamped	-	No	190-193-000	2 lbs.	2 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D) (E)	190-353-100	215 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
54"	Optional 171 or 288	190-343-100	(D) (E)	190-352-100	110 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	2 Year
Tire Chains 23" x 9.5" / 23" x 10.5"	-	OEM-190-964	10 lbs.	2 Year
Hydraulic Front Hitch System	(F) Required For 352 & 353	190-343-100	65 lbs.	2 Year
Hydraulic Front Hitch	(G) Required For 352 & 353	190-414-100	94 lbs.	2 Year
4th Valve Kit	Required For GT 3100	190-415-100	8 lbs.	2 Year
Ag Tire 23" x 8.5" x 12"	-	(H)	-	-
Hydraulic Front Angle Kit	Not Used With 353 (E)	190-288-100	30 lbs.	2 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	2 Year
3 Pt. Hitch, Category "O"	-	190-207-100	63 lbs.	2 Year
42" Hydraulic Rotary Tiller	Requires 207 (I)	190-004-100	315 lbs.	2 Year

See Attachment Page At End Of This Section For Tow Behind Attachments 2006-2010

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen

NOTE: (B) Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity

NOTE: (C) Mower Deck Comes With Mulch Plug **731-3316**

NOTE: (D) Requires 190-343-100 Hydraulic Front Hitch

NOTE: (E) Auxiliary Valve **759-3971** Available Through Parts

NOTE: (F) Model GT 3100 & Series 3000 Prior To 2005

NOTE: (G) Model GT 3200 Only

NOTE: (H) One (1) Ag Tire Without Rim **734-3112** Available Through Parts

NOTE: (I) Includes Sleeve Hitch, Roller & Hydraulic Lift

MODEL: GT 3200

YEAR: 2008-2010

Factory Model Number: 14A-692-010

25 H.P. Hydro Drive
E-Vac P.T.O. / 44", 50", 54" & 60" Optional Decks
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	803 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 7.5-8
Rear Wheel Tire Size	24 x 10.5-12
Trans/Differential Type	Cast Iron
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH730S-0104
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	25 HP (18.6 kW)
Peak Torque	40.9 ft. lbs. @ 2,400 RPM
Displacement	44.0 cu in. (725 cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1450 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3450 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-730104
Short Block	KH-24-522-340
Mini Block	KH-24-782-32

WARRANTY:

Limited Residential	3 Year / 180 Hrs.
Engine	3 Year / 180 Hrs.
P.T.O. Clutch	3 Year / 180 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	2 Year
50"	3	Stamped	(A)	P	190-394-100	209 lbs.	2 Year
54"	3	Stamped	(A)	K	190-295-100	268 lbs.	2 Year
60"	3	Stamped	(A)	J	190-291-100	290 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	2 Year
50"	3	Stamped	-	Yes (3)	190-284-100	81 lbs.	2 Year
54"	3	Stamped	-	Yes (3)	190-367-100	100 lbs.	2 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(B)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(C)	No	-	-	-
50"	0	Stamped	-	No	190-193-000	2 lbs.	2 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D) (E)	190-353-100	215 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
54"	Optional 171 or 288	190-343-100	(D) (E)	190-352-100	110 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	2 Year
Tire Chains 23" x 9.5" / 23" x 10.5"	-	OEM-190-964	10 lbs.	2 Year
Hydraulic Front Hitch System	(F) Required For 352 & 353	190-343-100	65 lbs.	2 Year
Hydraulic Front Hitch	(G) Required For 352 & 353	190-414-100	94 lbs.	2 Year
4th Valve Kit	Required For GT 3100	190-415-100	8 lbs.	2 Year
Ag Tire 23" x 10.5" x 12"	-	(H)	-	-
Hydraulic Front Angle Kit	Not Used With 353 (E)	190-288-100	30 lbs.	2 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	2 Year
3 Pt. Hitch, Category "O"	-	190-207-100	90 lbs.	2 Year
42" Hydraulic Rotary Tiller	Requires 207 (I)	190-004-100	315 lbs.	2 Year

See Attachment Page At End Of This Section For Tow Behind Attachments 2006-2010

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen

NOTE: (B) Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity

NOTE: (C) Mower Deck Comes With Mulch Plug **731-3316**

NOTE: (D) Requires 190-343-100 Hydraulic Front Hitch

NOTE: (E) Auxiliary Valve **759-3971** Available Through Parts

NOTE: (F) Model GT 3100 & Series 3000 Prior To 2005

NOTE: (G) Model GT 3200 Only

NOTE: (H) One (1) Ag Tire Without Rim **734-3028** Available Through Parts

NOTE: (I) Includes Sleeve Hitch, Roller & Hydraulic Lift

GT 3100	23 H.P. Command	Twin	Hydro	2009
GT 3200	25 H.P. Command	Twin	Hydro	2009

MODEL: GT 3100

YEAR: 2008-2010

Factory Model Number: 14A-671-010

23 H.P. Hydro Drive
E-Vac P.T.O. / 44", 50" & 54" Optional Decks
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	795 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Cast Iron
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH23S-76524
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674 cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1450 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3450 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-52-435-02
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-PA-76524 (N.L.A.)
Short Block	KH-24-522-249
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 180 Hrs.
Engine	3 Year / 180 Hrs.
P.T.O. Clutch	3 Year / 180 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	2 Year
50"	3	Stamped	(A)	P	190-394-100	209 lbs.	2 Year
54"	3	Stamped	(A)	K	190-295-100	268 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	2 Year
50"	3	Stamped	-	Yes (3)	190-284-100	81 lbs.	2 Year
54"	3	Stamped	-	Yes (3)	190-367-100	100 lbs.	2 Year
44" 50" 54"	10 Cu. Ft. Cart	Stamped	(B)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(C)	No	-	-	-
50"	0	Stamped	-	No	190-193-000	2 lbs.	2 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D) (E)	190-353-100	215 lbs.	2 Year
Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty	
54"	Optional 171 or 288	190-343-100	(D) (E)	190-352-100	110 lbs.	2 Year	

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	2 Year
Tire Chains 23" x 9.5" / 23" x 10.5"	-	OEM-190-964	10 lbs.	2 Year
Hydraulic Front Hitch System	(F) Required For 352 & 353	190-343-100	65 lbs.	2 Year
Hydraulic Front Hitch	(G) Required For 352 & 353	190-414-100	94 lbs.	2 Year
4th Valve Kit	Required For GT 3100	190-415-100	8 lbs.	2 Year
Ag Tire 23" x 8.5" x 12"	-	(H)	-	-
Hydraulic Front Angle Kit	Not Used With 353 (E)	190-288-100	30 lbs.	2 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	2 Year
3 Pt. Hitch, Category "O"	-	190-207-100	63 lbs.	2 Year
42" Hydraulic Rotary Tiller	Requires 207 (I)	190-004-100	315 lbs.	2 Year
See Attachment Page At End Of This Section For Tow Behind Attachments 2006-2010				

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen

NOTE: (B) Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity

NOTE: (C) Mower Deck Comes With Mulch Plug **731-3316**

NOTE: (D) Requires 190-343-100 Hydraulic Front Hitch

NOTE: (E) Auxiliary Valve **759-3971** Available Through Parts

NOTE: (F) Model GT 3100 & Series 3000 Prior To 2005

NOTE: (G) Model GT 3200 Only

NOTE: (H) One (1) Ag Tire Without Rim **734-3112** Available Through Parts

NOTE: (I) Includes Sleeve Hitch, Roller & Hydraulic Lift

MODEL: GT 3200

YEAR: 2008-2010

Factory Model Number: 14A-692-010

25 H.P. Hydro Drive
E-Vac P.T.O. / 44", 50", 54" & 60" Optional Decks
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	803 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 7.5-8
Rear Wheel Tire Size	24 x 10.5-12
Trans/Differential Type	Cast Iron
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH730S-0104
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	25 HP (18.6 kW)
Peak Torque	40.9 ft. lbs. @ 2,400 RPM
Displacement	44.0 cu in. (725 cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1450 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3450 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-730104
Short Block	KH-24-522-340
Mini Block	KH-24-782-32

WARRANTY:

Limited Residential	3 Year / 180 Hrs.
Engine	3 Year / 180 Hrs.
P.T.O. Clutch	3 Year / 180 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	2 Year
50"	3	Stamped	(A)	P	190-394-100	209 lbs.	2 Year
54"	3	Stamped	(A)	K	190-295-100	268 lbs.	2 Year
60"	3	Stamped	(A)	J	190-291-100	290 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	2 Year
50"	3	Stamped	-	Yes (3)	190-284-100	81 lbs.	2 Year
54"	3	Stamped	-	Yes (3)	190-367-100	100 lbs.	2 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(B)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(C)	No	-	-	-
50"	0	Stamped	-	No	190-193-000	2 lbs.	2 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D) (E)	190-353-100	215 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
54"	Optional 171 or 288	190-343-100	(D) (E)	190-352-100	110 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	2 Year
Tire Chains 23" x 9.5" / 23" x 10.5"	-	OEM-190-964	10 lbs.	2 Year
Hydraulic Front Hitch System	(F) Required For 352 & 353	190-343-100	65 lbs.	2 Year
Hydraulic Front Hitch	(G) Required For 352 & 353	190-414-100	94 lbs.	2 Year
4th Valve Kit	Required For GT 3100	190-415-100	8 lbs.	2 Year
Ag Tire 23" x 10.5" x 12"	-	(H)	-	-
Hydraulic Front Angle Kit	Not Used With 353 (E)	190-288-100	30 lbs.	2 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	2 Year
3 Pt. Hitch, Category "O"	-	190-207-100	90 lbs.	2 Year
42" Hydraulic Rotary Tiller	Requires 207 (I)	190-004-100	315 lbs.	2 Year

See Attachment Page At End Of This Section For Tow Behind Attachments 2006-2010

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen

NOTE: (B) Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity

NOTE: (C) Mower Deck Comes With Mulch Plug **731-3316**

NOTE: (D) Requires 190-343-100 Hydraulic Front Hitch

NOTE: (E) Auxiliary Valve **759-3971** Available Through Parts

NOTE: (F) Model GT 3100 & Series 3000 Prior To 2005

NOTE: (G) Model GT 3200 Only

NOTE: (H) One (1) Ag Tire Without Rim **734-3028** Available Through Parts

NOTE: (I) Includes Sleeve Hitch, Roller & Hydraulic Lift

GT 3100	23 H.P. Command	Twin	Hydro	2010
GT 3200	25 H.P. Command	Twin	Hydro	2010

MODEL: GT 3100

YEAR: 2008-2010

Factory Model Number: 14A-671-010

23 H.P. Hydro Drive
E-Vac P.T.O. / 44", 50" & 54" Optional Decks
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	795 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Cast Iron
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH23S-76524
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674 cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1450 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3450 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-52-435-02
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-PA-76524 (N.L.A.)
Short Block	KH-24-522-249
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 180 Hrs.
Engine	3 Year / 180 Hrs.
P.T.O. Clutch	3 Year / 180 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	2 Year
50"	3	Stamped	(A)	P	190-394-100	209 lbs.	2 Year
54"	3	Stamped	(A)	K	190-295-100	268 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	2 Year
50"	3	Stamped	-	Yes (3)	190-284-100	81 lbs.	2 Year
54"	3	Stamped	-	Yes (3)	190-367-100	100 lbs.	2 Year
44" 50" 54"	10 Cu. Ft. Cart	Stamped	(B)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(C)	No	-	-	-
50"	0	Stamped	-	No	190-193-000	2 lbs.	2 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D) (E)	190-353-100	215 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
54"	Optional 171 or 288	190-343-100	(D) (E)	190-352-100	110 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	2 Year
Tire Chains 23" x 9.5" / 23" x 10.5"	-	OEM-190-964	10 lbs.	2 Year
Hydraulic Front Hitch System	(F) Required For 352 & 353	190-343-100	65 lbs.	2 Year
Hydraulic Front Hitch	(G) Required For 352 & 353	190-414-100	94 lbs.	2 Year
4th Valve Kit	Required For GT 3100	190-415-100	8 lbs.	2 Year
Ag Tire 23" x 8.5" x 12"	-	(H)	-	-
Hydraulic Front Angle Kit	Not Used With 353 (E)	190-288-100	30 lbs.	2 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	2 Year
3 Pt. Hitch, Category "O"	-	190-207-100	63 lbs.	2 Year
42" Hydraulic Rotary Tiller	Requires 207 (I)	190-004-100	315 lbs.	2 Year

See Attachment Page At End Of This Section For Tow Behind Attachments 2006-2010

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen

NOTE: (B) Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity

NOTE: (C) Mower Deck Comes With Mulch Plug **731-3316**

NOTE: (D) Requires 190-343-100 Hydraulic Front Hitch

NOTE: (E) Auxiliary Valve **759-3971** Available Through Parts

NOTE: (F) Model GT 3100 & Series 3000 Prior To 2005

NOTE: (G) Model GT 3200 Only

NOTE: (H) One (1) Ag Tire Without Rim **734-3112** Available Through Parts

NOTE: (I) Includes Sleeve Hitch, Roller & Hydraulic Lift

MODEL: GT 3200

YEAR: 2008-2010

Factory Model Number: 14A-692-010

25 H.P. Hydro Drive
E-Vac P.T.O. / 44", 50", 54" & 60" Optional Decks
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	74.0"
Width (Over-All)	40.0" / Without Deck
Height (Over-All)	47.5"
Ground Clearance	6.0"
Weight (Approximate)	803 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.5"
Tread Front/Rear	Not Available
Turning Radius	27"
Front Wheel Tire Size	16 x 7.5-8
Rear Wheel Tire Size	24 x 10.5-12
Trans/Differential Type	Cast Iron
Forward Speed	0-8.0 mph
Reverse Speed	0-4.0 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH730S-0104
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	25 HP (18.6 kW)
Peak Torque	40.9 ft. lbs. @ 2,400 RPM
Displacement	44.0 cu in. (725 cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1450 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3450 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	651-3003
Battery	925-3255
P.T.O. Belts (Set of Two)	954-3084

ENGINE:

Complete Engine	KH-730104
Short Block	KH-24-522-340
Mini Block	KH-24-782-32

WARRANTY:

Limited Residential	3 Year / 180 Hrs.
Engine	3 Year / 180 Hrs.
P.T.O. Clutch	3 Year / 180 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-209-100	140 lbs.	2 Year
50"	3	Stamped	(A)	P	190-394-100	209 lbs.	2 Year
54"	3	Stamped	(A)	K	190-295-100	268 lbs.	2 Year
60"	3	Stamped	(A)	J	190-291-100	290 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	-	Yes (1)	190-212-100	90 lbs.	2 Year
50"	3	Stamped	-	Yes (3)	190-284-100	81 lbs.	2 Year
54"	3	Stamped	-	Yes (3)	190-367-100	100 lbs.	2 Year
48" & 54"	10 Cu. Ft. Cart	Stamped	(B)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
44"	0	Stamped	(C)	No	-	-	-
50"	0	Stamped	-	No	190-193-000	2 lbs.	2 Year
54"	3	Stamped	-	Yes	590-507-100	23 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
45"	2	1	190-343-100	(D) (E)	190-353-100	215 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
54"	Optional 171 or 288	190-343-100	(D) (E)	190-352-100	110 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-413-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	2 Year
Tire Chains 23" x 9.5" / 23" x 10.5"	-	OEM-190-964	10 lbs.	2 Year
Hydraulic Front Hitch System	(F) Required For 352 & 353	190-343-100	65 lbs.	2 Year
Hydraulic Front Hitch	(G) Required For 352 & 353	190-414-100	94 lbs.	2 Year
4th Valve Kit	Required For GT 3100	190-415-100	8 lbs.	2 Year
Ag Tire 23" x 10.5" x 12"	-	(H)	-	-
Hydraulic Front Angle Kit	Not Used With 353 (E)	190-288-100	30 lbs.	2 Year
Manual Front Angle Kit	Not Used With 353	190-171-100	20 lbs.	2 Year
3 Pt. Hitch, Category "O"	-	190-207-100	90 lbs.	2 Year
42" Hydraulic Rotary Tiller	Requires 207 (I)	190-004-100	315 lbs.	2 Year

See Attachment Page At End Of This Section For Tow Behind Attachments 2006-2010

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With No Mower Deck, Mower Deck Must Be Chosen

NOTE: (B) Vacuum Assisted Collection System, 5 HP. 32 Cu. Ft. Capacity

NOTE: (C) Mower Deck Comes With Mulch Plug **731-3316**

NOTE: (D) Requires 190-343-100 Hydraulic Front Hitch

NOTE: (E) Auxiliary Valve **759-3971** Available Through Parts

NOTE: (F) Model GT 3100 & Series 3000 Prior To 2005

NOTE: (G) Model GT 3200 Only

NOTE: (H) One (1) Ag Tire Without Rim **734-3028** Available Through Parts

NOTE: (I) Includes Sleeve Hitch, Roller & Hydraulic Lift

ATTACHMENTS

PRECISION

2006

ATTACHMENTS

BRINLY-HARDY

2007-2009

ATTACHMENTS

AGRIFAB

2006-2010

ATTACHMENTS BY PRECISION / 2006

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
10 Cu. Ft. Dump Cart	(A)	190-120-100	-	90 Days
17 Cu. Ft. Dump Cart	(A)	190-121-100	-	90 Days
17 Cu. Ft. Dump Cart With Bed Stakes	(A)	190-122-100	-	90 Days
12 Cu. Ft. Poly Convertible Dump Cart	(A)	190-123-100	-	90 Days
200 Lb. Capacity Broadcast Spreader	(A)	190-124-100	-	90 Days
130 Lb. Capacity Broadcast Spreader	(A)	190-125-100	-	90 Days
42" Lawn Dethatcher	(A)	190-126-100	-	90 Days
42" Lawn Spike Aerator	(A)	190-127-100	-	90 Days
42" Lawn Plug Aerator	(A)	190-128-100	-	90 Days
45" Lawn Sweeper	(A)	190-129-100	-	90 Days
25 Gal. Tank Sprayer	(A)	190-130-100	-	90 Days
40 Gal. / 331 Lb. Poly Drum Lawn Roller	(A)	190-131-100	-	90 Days

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Contact Precision 1-800-225-5891 Extension 204

ATTACHMENTS BY BRINLY-HARDY / 2007-2009

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
16 Cu. Ft. Steel Cart	(B)	19A-102-100	159 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(B)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(B)	19A-105-100	44 lbs.	2 Year
48" Aerator Spreader	(B)	19A-110-100	-	2 Year
48" Lawn Dethatcher	(B)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(B)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(B)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(B)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(B)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(B)	19A-104-100	53 lbs.	2 Year
10" Mold Board Plow	(B)	19A-111-100	-	2 Year
Box Scraper	(B)	19A-112-100	-	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (B) Contact Brinly-Hardy 1-800-626-5329

ATTACHMENTS BY AGRIFAB / 2006-2010

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
46" Lawn Sweeper	-	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	-	190-653-100	96 lbs.	2 Year
15 Cu. Ft. Easy Dump Trailer, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	2 Year
17 Cu. Ft. Easy Dump Trailer, 16.0" x 6.5" Whls.	-	190-425-100	172 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

